

GUJARAT TECHNOLOGICAL UNIVERSITY

BE- SEMESTER-V (NEW) EXAMINATION – WINTER 2020

Subject Code:3151605

Date:27/01/2021

Subject Name:Formal Language and Automata Theory


Time:10:30 AM TO 12:30 PM

Total Marks: 56

Instructions:


1. Attempt any FOUR questions out of EIGHT questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.

		MARKS
Q.1	(a) Define DFA, NFA and NFA- Λ .	03
	(b) Explain Addition, Multiplication, and Subtraction function for Primitive Recursive Functions.	04
	(c) Draw a Turing Machine(TM) to accept Even and odd Palindromes over {a,b}.	07
Q.2	(a) Define the pumping lemma for context free language. Using Pumping Lemma Prove that given Language is not CFL. $L = \{ 0^i 1^j 0^k \mid k > i+j \}$.	03
	(b) Design and draw a deterministic PDA accepting “Balanced strings of Brackets” which are accepted by following CFG. $S \rightarrow SS \mid [S] \mid \{ S \} \mid \Lambda$	04
	(c) Convert the following NFA - Λ into its equivalent DFA that accepts the same language.	07




Q.3	(a) Write Regular Expression and Valid String for the following	03
	<ol style="list-style-type: none"> a) The Language of all strings Containing both 11 and 010 as Substring. b) The Language of all strings of length 6 or Less. 	
Q.4	(b) Find context free grammar for the following language $L = \{ a^i b^j c^k \mid i = j + k \}$	04
	(c) Write a short note on Universal Turing Machine.	07
Q.4	(a) Consider following grammar: $S \rightarrow ASB \mid \Lambda$ $A \rightarrow aAS \mid a$ $B \rightarrow SbS \mid A \mid bb$	03
	<ol style="list-style-type: none"> a) Eliminate useless symbols, if any. b) Eliminate Λ productions 	

- (b) Draw F.A. and Transition Table for following 04
 c) The Language of all strings with 00 is not a Substring.
 d) The Language of all strings end with 01.
 (c) Write a Turing Machine to copy strings. 07
Q.5 (a) Define: Context-Free Grammars, Chomsky Normal Form and Pushdown Automata. 03
 (b) Calculate following: 04
 1) $\delta^*(q_0, \Lambda)$ 2) $\delta^*(q_0, 0)$ 3) $\delta^*(q_0, 01)$ 4) $\delta^*(q_0, 010)$




- (c) Given the context-free grammar G, find a CFG G' in Chomsky Normal Form generating $L(G) - \{\Lambda\}$. 07
 $S \rightarrow AACD \mid ACD \mid AAC \mid CD \mid AC \mid C$
 $A \rightarrow aAb \mid ab$
 $C \rightarrow aC \mid a$
 $D \rightarrow aDa \mid bDb \mid aa \mid bb$

- Q.6** (a) Draw F.A. and Transition Table for following. 03
 $(a+b)^*baaa$.
 (b) Convert the given NFA to DFA 04



- (c) Prove that the following CFG is Ambiguous. 07
 $S \rightarrow S + S \mid S * S \mid (S) \mid a$
 Write the unambiguous CFG for the above grammar. Draw parse tree for string $a+a*a$

- Q.7** (a) What is Initial Functions? 03
 (b) Find a minimum-state FA for the following FA 04



- (c) For the PDA, $(\{q_0, q_1\}, \{0, 1\}, \{0, 1, z_0\}, \delta, q_0, z_0, \phi)$, where δ is
- $\delta(q_0, \epsilon, z_0) = \{(q_1, \epsilon)\}$
 - $\delta(q_0, 0, z_0) = \{(q_0, 0z_0)\}$
 - $\delta(q_0, 0, 0) = \{(q_0, 00)\}$
 - $\delta(q_0, 1, 0) = \{(q_0, 10)\}$
 - $\delta(q_0, 1, 1) = \{(q_0, 11)\}$
 - $\delta(q_0, 0, 1) = \{(q_1, \epsilon)\}$
 - $\delta(q_1, 0, 1) = \{(q_1, \epsilon)\}$
 - $\delta(q_1, 0, 0) = \{(q_1, \epsilon)\}$
 - $\delta(q_1, \epsilon, z_0) = \{(q_1, \epsilon)\}$
- Obtain CFG accepted by the above PDA.

- Q.8**
- (a) What is Primitive Recursive Functions? **03**
 - (b) Define Pumping Lemma for Regular Language. Using Pumping Lemma Prove that given Language is not regular Language. **04**
 $L = \{ 0^i 1^j 0^k \mid k > i + j \}$.
 - (c) For the language $L = \{ xcx^r \mid x \in \{a,b\}^* \}$ design a PDA(Push Down Automata) and trace it for string "bacab" **07**

www.FirstRanker.com