

CBME

## Dr YSR UNIVERSITY OF HEALTH SCIENCES: VIJAYAWADA- 520008 MBBS DEGREE EXAMINATION - JANUARY, 2024 SECOND M.B.B.S. EXAMINATION

## PHARMACOLOGY PAPER-II

(Multiple Choice Questions) (SET-C)

Time: 20 Minutes Max Marks: 20

Note: Answer all questions.

## SECTION-I (MCQs - 20 MARKS)

1X2=20

- 1. Which of the following antibiotics is given orally for the treatment of pseudomembranous colitis caused by Clostridium difficile?
- a. Vancomycin.
- b. Ampicillin
- c. Doxycycline
- d. Clindamycin
- 2. Which of the following antibiotic acts by inhibiting protein synthesis?
- a. Cefazolin
- b. Methicillin
- c. Doxycycline
- d. Ciprofloxacin
- 3. Which of the following drugs is combined with imipenem to increase its half-life?





a. Sulbactam
b. Cilastatin
c. Avibactam
d. Pravastatin
4. Which among the following antibiotic is not an inhibitor of cell wall synthesis?
a. Netilmicin
b. Fosfomycin
c. Bacitracin
d. Cycloserine
5. Cotrimoxazole contains sulfamethoxazole to trimethoprim in the ratio of
a. 4:1
b. 5:1
c. 1:4
d. 1:5
6. The antibiotic of choice for surgical prophylaxis is
a. Cefuroxime axetil
b. Cefixime
c. Cefazolin
d. Oritavancin
7. Mechanism of action of Ketoconazole
a. Forming pores in fungal cell membrane



b. Blocking glucan synthase



- c. Interfering with fungal ergosterol synthesis
- d. Inhibiting epoxidation of squalene
- Which among the following beta lactam antibiotics does not show cross allergenicity in patients allergic to penicillin
- a. Aztreonam
- b. Meropenem
- c. Imipenem
- d. Methicillin
- 9. Which among the following drugs can be used for the treatment of a 26 year old woman with infertility and hyperprolactinemia?
- a. Levodopa
- Bromocriptine
- c. Methylergometrine
- d. Misoprostol
- 10. Filgrastim is indicated for the treatment of
- a. Anemia
- b. Neutropenia
- c. Polycythemia
- d. Eosinophilia
- 11. Which among the following drugs is used for the management of acute symptoms associated with hyperthyroidism such as tachycardia and palpitations
- a. Carbimazole





- b. Lugol's iodine
- c. Propranolol
- d. Methimazole
- 12. All of the following statements are true about heparin except
- Contraindicated in pregnancy
- b. Protamine is the antidote for overdose
- c. Alopecia is an adverse effect
- d. Intramuscular route is contraindicated
- 13. Tamoxifen is a
- a. Selective progesterone receptor modulator
- b. Selective estrogen receptor modulator
- Selective androgen receptor modulator
- d. Selective glucocorticoid receptor modulator
- Which among the following antidiabetic drugs can cause megaloblastic anemia due to vitamin B12 deficiency
- a. Glibenclamide
- b. Metformin
- c. Acarbose
- d. Rosiglitazone
- 15. The drug useful in early first trimester abortion is
- a. Clomiphene citrate
- b. Leuprolide
- c. Oxytocin





## d. Mifepristone

- 16. Which among the following conditions is a contraindication for use of glucocorticoids
- a. Renal transplant recipients
- b. Inflammatory bowel disease
- c. Acute uveitis
- d. Varicella infection
- 17. Which among the given anticancer drugs is not an alkylating agent
- a. Lomustine
- b. Busulfan
- c. Fludarabine
- d. Carmustine
- 18. Which of the following statements is true about misoprostol
- a. It is a methyl analogue of PGF2
- b. It is teratogenic in humans
- It requires single daily dosing for NSAID induced peptic ulcer
- d. It has both acid inhibitory and mucosal protective properties
- 19. Which among the following chelating agents is known popularly as "British anti-lewisite"
- a. Succimer
- b. Unithiol
- c. Edette calcium disodium
- d. Dimercaprol





- 20. Sucralfate is a salt of
- Sucrose complexed to sulphated aluminium sulphate
- Sucrose complexed to sulphated aluminium phosphate
- c. Sucrose complexed to sulphated aluminium hydroxide
- Sucrose complexed to sulphated aluminium carbonate

\*\*\*\*\*\*\*

WWW.FirstPanker.com