

www.FirstRanker.com

Roll No.									Total No. of Pages : (04
NOIL NO.							_	_	i otal No. ol l'ages . v	,,,,

Total No. of Questions: 09

B.Tech.(AE) (2011 Onwards) (Sem.-3)
MACHINE DRAWING

Subject Code : BTAE-306 M.Code : 54114

Time: 3 Hrs. Max. Marks: 60

INSTRUCTIONS TO CANDIDATES:

- SECTION-A is COMPULSORY consisting of TEN questions carrying TWO marks each.
- SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt any FOUR questions.
- SECTION-C contains THREE questions carrying TEN marks each and student has to attempt any TWO questions.

SECTION-A

Write briefly :

- a) Sketch the conventional representation of :
 - (i) Wood
 - (ii) Concrete
 - (iii) Brass
- b) Define the terms: Diagonal Pitch and margins in case of rivets
- Sketch the conventional representation of
 - (i) Internal threads
 - (ii) Bearing
 - (iii) Tension spring
 - (iv) Helical gear.
- d) How are (i) Screw threads and (ii) Tapered features, dimensioned?
- e) State the difference between pitch and lead of a double start thread.



www.FirstRanker.com

- Draw a free hand sketch of hexagonal threaded bolt.
- g) Enlist the practical applications of pin type flexible coupling.
- h) What is a half section?
- i) What is the function of piston in an IC engine?
- j) What is a cotter and when is it used? What is the purpose of using a gib along with a cotter in a cotter joint?

SECTION-B

- Explain blow off cock with the help of a diagram.
- Discuss the following commands of AutoCAD :
 - a) Array
 - b) Offset
 - c) Extrude
 - d) Trim
 - e) Mirror
- Differentiate between machine drawing and production drawing.
- Draw profile of Knuckle threads by taking pitch of 20 mm. Clearly show the calculations and show dimensions on drawing.
- Draw the sectional front view and top view of a double riveted zig-zag lap joint to join plates of thickness 10 mm.

SECTION-C

Sketch a Knuckle joint showing sectional front view and top view for connecting two rods of 40 mm diameter.



- Fig. 1 shows the two views of a protected type flanged coupling. Draw the following views on full scale:
 - a) Front view lower half in section
 - b) Side view




FIG.1

- Fig. 2 shows the details of a screw-jack. Draw the following views of the assembly to some suitable scale:
 - a) Front view-right half in section, and
 - b) Top views




FIG.2

NOTE: Disclosure of Identity by writing Mobile No. or Making of passing request on any page of Answer Sheet will lead to UMC against the Student.

