

Roll No.

Total No. of Pages : 03

Total No. of Questions : 10

B.Pharma (2011 to 2016) (Sem.-3)
PHARMACEUTICAL MATHEMATICS
Subject Code : BPHM-301
M.Code : 46221

Time : 3 Hrs.

Max. Marks : 80

INSTRUCTIONS TO CANDIDATES :

1. SECTION-A is COMPULSORY consisting of FIFTEEN questions carrying TWO marks each.
2. SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt ANY FOUR questions.
3. SECTION-C contains FOUR questions carrying TEN marks each and students have to attempt ANY THREE questions.

SECTION-A**1. Solve the following :**

- a) If a matrix has 8 elements, what are the possible orders it can have?
- b) If $A = \begin{bmatrix} 1 & 0 \\ 3 & 4 \end{bmatrix}$ find the value of $2A^2 + 3I$, where I is a unit matrix of order 2.
- c) Find the value of determinant $\begin{vmatrix} 1 & 0 & 2 \\ 2 & 1 & 1 \\ 0 & 4 & 2 \end{vmatrix}$.
- d) If A is a square matrix of order 3 and $|A| = 3$ find the determinant value of 2A.
- e) Find $\frac{dy}{dx}$ where $y = x^2 \cos 3x$.
- f) Find the value of limit $\lim_{x \rightarrow 2} \frac{x^3 - 8}{x - 2}$.
- g) Evaluate the integral : $\int \frac{dx}{(2x+5)^3}$.
- h) Evaluate the integral $\int \sin 2x \sin 3x dx$.

- i) Find the median of 5, 4, 1, 7, 3, 10, 15.
- j) Find the value of x if mean of 3, 4, x , 5, 1 is 4.
- k) Variance of a data containing 10 entries is 36, find its standard deviation.
- l) Write the formula for coefficient of variation.
- m) Define Binomial distribution.
- n) Find the value of $\cos 75^\circ$
- o) Express $2 \cos 4x \sin 2x$ as an algebraic sum of sines or cosines.

SECTION-B

2. Find the inverse of matrix $A = \begin{bmatrix} 2 & 1 \\ 3 & 3 \end{bmatrix}$.
3. Differentiate $x^{\sin x}$ with respect to x .
4. Evaluate $\int x^2 \log x dx$.
5. Prove that $\frac{1 + \sin \theta - \cos \theta}{1 + \sin \theta + \cos \theta} = \tan \left(\frac{\theta}{2} \right)$.
6. Find the median of the following distribution :

Class interval	0-10	10-20	20-30	30-40	40-50
Frequency	5	7	10	8	5

SECTION-C

7. Solve the following by Cramer's rule :
$$6x + y - 3z = 5$$
$$x + 3y - 2z = 5$$
$$2x + y + 4z = 8$$

8. a) Find $\frac{dy}{dx}$ if $x = 1 + \sin t, y = t^2 + 1$

b) Evaluate the integral $\int \frac{dx}{(x+2)(x-3)}$

9. Calculate the standard deviation of the following data :

X : 4 8 11 17 20 24 32

F : 3 5 9 5 4 3 1

10. a) Draw normal distribution curve and state any three properties of the curve.

b) Prove that $\cos 20^\circ \cos 40^\circ \cos 80^\circ = \frac{1}{8}$

www.FirstRanker.com

NOTE : Disclosure of Identity by writing Mobile No. or Making of passing request on any page of Answer Sheet will lead to UMC against the Student.