

www.FirstRanker.com

www.FirstRanker.com

Roll No. Total No. of Pages : 02

Total No. of Questions: 15

M.Sc.(Chemistry) (2018 Batch) (Sem.-1)
NUMERICAL METHODS FOR CHEMISTS

Subject Code: CHL406B-18 M.Code: 75119

Time: 3 Hrs. Max. Marks: 50

INSTRUCTIONS TO CANDIDATES:

- SECTION-A is COMPULSORY consisting of FIVE questions carrying TWO marks each.
- SECTION-B contains EIGHT questions carrying FOUR marks each and students have to attempt any SIX questions.
- SECTION-C will comprise of two compulsory questions with internal choice in both these questions. Each question carries EIGHT marks.

SECTION-A

- Illustrate the associative law of matrix multiplication using an example.
- Prove that any square matrix can be expressed as a sum of symmetric and skewsymmetric matrix.
- Define Bohr's radius.
- 4. How are differential equations applicable in chemical kinetics?
- Explain conditional probability with example.

SECTION-B

- 6. Express A = $\begin{bmatrix} 2 & -2 & -4 \\ -1 & 3 & 4 \\ 1 & -2 & -3 \end{bmatrix}$ as the sum of a symmetric and skew-symmetric matrix.
- Obtain the inverse of the following matrix :

$$A = \begin{bmatrix} 2 & 0 & -1 \\ 5 & 1 & 0 \\ 0 & 1 & 3 \end{bmatrix}$$

1 | M-75119 (S44)-2493

www.FirstRanker.com

www.FirstRanker.com

- 8. Prove that the function f(x) = 5x 3 is continuous at x = 0, at x = -3 and at x = 5.
- 9. Find the derivative of f given by $f(x) = \sin^{-1} x$ assuming it exists.
- 10. Find the general solution of the differential equation $dy/dx y = \cos x$.
- 11. Show that the differential equation (x y) dy (x + y) dx = 0 is homogeneous and solve it.
- 12. An urn contains 10 black and 5 white balls. Two balls are drawn from the urn one after the other without replacement. What is the probability that both drawn balls are black?
- A man is known to speak truth 3 out of 4 times. He throws a die and reports that it is a six. Find the probability that it is actually a six.

SECTION-C

14. a) Show that $\Delta = \begin{vmatrix} x+y & y+z & z+x \\ z & x & y \\ 1 & 1 & 1 \end{vmatrix} = 0$

Qt∠

- b) Find the area of the region enclosed between the two circles $x^2 + y^2 = 4$ and $(x-2)^2 + y^2 = 4$
- 15. a) Find the general solution of the differential equation dy/dx = (x + 1)/(2 y), $(y \ne 2)$.

Or

b) Use method of least squares to fit a straight line to the data

X: 2 4 6 8 10 12

Y: 7.32 8.24 9.20 10.19 11.01 12.05

NOTE: Disclosure of Identity by writing Mobile No. or Making of passing request on any page of Answer Sheet will lead to UMC against the Student.

2 | M-75119 (S44)-2493