

## ATAL BIHARI VAJPAYEE MEDICAL UNIVERSITY, LUCKNOW MBBS DEGREE EXAMINATION - 1st PROF PROFESSIONAL **SUPPLEMENTARY EXAM - MARCH 2024**

## **HUMAN ANATOMY - PAPER - II**

**SECTION A - Multiple Choice Questions (MCQs)** 

PAPER CODE: 2422130001 SET: A

Note: Choose one correct answer in the OMR sheet provided. No overwriting

should be done.

**Time: 20 Minutes**  $(20 \times 1 = 20 \text{ MARKS})$ 

- 1. Which of the following muscles is not a part of triceps surae?
  - a) Sartorius
  - b) Lateral head of gastrocnemius
  - c) Medial head of gastrocnemius
  - d) Soleus
- Rauker com 2. Posterior relations of the head of the pancreas are all EXCEPT:
  - a) Common bile duct
  - b) First part of duodenum
  - c) Aorta
  - d) Inferior vena cava
- 3. Attachments to the first rib are all EXCEPT:
  - a) Scalenus anterior
  - b) Scalenus posterior



c) Scalenus medius

d) Suprapleural membrane

4. Appendices epiploicae are found in:
a) Appendix
b) Caecum
c) Rectum
d) Sigmoid colon
5. The uppermost structure in the left lung hilum is:
a) Pulmonary artery
b) Pulmonary vein
c) Bronchial artery
d) Left main bronchus
d) Left main bronchus  6. Foramen secundum is present in:  a) Septum secundum  b) Septum primum  c) Septum intermedium  d) Septum spurium
7. Structures passing through the lesser sciatic notch are all EXCEPT:
a) Nerve to obturator internus
b) Internal pudendal vessels
c) Pudendal nerve
d) Obturator nerve



8. The nerve likely to be injured in posterior dislocation of the hip joint is:			
a) Superior gluteal nerve			
b) Sciatic nerve			
c) Inferior gluteal nerve			
d) Pudendal nerve			
9. Embryologically, genital swellings in the male give rise to:			
a) Penis			
b) Scrotal sac			
c) Penile urethra			
d) Prostate			
10. All are muscles of the third layer of the sole EXCEPT:			
a) Flexor hallucis brevis b) Adductor hallucis c) Abductor hallucis			
b) Adductor hallucis			
c) Abductor hallucis			
d) Flexor digiti minimi brevis			
11. All are contents of the spermatic cord EXCEPT:			
a) Pampiniform plexus of veins			
b) Genital branch of genitofemoral nerve			
c) Pauparts ligament			
d) Vas deferens			
12. Triangle of Koch is bounded by all EXCEPT:			



a) Coronary sinus	s opening
b) Tendon of Tod	aro
c) Septal cusp of	tricuspid valve
d) Superior vena	cava opening
13. Locking of the k	nee joint is caused by the contraction of:
a) Popliteus	
b) Biceps femoris	;
c) Semimembran	osus
d) Quadriceps fer	moris
14. The shortest pa	rt of the male urethra is the urethra:
a) Prostatic	
b) Membranous	
c) Bulbar	Hel coll
d) Penile	"Faulte"
	g a histology slide of the lung, a student sees Clara cells. ving airways was observed by the student?
a) Alveoli	
b) Bronchiole	
c) Alveolar duct	
d) Alveolar sac	
16. What is the ner	ve supply to the skin around the umbilicus?
a) 10th thoracic v	
.,	entral ramus



c) 12th thoracic ventral ramus
d) 1st lumbar ventral ramus
' Arterial nulse can he felt in th

17. Arterial pulse can be felt in the lower limb at all the following sites EXCEPT:

- a) At midinguinal point
- b) In the popliteal fossa
- c) On the dorsum of the foot
- d) In the sole of the foot

18. A patient with external haemorrhoids is having pain while passing stool. The nerve mediating this pain is:

- a) Pudendal nerve
- b) Hypogastric nerve
- c) Splanchnic visceral nerve
- d) Inferior gluteal nerve

19. All the parts of the GIT are solely derived from the foregut EXCEPT:

- a) Stomach
- b) Oesophagus
- c) Pharynx
- d) Duodenum

20. The rectus sheath contains all of the following EXCEPT:

- a) Pyramidalis muscle
- b) Genitofemoral nerve
- c) Inferior epigastric vessels
- d) Superior epigastric vessels