www.FirstRanker.com

(Contd.)

B.Sc. Part-III (Semester-VI) Examination CHEMISTRY

Time: T	hree	Hou	irs]		[Maximum Marks : 80			
Note :-	- (1)	AL	L questions are compulsory.					
	(2)	Que	estion No. 1 carries 8 marks whi	le eac	th of the remaining SIX questions			
		carr	ries 12 marks.					
	(3)	Draw diagrams and write equations wherever necessary.						
	(4)	Use	Use of scientific calculators is allowed.					
1. (A)	Fill	in th	ne blanks :					
	(i)	Acc	cording to quantum theory, the	rad	iations consist of packets of energy			
		call	ed					
	(ii)	The	range of finger print region is		_iii			
	(iii)	The	elements which are absolutely	nece	ssary for life process in a very small			
		amo	ount are called as					
	(iv)	The	complexes showing reaction w	thin	one minute, 1 M concentration and at			
		rooi	m temperature are called as	c	omplexes. 2			
(B)	Cho	ose	the correct alternative :					
	(i)	The	intermediate formed in SN ² me	chani	sm shows geometry.			
		(a)	Pentagonal	(b)	Trigonal			
		(c)	Octahedral	(d)	Pentagonal bipyramidal			
	(ii)	Exp	pression for energy of a particle	n one	e dimensional box is :			
		(a)	$\frac{n^2h^2}{8ma^2}$	(b)	$\frac{\mathrm{nh}^2}{\mathrm{2ma}^2}$			
		` '	8ma ²	. /	2ma²			
		(c)	$\frac{n^2h^2}{h^2}$	(d)	$\frac{n^2h}{2n^2}$			
	(::: <u>)</u>	NI	4ma²	i	2ma ²			
	(111)		nber of NMR signals in propane	122 6	Ti.			
		(a)	Four	(b)	Three			
		(c)	Two	(d)	One			
	(iv)	Geo	ometrical shape of Cr(CO) ₆ mole	cule i	s:			
		(a)	Linear	(b)	Octahedral			
		(c)	Tetrahedral	(d)	Pentagonal bipyramidal 2			

YBC-15332

rstRanker.com

1	R	Fi	rstRanker.com	
,	1.	(b)		stRanker.com
			(i) Hypsochromic shift	
		2 (2)	(ii) Hyperchromic effect.	4
		(q)	Differentiate the following pairs of compounds on the basis of IR s	pectroscopy:
			(i) acetamide and acetic acid	31 31
			(ii) acetone and ethanol.	4
		(r)	What types of electronic transitions do you expect in each of the follow	ing compounds?
			(i) CH ₄	
			(ii) $CH_2 = CH_2$	
			(iii) CH ₃ -Cl	
			(iv) CH_3 - $CH = O$	4
			UNIT—IV	
8.	8.	(a)	How will you distinguish following pairs by their NMR spectra?	
			(i) CH ₃ COCH ₃ and CH ₃ CHO	
			(ii) CH ₃ OCH ₃ and CH ₃ CH ₂ -OH	4
		(b)	Calculate m/z value of each of the following in Mass Spectroscopy	:
			(i) $[(CH_3)_2CH]^{+}$	*
			(ii) [CH ₃ -NH ₂] [†]	4
		(c)	Explain the following terms with an example:	
			(i) Spin-spin coupling	
			(ii) Chemical shift.	4
			OR	
	9.	(p)	Explain in brief the principle of mass spectroscopy.	4
		(q)	Write the NMR signals shown by following compounds:	
			(i) Ethyl bromide	
			(ii) 1, 3-dichloropropane	
			(iii) Ethyl acetate	
			(iv) Isopropyl bromide.	4
		(r)	Calculate m/z values for each of the following molecular ions:	
			(i) $[C_6H_5-CH_3]^{+}$	
			(ii) [CH ₃ -CH ₂ -OH] [†]	4
	•	a :-		(0)
	YB	C-15	332	(Contd.)

www.FirstRanker.com

www.FirstRanker.com

10.	(a)	Derive an expression for the energy of a free particle in one dimensional box.	4			
	(b)	What do you understand by dual character of matter?	4			
	(c)	The work function of Cs metal is 2.14 eV. Calculate the kinetic energy and the spe	ed			
		of the electrons emitted when the metal is irradiated with light of wavelength				
		700 nm.	4			
		OR				
11.	(p)	What is the physical significance of ψ and ψ^2 ?	4			
	(q)	What is threshold frequency? How is this frequency related to the work function	?			
			4			
	(r)	An electron is confined in one dimensional box of width 4.0 \times 10 ⁻¹⁰ m. Calculate	its			
		energy in the fourth energy level.	4			
		UNIT—VI				
12.	(a)	Define:				
		(i) pKa of the weak acid				
		(ii) Concentration cell				
		(iii) Q-value				
		(iv) Nuclear fusion reactions.	4			
	(b)	How pH of the solution is determined using the hydrogen gas electrode?	4			
	(c)	Explain the nuclear force on the basis of meson theory.	4			
		OR				
13.	(p)	Give any four evidences in favour of Magic numbers.	4			
	(q)	Derive an equation for EMF of concentration cell without transference.	4			
	(r)	(i) Give any two applications of radioisotopes in industry.				
	, ,	(ii) Give any two advantages of glass electrode.	4			
		(-) any the saturnages of glass electrode.	4			