

## ATAL BIHARI VAJPAYEE MEDICAL UNIVERSITY

## MBBS DEGREE - IInd PROFESSIONAL - REGULAR EXAMINATION - DEC 2024

## **PHARMACOLOGY - PAPER - I**

SECTION A - Multiple Choice Questions (MCQs) SET : B

PAPER CODE: 2411130005

Note: Choose one correct answer in the OMR sheet provided. No overwriting should be

done.

Time: 20 Minutes (20 x 1 = 20 MARKS)

- 1. Mechanism of action of theophylline in bronchial asthma include all of the following except
  - a) Increased histone deacetylation
  - b) Beta-2 receptor stimulation
  - c) Phosphodiesterase inhibition
  - d) Adenosine receptor antagonism
- 2. Injection of all of the following drugs is painful except
  - a) Ketamine
  - b) Methohexitone
  - c) Propofol
  - d) Etomidate
- 3. Anticonvulsant causing visual field contraction is
  - a) Ethosuximide
  - b) Phenytoin
  - c) Vigabatrin
  - d) Levetiracetam
- 4. All of the following are side effect of ropinirole except
  - a) Retroperitoneal fibrosis
  - b) Hallucination
  - c) Sedation
  - d) Nausea
- 5. Which of the following drugs cause oligospermia?
  - a) Methotrexate
  - b) Sulfasalazine
  - c) Leflunomide
  - d) D-Penicillamine
- 6. Drug of choice for prophylaxis of acute mountain sickness is:
  - a) Dexamethasone
  - b) Acetazolamide
  - c) Diltiazem
  - d) Digoxin



- 7. NSAID with least anti-inflammatory action is:
  - a) Ketorolac
  - b) Ibuprofen
  - c) Indomethacin
  - d) Paracetamol
- 8. Which of the following does not have a role in acute attack of asthma?
  - a) Steroids
  - b) Salbutamol
  - c) Cromolyn sodium
  - d) Ipratropium
- 9. From which of the following routes, bioavailability of the drug is likely to be 100 percent?
  - a) Intramuscular
  - b) Intradermal
  - c) Intravenous
  - d) Subcutaneous
- 10. Drugs used in prophylaxis of migraine are all except:
  - a) Propranolol
  - b) Topiramate
  - c) Sumatriptan
  - d) Valproate
- 11. Drug used for smoking cessation is:
  - a) Naxolone
  - b) Sildenafil
  - c) Varenicline
  - d) Acamprosate
- 12. Anti-Parkinson's drug known to cause cardiac valvular fibrosis is:
  - a) Pramipexole
  - b) Pergolide
  - c) Levodopa
  - d) Ropinirole
- 13. Which of the following drugs is not used in Rheumatoid arthritis?
  - a) Etanercept
  - b) Methotrexate
  - c) Febuxostat
  - d) Leflunomide
- 14. All of the following agents are used in glaucoma treatment, except:
  - a) Pilocarpine
  - b) Metoprolol
  - c) Apraclonidine
  - d) Timolol



- 15. Which of the following act through G protein coupled receptors?
  - a) Nicotinic receptors
  - b) GABA-A receptors
  - c) Muscarinic receptors
  - d) Insulin receptors
- 16. Drug of choice in complex partial seizure is:
  - a) Carbamazepine
  - b) Phenobarbitone
  - c) Phenytoin
  - d) Valproate
- 17. Which of the following is a P glycoproteins inducer?
  - a) Erythromycin
  - b) Itraconazole
  - c) Ketoconazole
  - d) Rifampicin
- 18. Which of the following drugs act by inhibiting granulocyte migration?
  - a) Cromoglycate
  - b) Allopurinol
  - c) Colchicine
  - d) Montelukast
- 19. Which drug used for differentiating myasthenia gravis from cholinergic crisis?
  - a) Labetelol
  - b) Salbutamol
  - c) Edrophonium
  - d) Clonidine
- 20. Which of the following is not an adverse effect of salbutamol?
  - a) Tremors
  - b) Tachycardia
  - c) Hypoglycemia
  - d) Hypokalemia