

ATAL BIHARI VAJPAYEE MEDICAL UNIVERSITY, LUCKNOW MBBS DEGREE EXAMINATION - III rd PROFESSIONAL - PART-I - NOV - 2023 **PAPER - I - COMMUNITY MEDICINE**

SECTION A - Multiple Choice Questions (MCQs)

PAPER CODE: 2311130010 SET: C

Note: Choose one correct answer in the OMR sheet provided. No overwriting should be done.

Time: 20 Minutes $(20 \times 1 = 20 \text{ MARKS})$

- 1. Which of the following correctly describes 'Distance Vision Blindness':
 - a) Presenting visual acuity worse than 6/18
 - b) Presenting visual acuity worse than 6/60
 - c) Presenting visual acuity worse than 6/12
 - d) Presenting visual acuity worse than 3/60
- 2. The following is NOT a characteristic of Standard Normal Curve:
 - a) Perfectly symmetrical
 - b) Mean, median and mode coincide
 - c) 99.7% of population fall within 2SD of mean
 - d) Bell-shaped
- 3. True regarding specificity:
 - a) Identifies false -ve
 - b) Identifies false +ve
 - c) Identifies true +ve
 - d) Identifies true -ve
- 4. Dental fluorosis is best seen in:
 - a) 1st & 2nd Molars
 - b) Central Incisors & 1st molar
 - c) Canines
 - d) Central & Lateral Incisors
- "Lest Bauker com 5. The study of relation between diseases and social conditions is known as:
 - a) Social diagnosis
 - b) Social pathology
 - c) Social anatomy
 - d) Social defence
- 6. Consumption Unit, the coefficient of Dietary Intake, for an adolescent is of value:
 - a) 1.0
 - b) 0.9
 - c) 1.2
 - d) 1.7



- 7. Pasteurised milk is most commonly tested by:
 - a) Coliform test
 - b) Phosphatase test
 - c) Catalase test
 - d) Oxidase test
- 8. Most universally accepted indicator of health status of whole population and their socio-economic conditions among the following is:
 - a) IMR
 - b) MMR
 - c) Life expectancy
 - d) Disease notification rates
- 9. A researcher designed as study in which the study participant and investigators are unaware of treatment being imparted. This phenomenon is known as:
 - a) Randomization
 - b) Matching
 - c) Bias
 - d) Blinding
- 10. The time interval between invasion by an infectious agent and appearance of first sign or symptom of a disease is known as:

Suker com

- a) Incubation period
- b) Serial interval
- c) Latent period
- d) Generation time
- 11. IQ is calculated by:
 - a) Mental age chronological age X 100
 - b) Chronological age/ mental age X 100
 - c) Mental age/ chronological age X 100
 - d) Chronological age mental age X 100
- 12. Which one of the following does not represent the submerged portion of the iceberg?:
 - a) Undiagnosed cases
 - b) Pre-symptomatic cases
 - c) Diagnosed cases under treatment
 - d) Carriers sub clinical cases
- 13. Deficiency of dietary fibres is associated with all diseases EXCEPT:
 - a) Diabetes mellitus
 - b) Colon cancer
 - c) Osteoporosis
 - d) Coronary Artery Disease



- 14. A chemical that destroys disease-causing organisms with probability of not destroying bacterial spores is known as:
 - a) Sterilizer
 - b) Sanitizer
 - c) Disinfectant
 - d) Antiseptic
- 15. A condition that limits or prevents the fulfillment of a role that is normal for that individual is known as:
 - a) Handicap
 - b) Disability
 - c) Injury
 - d) Impairment
- 16. Which of the following is a water borne infection?:
 - a) Hepatitis B
 - b) Hepatitis A
 - c) Malaria
 - d) Leprosy
- 17. The ratio between the incidence of disease among exposed and non-exposed is called:
 - a) Relative risk
 - b) Causal risk
 - c) Attributable risk
 - d) Odds ratio
- www.FirstRanker. 18. Post-exposure prophylaxis through vaccination is NOT useful in:
 - a) Rabies
 - b) Influenza
 - c) Hepatitis B
 - d) Measles