

**ATAL BIHARI VAJPAYEE MEDICAL UNIVERSITY, LUCKNOW****MBBS DEGREE - III rd PROFESSIONAL - PART-I - REGULAR EXAMINATION - JAN 2025****COMMUNITY MEDICINE - PAPER - I****SECTION A - Multiple Choice Questions (MCQs)**

PAPER CODE : 2512130010

SET : B

Note: Choose one correct answer in the OMR sheet provided. No overwriting should be done.

Time: 20 Minutes

(20 x 1 = 20 MARKS)

1. Pap smear for the early detection of cervical cancer constitute:

- a) Secondary prevention
- b) Primary prevention
- c) Medical treatment
- d) Tertiary prevention

2. Global eradication Wild Polio Virus Type 2 was certified in the year:

- a) 2017
- b) 2015
- c) 2023
- d) 2020

3. SPARSH campaign is launched for:

- a) Polio
- b) TB
- c) Leprosy
- d) Malaria

4. Which one of the following is a meat borne disease?

- a) Taeniasis
- b) Bacillus Cereus infection
- c) Shigellosis
- d) Ascariasis

5. Epidemic dropsy is caused by:

- a) Mustard Oil
- b) BOAA
- c) Sanguinarine
- d) Pyruvic acid

6. Organic responses of behavior doesn't include:

- a) Feelings
- b) Emotions
- c) Tension
- d) Habits

7. Which one of the following is correct regarding daily upper limit of noise without substantial damage to hearing?
- a) 70 db
  - b) 50 db
  - c) 85 db
  - d) 75 db
8. Both active and specific passive types of immunization are available for which one of the following?
- a) Meningitis
  - b) Tetanus
  - c) Mumps
  - d) Measles
9. Which one of the following diseases will not have a human healthy carrier?
- a) Diphtheria
  - b) Cholera
  - c) Hydatidosis
  - d) Salmonellosis
10. The newly introduced third dose of f-IPV vaccine in the National Immunization Schedule is given as:
- a) Intramuscular at Left arm
  - b) Intramuscular at Right arm
  - c) Intradermal at Left arm
  - d) Intradermal at Right arm
11. Most common cancer in females in India are:
- a) Cervical Cancer
  - b) Lung Cancer
  - c) Oral Cancer
  - d) Breast Cancer
12. The main mode of transmission of *Ancylostoma duodenale* is:
- a) Ingestion of eggs
  - b) Ingestion of larva
  - c) Percutaneous
  - d) Inhalation
13. Black fly transmits:
- a) Filariasis
  - b) Kala azar
  - c) Cysticercosis
  - d) Onchocerciasis

14. For socio-economic condition of the country, which one of the following indicators is one of the most universally accepted?

- a) Annual per capita income of the family
- b) Gross net production
- c) Maternal mortality rate
- d) Infant mortality rate

15. The intermediate host involved in transmission of Cysticercosis is:

- a) Swine
- b) Snail
- c) Dog
- d) Crab

16. Which of the following species of mosquito lay its eggs on the under-surface of the water plants such as Pistia?

- a) Culex
- b) Anopheles
- c) Mansonia
- d) Aedes

17. Variations in the results observed between different samples obtained from a population universe is called as:

- a) Non-sampling error
- b) Standard deviation
- c) Selection error
- d) Sampling error

18. The screening strategy of prevention of blindness from diabetic retinopathy according to NPCB involves:

- a) High Risk screening
- b) Opportunistic screening
- c) Primary screening
- d) Mass screening

19. Which of the following vaccine has maximum wastage multiplication factor?

- a) Rota
- b) OPV
- c) Pentavalent
- d) dT

20. At 1:00 pm a mother got a phone call from the school to pick her daughter who was a student of II class, as she was having excessive vomiting. The child was taken immediately to the hospital where she mentioned that she had taken ice-cream in lunch break at 11:30 am. Most likely she was suffering from food poisoning due to:

- a) Shigella
- b) Salmonella
- c) Vibrio cholera
- d) Staphylococcus aureus

\*\*\*

[www.FirstRanker.com](http://www.FirstRanker.com)