

## ATAL BIHARI VAJPAYEE MEDICAL UNIVERSITY, LUCKNOW MBBS DEGREE EXAMINATION - IIIrd PROFESSIONAL - PART-II - FEB 2025 GENERAL SURGERY - PAPER - I

## SECTION A - Multiple Choice Questions (MCQs)

PAPER CODE : 2511130012 SET : A

Note: Choose one correct answer in the OMR sheet provided. No overwriting should be done.

Time: 20 Minutes (20 x 1 = 20 MARKS)

- Green discharge from nipple is most commonly seen with:
  - a) Fibroadenosis
  - b) Breast cyst
  - c) Duct ectasia
  - d) Duct papilloma
- Investigation of choice for discrete thyroid swelling is:
  - a) FNAC
  - b) USG neck
  - c) Thyroid profile
  - d) Isotope scanning
- In full thickness burn all are seen except:
  - a) No capillary return
  - b) Painful
  - c) Leathery skin
  - d) Thrombosed vein can be seen under the skin
- In Surgical ethics duty of surgeons include all except:
  - a) Obtain informed
  - b) Respect patient privacy
  - c) Respect autonomy of patients
  - d) Take decision in doctors' best interest
- Pheochromocytoma arises from:
  - a) Extra-adrenal parasympathetic ganglia
  - b) Extra-adrenal sympathetic ganglia
  - c) Adrenal cortex
  - d) Neuroectodermal tissue of Adrenal medulla
- Stensen's duct opens in buccal cavity at the level of:
  - a) Upper second molar tooth
  - b) Lower second molar tooth
  - Upper second premolar tooth
  - d) Lower second premolar tooth





- In surgical stress all hormones is increased except:
  - a) Glucagon
  - b) ACTH
  - c) Insulin
  - d) Cortisol
- 8. Medical treatment for Filariasis is:
  - a) Benzodiazepine
  - b) Diethylcarbamazine
  - c) Carbamazepine
  - d) Cetirizine
- All are parameter for nutritional assessment of a patient except:
  - a) Arm length
  - b) MAMC
  - c) Serum Albumin
  - d) C-reactive protein
- Approximate volume of water required for daily maintenance in a healthy adult is:
  - a) 10 ml/kg per day
  - b) 20 ml/kg per day
  - c) 30 ml/kg per day
  - d) 40 ml/kg per day
- 11. Most important prognostic factor in carcinoma breast is:
  - a) Size of tumor
  - b) Skin involvement
  - c) Involvement of muscles
  - d) Axillary lymph node involvement
- 12. False for FFP is:
  - a) Shelf-life is 2 years
  - b) Stored at 4°C
  - c) It is rich in coagulation factor
  - d) First line therapy in coagulopathic hemorrhage
- Treatment for sebaceous cyst is:
  - a) Enucleation
  - b) Excision
  - c) Wide local excision
  - d) Incision and drainage
- 14. A boil is due to staphylococcal infection of:
  - a) Hair follicle
  - b) Sweat gland
  - c) Subcutaneous tissue
  - d) Epidermis





- 15. In tubercular ulcer, edge is:
  - a) Punched out
  - b) Sloping
  - c) Everted
  - d) Undermined
- 16. Gas gangrene is caused by:
  - a) Cl. botulinum
  - b) Cl. difficile
  - c) Cl. tetani
  - d) Cl. perfringens
- 17. Veress needle is used for:
  - a) Port closure in laparoscopy
  - b) For creating pneumoperitoneum
  - c) Spinal anesthesia
  - d) Suturing
- 18. All are true about Capsule endoscopy except:
  - a) Able to visualize entire small bowel
  - b) Indicated in patient of Crohn's disease
  - c) Biopsie cannot be taken
  - d) Indicated in pt with known small bowel stricture
- 19. In a patient of RT Buccal mucosa tumor who has 3 cm Primary lesion with ipsilateral single cervical lymph node of 3cm size and FNAC-negative with no evidence of metastasis, what will be TNM Staging:
  - a) T1 N1 M0
  - b) T2 N1 M0
  - c) T3 N2 M0
  - d) T2 N2 M0
- 20. Complications of total thyroidectomy include all except:
  - a) Hoarseness
  - b) Hemorrhage
  - c) Airway obstruction
  - d) Hypercalcemia

\*\*\*