

DR. YSR UNIVERSITY OF HEALTH SCIENCES :: VIJAYAWADA – 520 008

M.B.B.S. DEGREE EXAMINATION – JANUARY, 2023

$FINAL\ M.B.B.S.\ EXAMINATION-PART-I$

COMMUNITY MEDICINE (Paper – II)

(Multiple Choice Questions) (SET – A)

Time: 20 Minutes Max. Marks: 20

Note: Answer all questions

SECTION – I (MCQs – 20 MARKS)

1X20=20

- 1) The treatment of uncomplicated malaria due to Plasmodium vivax is
- a. Chloroquine 25mg/kg divided over three days plus primaquine 0.25mg/kg daily for 14 days
- b. Artemisinin combination therapy and sulfadoxine–pyrimethamine plus primaquine 0.75mg/kg single dose
- c. Artemisinin combination therapy Lumefantrine plus primaquine 0.75mg/kg single dose
- d. Quinine 10mg/kg three times daily for 7 days
- 2) Ulcer of hands in a leprosy patient is an example of
- a. Primary disability
- b. Secondary disability
- c. Tertiary disability
- d. Quarterly disability
- 3) Prepacked colour coded sexually transmitted infection kits for inguinal bubo is
- a. Green
- b. Grey
- c. Red
- d. Black
- 4) The risk of being involved in a crash increases significantly above a blood alcohol concentration (g/dl)
- a. 0.01
- b. 0.04
- c. 0.06
- d. 0.10
- 5) The value of the Waist Hip Ratio (WHR) in men which indicates abdominal fat accumulation is
- a. > 0.58
- b. > 0.85
- c. > 1.0
- d. > 1.5
- 6) The major cause of blindness in India is
- a. Uncorrected refractive errors
- b. Corneal opacity
- c. Untreated cataract
- d. Glaucoma
- 7) The Epidemic Diseases Act was enacted in
- a. 1897
- b. 1937
- c. 1967
- d. 2020



- 8) The literacy rate of India for the year 2011 is
- a. 43.57%
- b. 52.21%
- c. 65.38%
- d. 74.04%
- 9) Social smile in a child is observed at
- a. 6-8 weeks
- b. 3 months
- c. 4-5 months
- d. 6-8 months
- 10) The most important cause of maternal mortality in India is
- a. Abortion
- b. Obstructed labour
- c. Hypertensive disorders
- d. Hemorrhage
- 11) The largest voluntary organization working for the cause and care of the disadvantaged older people in India is
- a. Indian Red Cross
- b. HelpAge India
- c. Hind Kusht Nivaran Sangh
- d. Bharat Sevak Samaj
- 12) Which of the following methods in health communication is useful in control of scabies
- a. Lecture
- b. Group discussion
- c. Demonstration
- d. Role play
- 13) NITI Aayog replaced the Planning Commission of India on
- a. 1950
- b. 1997
- c. 2000
- d. 2015
- 14) The population covered by a primary health centre in hilly and tribal areas is
- a. 10,000
- b. 20,000
- c. 30,000
- d. 40,000
- 15) The population covered by accredited social health activist is
- a. 1000
- b. 2000
- c. 3000
- d. 4000
- 16) Which drug addiction is considered the worst form of suffering
- a. Alcohol
- b. Amphetamine
- c. Barbiturates
- d. Cannabis



- 17) The headquarters of Food and Agricultural Organization is in
- a. New York
- b. Rome
- c. Paris
- d. India
- 18) LAQSHYA programme was introduced to improve
- a. Quality of care in primary health centre
- b. Quality of care in community health centre
- c. Quality of care in labour room and maternity operation theatres
- d. Quality of care in district hospitals
- 19) Ebola virus disease is transmitted by
- a. Droplet infection
- b. Droplet nuclei infection
- c. Direct contact with body fluids
- d. Fomites
- 20) The vaccine used for the prevention of yellow fever is
- a. 17D vaccine
- b. Simple vaccine
- c. Dakka vaccine
- d. Zaire vaccine

MMM.FirstPanker.com