

Dr. NTR UNIVERSITY OF HEALTH SCIENCES :: AP :: VIJAYAWADA – 520 008

FINAL M.B.B.S. PART – II DEGREE EXAMINATION – DECEMBER, 2024

GENERAL SURGERY – PAPER II

SET-D (Multiple Choice Questions)

Time: 20 Minutes

Max. Marks: 20

Note: Answer all questions

SECTION – I (MCQs – 20 MARKS)**1x20=20**

- 1) The widely used investigation of choice in solitary thyroid nodule:
 - a. X-ray neck
 - b. Ultrasound neck
 - c. CT neck
 - d. MRI head and neck
- 2) Fine needle aspiration cytology is not reliable in diagnosing:
 - a. Papillary carcinoma thyroid
 - b. Follicular carcinoma thyroid
 - c. Medullary carcinoma thyroid
 - d. Anaplastic carcinoma thyroid
- 3) The primary hormonal therapy in pre-menopausal women is preferably:
 - a. Surgical oophorectomy
 - b. Chemical ovarian ablation using gonadotropin releasing hormone
 - c. Irradiation of ovaries
 - d. Tamoxifen 20mg daily
- 4) Which is the most common site of carcinoma breast:
 - a. Inner upper quadrant
 - b. Outer upper quadrant
 - c. Central retro areolar
 - d. Lower outer quadrant
- 5) Best surgical treatment for chronic pancreatitis with dilated duct is:
 - a. Frey's operation
 - b. Whipple's operation
 - c. Longitudinal pancreaticojejunostomy
 - d. Distal pancreatectomy
- 6) Most ideal and quick method for diagnosis of gallstones is by:
 - a. Endosonogram
 - b. MRI scan
 - c. CT scan
 - d. Ultrasound
- 7) True statement regarding duodenal ulcer:
 - a. It may be associated with type A gastritis
 - b. It commonly occurs in first part of the duodenum
 - c. Smoking is not a risk factor for ulcer
 - d. It can erode branches of left gastric artery and results in massive bleeding

8) Following are the features of Barrett's oesophagus except:

- a. 3cm or more of columnar epithelium
- b. Cardiac metaplasia
- c. Development of squamous cell carcinoma
- d. Presence of intestinal metaplasia

9) Cold abscess is commonly due to infection of:

- a. Skull
- b. Ribs
- c. Spine
- d. Sternum

10) Acute osteomyelitis is treated with all except:

- a. Antibiotics
- b. Analgesics
- c. Splinting
- d. Surgery

11) Acute pseudo obstruction in the colon is known as:

- a. Sjogren's syndrome
- b. Gardner's syndrome
- c. Ogilvie's syndrome
- d. Peutz-Jegher's syndrome

12) Patient with protracted vomiting in gastric outlet obstruction can develop:

- a. Hypokalemic hypochloreaemic alkalosis
- b. Hypokalemic hypochloreaemic acidosis
- c. Hypochloremic metabolic acidosis
- d. Hypokalaemic hyperchloreaemic acidosis

13) Ponsetti technique is used to treat:

- a. Torticollis
- b. DDH
- c. CTEV
- d. Spina Bifida

14) Last stage of fracture healing is:

- a. Hematoma
- b. Soft callus
- c. Remodeling
- d. Neutrophilic infiltration

15) Most preferred treatment for neck of femur fracture in a young adult is:

- a. Hemiarthroplasty
- b. Total hip replacement
- c. Conservative
- d. Fixation using CC screws

16) Commonest type of hip dislocation is:

- a. Anterior
- b. Posterior
- c. Central
- d. Dislocation with shaft fracture

17) Most common nerve injured in shoulder dislocation:

- a. Long thoracic nerve
- b. Musculocutaneous nerve
- c. Axillary nerve
- d. None of the above

18) Porter/policeman's tip hand deformity is characteristic of:

- a. Radial nerve palsy
- b. Erb's palsy
- c. Ulnar nerve palsy
- d. Supracondylar fracture of humerus

19) Radiological feature of osteosarcoma is:

- a. Metaphyseal splaying
- b. Salt and pepper skull
- c. Rugger jersey spine
- d. Subchondral spur

20) All are features of rickets except:

- a. Harrison's sulcus
- b. Frontal bossing
- c. Pseudarthrosis
- d. Bow legs
