

Roll No.							Total No. of Pages: 0
							i otal iioi oi i agoo i oi

Total No. of Questions: 18

**B.Tech (ME) (2018 Batch)** (Sem.-4) **FLUID MACHINES** 

> Subject Code: BTME-402-18 M.Code: 77547

Time: 3 Hrs. Max. Marks: 60

### **INSTRUCTIONS TO CANDIDATES:**

- 1. SECTION-A is COMPULSORY consisting of TEN Multiple Choice questions carrying TWO marks each.
- 2. SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt any FOUR questions.
- 3. SECTION-C contains THREE questions carrying TEN marks each and students have to attempt any TWO questions.

### **SECTION-A**

# Write briefly:

- W.Filest. Ranker. com Q1. What is the meaning of degree of reaction?
- O2. What is draft tube?
- Q3. What is need of priming of a pump?
- Q4. What is effect of cavitation?
- O5. What is scale effect?
- Q6. What is fluid coupling?
- Q7. What do you understand by governing of a Pelton turbine?
- Q8. Define Negative Slip in reciprocating pump.
- Q9. What is hydraulic accumulator?
- Q10. What are vane pumps?

**1** M-77547 (S2)-220



### **SECTION-B**

- Q11. A turbine is to operate under a head of 25 m at 200 r.p.m. The discharge is 9 m<sup>3</sup>/s. If the overall efficiency is 90 percent. Determine:
  - a) Power generated
  - b) Specific speed of the turbine
  - c) Type of turbine.
- Q12. With the aid of a sketch explain the working of a Hydraulic Accumulator.
- Q13. Derive the expression for maximum hydraulic efficiency of a Pelton wheel.
- Q14. Explain why the suction lift of a pump cannot exceed certain limit?
- Q15. The impeller of a centrifugal pump is 1m in diameter and rotates at 1500 rpm. The blades are curved backward and make an angle of 30° to the tangent at the periphery. Calculate the power required if the velocity of the flow at outlet is 20m/s. Determine the head to which water can be lifted when a diffuser casing reduces the outlet velocity to 60%.

## **SECTION-C**

- Q16. Derive expression for the force exerted by the jet of water on a series moving flat plate placed on the periphery of a wheel. Also find the maximum efficiency?
- Q17. A Pelton turbine is required to produce 6MW power when working under a head of 300m. The turbine r.p.m. is 550 and the overall efficiency is 0.85. The turbine works with three I stRanker jets. Determine:
  - a) The diameter of the runner
  - b) Discharge per second
  - c) Diameter of the jet
  - d) Number of buckets.
- Q18. Explain the principle of operation, construction and working of a centrifugal compressor with necessary sketches.

NOTE: Disclosure of Identity by writing Mobile No. or Making of passing request on any page of Answer Sheet will lead to UMC against the Student.

**2** M-77547 (S2)-220