

www.FirstRanker.com

www.FirstRanker.com



Total No. of Pages : 03

Total No. of Questions : 18

B.Tech. (CSE / IT) (2012 to 2017) (Sem.-4) DISCRETE STRUCTURES Subject Code : BTCS-402 M.Code : 71106

Time : 3 Hrs.

Max. Marks : 60

INSTRUCTIONS TO CANDIDATES :

- SECTION-A is COMPULSORY consisting of TEN questions carrying TWO marks each.
- SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt any FOUR questions.
- SECTION-C contains THREE questions carrying TEN marks each and students have to attempt any TWO questions.

SECTION-A

Answer briefly :

- 1. Define Euler graph.
- 2. Define ring with example.
- What is the minimum number of NOR gate required to construct AND gate? Also construct it.
- Differentiate between graph and tree.
- 5. Give an example of a semi group without an identity element.
- 6. Give an example of Hamiltonian circuit.
- 7. What is the number of vertices in a tree with n edges?
- 8. State the principle of inclusion and exclusion.
- 9. What are partial order relation?
- 10. Define graph coloring.

1 M-71106

(S2)-811





www.FirstRanker.com

www.FirstRanker.com

SECTION-B

Consider the following five relations on the set A = {1, 2, 3}:

$$\begin{split} & R = \{(1, 1), (1, 2), (1, 3), (3, 3)\}, & \varnothing = empty \ relation \\ & S = \{(1, 1), (1, 2), (2, 1)(2, 2), (3, 3)\}, & A \times A = universal \ relation \\ & T = \{(1, 1), (1, 2), (2, 2), (2, 3)\} \end{split}$$

Determine whether or not each of the above relations on A is : (a) reflexive; (b) symmetric; (c) transitive; (d) antisymmetric.

- 12. Consider all integers from 1 up to and including 100. Find the number of them that are:
 - a) Odd or the square of an integer;
 - b) Even or the cube of an integer.

1

13. Let a and b be integers. Find Q(2, 7), Q(5, 3), and Q(15, 2), where Q(a, b) is defined by:

$$Q(a,b) = \begin{cases} 5, & \text{if } a < b \\ Q(a-b,b+2)+a, & \text{if } a \ge b \end{cases}$$

- Let G be any (additive) abelian group. Define a multiplication in G by a * b = 0 for every a, b ∈ G. Show that this makes G into a ring.
- Find the general solution for third-order homogeneous recurrence relation an = 6an-1 - 12an-2 + 8an-3

SECTION-C

 Show that K_n has H = (n-1)! /2 Hamiltonian circuits. In particular, find the number of Hamiltonian circuits for the graph K₅ in Figure 1.




Fig.1

2 M-71106

FirstRanker.com

(S2)-811

FirstRanker.com

www.FirstRanker.com

www.FirstRanker.com

 Suppose the preorder and inorder traversals of a binary tree T yield the following sequences of nodes :

Preorder : G, B, Q, A, C, K, F, P, D, E, R, H

Inorder : Q, B, K, C, F, A, G, P, E, D, H, R

- a) Draw the diagram of T.
- b) Find depth d of T
- 18. State and prove Euler's theorem in graph theory.

NOTE : Disclosure of Identity by writing Mobile No. or Making of passing request on any page of Answer Sheet will lead to UMC against the Student.

3 M-71106

(S2)-811



www.FirstRanker.com