

Roll No. Total No. of Pages : 02

Total No. of Questions: 18

B.Tech. (Civil Engineering) (2018 Batch) (Sem.-4)

CONCRETE TECHNOLOGY
Subject Code: BTCE-401-18

M.Code: 77644

Time: 3 Hrs. Max. Marks: 60

## **INSTRUCTIONS TO CANDIDATES:**

- 1. SECTION-A is COMPULSORY consisting of TEN questions carrying TWO marks each.
- 2. SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt any FOUR questions.
- 3. SECTION-C contains THREE questions carrying TEN marks each and students have to attempt any TWO questions.

## **SECTION-A**

# Write briefly:

- 1. Why Accelerators are added to concrete?
- 2. What is High Weight Concrete?
- 3. What do you mean by segregation?
- 4. Name the non-destructive methods to test concrete.
- 5. What is Polymer Concrete?
- 6. What do you understand by grading of aggregates?
- 7. List out the variables in proportioning of concrete mix.
- 8. What kinds of stump observed in slump cone test.
- 9. List out the effects of cold weather on concrete.
- 10. What is the significance of durability?

1 | M-77644 (S2)-552



## **SECTION-B**

- 11. What do you mean by alkali aggregate reaction?
- 12. Discuss the properties of high weight concrete and its applications.
- 13. Explain the factors influencing the strength of concrete?
- 14. What are Chemical Admixtures? Explain any two of them.
- 15. Compare the physical properties of 33, 43 and 53 grades of concrete.

#### SECTION-C

- 16. How do you determine the fresh concrete properties? Explain any two in detail?
- 17. What is the effect of water cement ratio on strength and durability of concrete?
- 18. Design a concrete mix for M30 grade of concrete using F type fly ash. Adopt BIS method with the following data:
  - a) Type of cement OPC 43 grades
  - b) Maximum size of aggregate 20 mm
  - c) Exposure condition Severe (RCC)
  - d) Workability 100 mm slump
  - e) Maximum cement content 320kg/m<sup>3</sup>
  - f) Maximum W/C 0.46
  - g) Method of placing concrete Pumping
  - h) Degree of supervision Good
  - i) Type of aggregate Crushed angular aggregate
  - j) Super plasticizer will be used
  - k) Specific gravity of coarse aggregate 2.80
  - 1) Specific gravity of fine aggregate 2.70
  - m) Specific gravity of fly ash 2.2
  - n) Water absorption: Coarse aggregates.- 0.5%, Fine aggregates.-Nil Grading of coarse aggregates is conforming to Table 2 of IS 383 and grading of Fine aggregate is falling in zone I.

NOTE: Disclosure of Identity by writing Mobile No. or Marking of passing request on any paper of Answer Sheet will lead to UMC against the Student.

**2** | M-77644 (S2)-552