

MEDICAL

[MBBS 0325] MARCH 2025 Sub. Code :6061

M.B.B.S. DEGREE EXAMINATIONS

(For the candidates admitted from the Academic Year 2019 - 2020)

SECOND PROFESSIONAL – SUPPLEMENTARY - (CBME) PAPER I – PHARMACOLOGY

Q.P. Code: 526061

Time: 20 Minutes Maximum: 20 Marks

Time: 20 Minutes Waximum: 20 Mark					
	Shada tha gar		l Questions Black or Blue ink ball	noint non	
	Shaue the col			point pen	
			<u>- D</u>		
III. N	Multiple Choice Q	uestions:		$(20 \times 1 = 20)$	
1.	Organic nitrates r	elax vascular smooth	muscle by:		
	,	tracellular cyclic GM ntracellular cyclic AM	,	cellular cyclic AMP racellular cyclic GMP	
2.	Which of the follo	owing is an irreversib	ole inhibitor of cyclooxygo	enase:	
	A) Aspirin	B) Naproxen	C) Indomethacin	D) Piroxicam	
3.	Select the H ₁ anti	histaminic used topic	ally for allergic rhinitis:		
	A) Loratadine	B) Cetirizine	C) Fexofenadine	D) Azelastine	
4.	The following is a selective 5-HT _{1D} receptor agonist:				
	A) Buspirone	B) Ondansetron	C) Sumatriptan	D) Ergotamine	
5.	Recombinant human erythropoietin is indicated for:				
	A) Megaloblastic anaemia B) Haemolytic anaemia				
	C) Anaemia in pa	atients of thalassemia	D) Anaemia in chronic	e renal failure	
6.	The characteristic adverse effect of HMG-CoA reductase inhibitors is:				
	A) Onycholysis	B) Myopathy	C) Alopecia D)	Haemolysis	
7.	Choose the drug with short plasma half life				
	A) Esmolol	B) Chloroquine	C) Digoxin	D) Etanercept	
8.	Rapid developmen	t of Tolerance is			
	A) Resistance	B) Teratogenicity	C) Cumulation	D) Tachyphylaxis	
9.	Nonequilibrium tyj	pe alpha adrenergic b	locker is		
	A) Ergotamine	B) Phenoxybenzar	mine C) Phentolamine	D) Tolazoline	
10.	Prolonged use of Hydralazine for the treatment of hypertension is likely to cause				
	A) Gynaecomastia		B) Thrombocytop		
	C) Haemolytic Ar	nemia	D) Lupus Eryther	natous	



... 2 ...

11.	Name the beta blocker used in Congestive cardiac failure A) Propranolol B) Metoprolol C) Atenolol D) Acebutolol			
12.	The prostaglandin analog used in Primary Pulmonary Hypertension A) Carboprost B) Misoprostol C) Dinoprostone D) Epoprostenol			
13	Propofol is the most preferred IV anaesthetic due to A) Quick induction and rapid recovery C) No change in blood pressure B) Less respiratory depression D) Positive inotropic effect			
14.	Selective COX-2 inhibitors are preferred as analgesic due to less risk of A) Ischaemic heart disease B) Stroke C) Peptic ulcer D) Nephrotoxicit			
15.	Which among the following is NOT administered orally in bronchial asthma A) Doxophylline B) Ketotifen C) Montelukast D) Sodium cromoglycate			
16.	Drug which precipitates acute intermittent porphyria is A) Ketamine B) Thiopentone C) Halothane D) Propofol			
17.	An 'orphan drug' is: A) A very cheap drug B) A drug which has no therapeutic use C) A drug for treatment of a rare disease D) A drug which acts on Orphan receptors			
18.	Which of the following is a prodrug of adrenaline used topically in glaucoma: A) Brimonidine B) Dipivefrine C) Apraclonidine D) Dorzolamide			
19.	Morphine stimulates: A) Vasomotor centre B) Edinger Westphal nucleus C) Temperature regulating centre D) Cough centre			
20.	Which of the following drug undergoes 'Hofmann' elimination: A) Succinylcholine B) Pancuronium C) Vecuronium D) Atracurium			

[MBBS 0325]