

MEDICAL

[MBBS 0325] **MARCH 2025** Sub. Code :6086

M.B.B.S. DEGREE EXAMINATION

(For the candidates admitted from the Academic Year 2019-2020)

THIRD PROFESSIONAL MBBS PART II PAPER II – OBSTETRICS & GYNAECOLOGY Q.P. Code: 526086						
Time: 20 Minutes Answer All Questions Shade the correct answer with Black or Blue ink ball point pen						
<u>SET - D</u>						
III. M	Iultiple Choice Questions:		$(20 \times 1 = 20)$			
1.	The most common cause of hirsu A) Androblastoma C) Adrenal hyperplasia		B) Luteoma ovary			
2.	The following are common symp A) Diarrhoea B) Menorrh	-	D) Dysmenorrhoea			
3.	Gonococcal salpingitis is associated A) Pain B) Fever	ted with all except C) Vaginal bleeding	D) Leukocytosis			
4.	The most common symptom of menopause A) Insomnia B) Headache C) Hot flushes D) Depression					
5.	Nabothian follicles are seen in A) Cervix B) Vagina	C) Ovary D)	Uterus			
6.	Commonest site of Myoma A) Cervical B) Submuco	ous C) Intramural D) Subserous			
7.	Which of the following organism A) Fungus B) Virus	•	9) Protozoa			
8.	Granulosa and theca cell tumours are seen frequently A) In infancy B) Before puberty C) In post-menopausal D) Reproductive age					
9.	The presence of pyometra in a po A) Diabetes C) Malignancy	B) Tuberculous endom D) Degenerating myon	etritis			
10.	10. The commonest ovarian neoplasm in reproductive age group is					

B) Germ cell tumour

D) Metastatic ovarian tumour

A) Epithelial tumour

C) Krukenberg tumour



... 2 ...

11.	The treatment of acute	salpingitis is				
	A) Antibiotics and restC) Laparoscopy and fulguration		B) Salpingectomy D) Hysterectomy			
12. Blood loss during normal menstruation is approximately						
	A) 15ml	B) 35ml	C) 75ml	D) 125ml		
13. LH surge precedes ovulation by						
	A) 12-16 hours	B) 20-24 hours	C) 24-36hours	D) 48 hours		
14.	Following are features A) Ovarian agenesis	of Turners syndrom B) Tall stature	e except C) Cubitus valgus	D) Webbing of neck		
15.	Ovulation can be indu	ced by				
	A) Estrogen	B) Progesterone	C) Danazol	D) Clomiphene		
16.	Normal pH of vagina		C) 2.5	D) 4.5		
	A) 1.5	B) 2.5	C) 3.5	D) 4.5		
17.	The commonest comp					
	A) Haemorrhage	B) Rupture	C) Torsion	D) Infection		
18.	The best method to diagnose ulcerative cancer cervix is					
	A) Cervical smear	B) Cervical biopsy	C) Colposcopy	D) None of the above		
19.	. Corkscrew shaped glands are seen in					
	A) Proliferative Endometrium B) Atrophic endometrium C) Secretory Endometrium D) Endometrial hyperplasia					
	c) Secretory Endome	arum Room	D) Endometrar n	ryperpiasia		
20.	The best diagnostic me					
	A) Ultrasonography	B) Hysterosalpingog	raphy C) Colpose	copy D) Hysteroscopy		
	212	****	****			
	12			[MBBS 0325]		