

Date: 05-07-2011

### 0711 E024

### **Second Year MBBS Examination**

## **II MBBS Pharmacology Paper 2**

Time: 2 hours

Max Marks: 40

### Instructions:

- 1. Answer to the points.
- 2. Figure to the right indicates marks.
- 3. Use separate answer books for each section.
- 4. Draw diagrams wherever necessary.
- 5. Write legibly.

# Section 1

# 1. Give an account of any TWO of the following

(10)

- a) Describe the mechanism of action and adverse effects of first line anti-tubercular drugs. (A.765,B. 739)
- **b)** Describe management of H. pylori peptic ulcer (A. 657, B. 624)
- c) Describe basis for combining estrogen with progestin in an oral contraceptive pill. What are the true adverse effects of oral contraceptive pills? (A. 321, B. 951)
- 2. Write Short notes on: (any three) (12)
  - a) Treatment of thyroid storm (A. 256, B. 872)
  - **b)** Uses of chloroquine (A. 821, B.



- c) Warfarin in deep vein thrombosis (A. 624, B. 480)
- **d)** Vitamin D in osteoporosis (A. 343, B. 994)

## 3. Discuss Any Three

(12)

- **a)** Uses and adverse effects of Metronidazole (A. 837, B. 784)
- **b)** Compare and contrast Oxytocin and Ergometrine (A. 330, B. 627, 630)
- **c)** Indications and precautions of parenteral Iron therapy (A. 604, B. 494)
- **d)** Topical antifungal agents (A. 796, B. 699)

# www.FirstRanker.com www.FirstRanker.com 4. Write Answer to the point in two or three sentences: (any six)

(6)

- a) Name two drugs causing Parkinson's disease. How will you treat drug induced Parkinson's disease? (A.433, B. 234)
- **b)** Mention two methods to curb antimicrobial drug resistance. (A. 693, B. 714)
- c) Name two tocolytic agents and give one indication of any agent. (A. 333, B. 633)
- d) What is cotrimoxazole? Give two uses of this drug. (A. 706, B. 644)
- e) What is the pharmacological basis for use of radioactive iodine in goiter? (A. 255, B. 869)/ Write mechanism of

FirstRanker.com

Strict Com Stric

while used to treat hyperthyroidism.

Mention one advantage and one disadvantage of I131 over anti-thyroid drug like propylthiouracil.

- **f)** Name two immune-stimulants and give one indication of each. (A. 919, B. 1069)
- **g)** Name two fluoroquinolones and give their two therapeutic uses. (A. 709, B. 650)
- h) Name two antiviral agents. Give their therapeutic use. (A. 799, B. 803)

www.FirstRanker.com