

www.FirstRanker.com

www.FirstRanker.com

D 23835	(Pages: $1 + 2 = 3$)	Name
		Reg. No

SECOND PROFESSIONAL M.B.B.S. DEGREE EXAMINATION MARCH 2012

PATHOLOGY -Paper I

(2007 Admissions)

Time: Two Hours

Maximum: 40 Marks

Answer all questions.

Answer Sections A and B in separate answer-books.

Draw diagrams wherever necessary.

MCQs to be answered first in the response sheet provided.

Section A

Multiple Choice Questions.

 $(16 \times \frac{1}{2} = 8 \text{ marks})$

- Single response type-16 (separate sheet attached).
- A young woman i a butterfly rash over the face. fever, joint pains but no deformity over the ankle joints and with pruritic chest pain
 - The most likely diagnosis.
 - 2 What is the serological test to confirm the diagnosis?
 - 3 Discuss the renal lesions in this condition.
 - 4 What is the cause of prolonged PTT in some patients with this disease?

(1 + 1 + 5 + 1 = 8 marks)

Section B

- III. (1) Define Repair.
 - (2) Discuss the process of fracture healing.
 - (3) Mention the factors influencing fracture healing.

(1+3+2=6 marks)

- IV. Write short notes on:
 - Primary complex.
 - 2 Type II hypersensitivity.
 - 3 Bombay blood group.

FirstRanker.com

 $(3 \times 6 = 18 \text{ marks})$

www.FirstRanker.com

www.FirstRanker.com

D 23835

PATHOLOGY-Paper I

		I. MULTIPLE C	ног	CE QUESTIONS	
1	Note.—(Do not write anything on the c 	questic	on paper.	
	(Write your register number on	the ai	nswer-sheet provided.	
	(3) Select one most appropriate response and encircle the corresponding alphabet against each question in the answer-sheet provided.				
	(4) MCQ should be answered first in response sheet provided.				
	(5) Each question carries 1/2 mark.				
1.	 The preservation of ghost outline of cells with architectural details is a characteristic feature of: 				
	(A)	Fibrinoid necrosis.	(B)	Coagulative necrosis.	
	(C)	Caseous necrosis.	(D)	Colliquative necrosis.	
2.	Defective mineralisation of osteoid of bony matrix is the fundamental abnormality in:				
	(A)	Scurvy.	(B)	Beri beri.	
	(C)	Rickets.	(D)	Osteoporosis	
3.	 Presence of haphazard mixture of tissue indigenous to the part is: 				
	(A)	Choristoma.	(B)	Neoplasm.	
	(C)	Ectopia.	(D)	Hamartoma.	
4.	4. The commonest anticoagulant used in the blood bank is:				
	(A)	Heparin.	(B)	EDTA.	
	(C)	Sodium citrate.	(D)	Acid citrate dextrose.	
5.	. Scarring and stenosis of the intestine are a frequent finding in :				
	(A)	Typhoid ulcer intestine.	(B)	Ulcerative colitis.	
	(C)	Tuberculosis of intestine.	(D)	Amoebic ulcer.	
6.	. The cytokines that protects against viral infection is:				
	(A)	Interleukin 1.	(B)	Interferons.	
	(C)	TNF α.	(D)	TGF.	
7.	7. The major cause of thrombosis is :				
	(A)	Stares of blood.	(B)	Thrombocytosis.	
	(C)	Endothelial damage.	(D)	Defective fibrinolytic system.	
8.	Globi ar	e characteristically seen in :			

(Λ) Tuberculoid leprosy.

(C) Tertiary syphilis.

(B) Lupus vulgaris.

(D) Lepromatous leprosy.



www.FirstRanker.com

www.FirstRanker.com

D 23835

Most sensitive test f	or protein in urine is:
---	-------------------------

- (A) Heat and acetic acid.
- (B) Sulphosalicyclic acid.
- (C) Heller's nitric acid.
- (D) Toluene sulphonic acid.
- 10. The ova which is not bile stained :
 - (A) Roundworm.

(B) Hookworm

2

(C) Whipworm.

- (D) Tapeworm.
- 11. Christmas disease is due to deficiency of:
 - (A) Factor IV.

(B) Eactor IX.

(C) Factor X.

- (10) Factor II.
- 12. The other name for sickle cell is :
 - (A) Poikilocyte.

(B) Leptocyte.

(C) Pyknocyte.

- (D) Drepanocyte.
- 13. Tigroid appearance is typically seen in :
 - (A) Liver.

(B) Kidney.

(C) Heart.

- (D) Lungs.
- 14. The specific gravity of urine is low and fixed in :
 - (A) Acute renal failure.
- (B) Diabetes mellitus.
- (C) Chronic renal failure.
- (D) Diabetes insipidus.
- 15. The type of microtome used for taking routing tissue section is :
 - (A) Rocking.

(B) Rotary.

(C) Sledge.,

- (D) Freezing.
- 16. The largest cell in the myeloid series of cells is :
 - (A) Myeloblast.

(B) Promyelocyte.

