

www.FirstRanker.com

www.FirstRanker.com

R13

Code No: 811AD

JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY HYDERABAD MCA I Semester Examinations, July/August - 2021 PROBABILITY AND STATISTICS

Time: 3 Hours Max.Marks:60

Answer any five questions All questions carry equal marks

- Two digits are selected at random from the digits 1 through 9.
 - i) If the sum is odd, what is the probability that 2 is one of the digit selected.
 - ii) If 2 is one of the digits selected, what is the probability that the sum is odd?
 - A fair coin is tossed until a head or five tails occurs. Find the expected number of tosses of the coin.
- 2.a) State and prove Boole's inequalities
 - b) A, B, C in order toss a coin. The first one to toss head wins the game. What are the probabilities of winning, assuming that the game may continue indefinitely? [6+6]
- A continuous random variable X has the probability density function

$$f(x) = \begin{cases} 2x, & \text{if } 0 \le x \le 1 \\ 0, & \text{otherwise} \end{cases}$$

Find the cumulative distribution function for X. Also find $P\left(\frac{1}{4} < X \le \frac{3}{4}\right)$ and

$$P\left(X < \frac{1}{2}\right)$$
.

- b) Find the probability of getting 1 or 4 or 5 or 6 in throwing a die 5 to 7 times among 9 trials using normal distribution. [6+6]
- Show that for normal distribution the quartile deviation, mean deviation and standard deviation are approximately 10:12:15. [12]
- 5.a) Determine the mean and standard deviation of the sampling distribution of means of 300 random samples each of size 36 are drawn from a population of size 1500 which is normally distributed with mean 22.4 and standard deviation 0.048, if sampling is done i) with replacement and ii) without replacement.
- b) Construct 95% confidence interval for the true proportion of computer literates if 47 out of 150 persons from rural areas are computer literates. [6+6]





www.FirstRanker.com

www.FirstRanker.com

- 6.a) A normal population has a mean 0.1 and a standard deviation of 2.1. Find the probability that the mean of simple sample of 900 members will be negative.
 - b) In a study conducted for 500 days, only on 4 days it was recorded that 'lead' content in a famous river exceeded 200mg/cm. Construct an upper 99% confidence limit for the probability that the 'lead' content in the river will exceed 200mg/cm on any one day.
- 7.a) A briefcase manufacturing company claims that 80% of executives carried briefcases produced by them. Verify its claims if in a random sample of 900 executives, 675 used the company's briefcases. Use 5% level of significance.
 - Explain, stating clearly the assumptions involved, the t-test for testing the significance of the difference between the two sample means. [6+6]
- 8. The tangent of the angle between two regression lines is 0.6 and if $\sigma_x = \frac{1}{2}\sigma_y$, find the correlation coefficient between x and y. [12]

www.FirstRanker.com

