

**MBBS III (Third) Professional Part-1 Examination
2017-18**

Course Code:MBS302

Paper ID: 0313126

Ophthalmology

Time: 2 Hours 40 Minutes

Max Marks: 30

Note: Attempt all questions. Draw proper diagrams to support your answer.

Part 'B'

1. Discuss the etiology, clinical features and management of acute anterior uveitis. (7)
2. Write short notes on followings: (2x4=8)
 - a) Visual acuity
 - b) Myopia
 - c) Visual pathway
 - d) Colour blindness
3. Define glaucoma. Discuss the optic disc changes & medical management of primary open angle glaucoma. (7)
4. Write short notes on: (2x4=8)
 - a) Mycotic corneal ulcer
 - b) Pailledema
 - c) Vision 2020
 - d) Enumerate all layer of retina (sequentially)

MBBS III (Third) Professional Part-1 Examination 2017-18

Roll No.

Student's Signature

Student's Name

Invigilator's Signature

Course Code:MBS302

Paper ID: 0313126

Ophthalmology

Part 'A'

Time: 20 Minutes

Max Marks: 10

- Note:**
1. Attempt all questions and return this part of the question paper to the invigilator after 20 Minutes.
 2. Please tick (✓) correct one only. Cutting, overwriting or any other marking are not allowed.
 3. For answering please use Ball- pen only.

- d) Inferior Oblique
- a) Dua's Layer
- b) Epithelium
- c) Bowmans Membrane
- d) Pigment Epithelium

Q.3 This does not come the Allergic Conjunctivitis:

- a) Vernal Conjunctivitis
- b) Follicular Conjunctivitis
- c) Phlyctenular Conjunctivitis
- d) Viral Conjunctivitis

Q.4 This drug is not used for Dry eyes:

- a) HPMC
- b) CMC
- c) Carbomer 9804 with vitamin A palmitate
- d) Bepotastine

Q.5 This drug is not used below 1 year child:

- a) tobramycin
- b) Gentamicin
- c) Ciprofloxin
- d) Azithromicin

Q.6 Glow against movement of retinoscopy in both of Horizontal and vertical direction:

- a) Myopia
- b) Hypermetropia
- c) Astigmatism
- d) Presbyopia

Q.7 Kps are found on:

- a) Iris
- b) Endothelium
- c) Stroma of cornea
- d) Bowmens 'membrane

Q.8 Which of the following medication is contraindicated in Iridocyclitis:

- a) Pilocarpin
- b) Atropine
- c) Prednisone
- d) Homatropine

Q.9 Pilocarpin is contra indicated in:

- a) Acute iridocyclitis

- d) Mis directions of cilia

Q.18 Phacoemulsification surgery of cataract leaves behind:

- a) Cortex
- b) Capsule
- c) Nucleous
- d) Posterior capsule only

Q.19 In Evisceration:

- a) Remove whole eye ball
- b) remove only sclera
- c) remove only cornea
- d) remove all intra ocular contents leaving sclera

Q.20 Concave spherical lens are used in manegment of:

- a) Hypermetropia
- b) Myopia
- c) Astigmatism
- d) Strabismus

a) Dorzolamide

b) Pilocarpine

c) Brimonide

d) Brimatoprost

www.FirstRanker.com

www.FirstRanker.com

P.T.O

Q.11 Topical CAI used in manegment of Glaucoma is:

- a) Acetazolamide
- b) Brinzolamide
- c) Brimonodine
- d) Betaxolol

Q.12 ND YAG Capsulotomy is used for:

- a) Immature cataract
- b) Mature cataract
- c) After cataract
- d) HMC

Q.13 Which of the following medicine is not used in VKC:

- a) Olopatadine
- b) Prednisolone
- c) Sodium cromoglycate
- d) Moxifloxin

Q.14 Desematocoele is formed in:

- a) Sloughing of stroma
- b) Perforated ulcer
- c) Corneal opacity
- d) Iridocyclitis

Q.15 Most dense grade of cornea capacity is:

- a) Nebular
- b) Macular
- c) Leucoma
- d) Leucomaadherens

Q.16 White pupillary reflex is found in:

- a) Retinoblastoma
- b) PHPV
- c) Coat's disease
- d) ALL of the above

Q.17 Entropion is:

- a) Inward rolling of Lid margin
- b) Upward rolling of Lid margin
- c) Drooping of upper lid

firstranker.com

www.FirstRanker.com