
Q. 1 - Q. 5 carry one mark each.

Q.1	An apple costs Rs. 10. An onion costs Rs. 8.
	Select the most suitable sentence with respect to grammar and usage.
	(A) The price of an apple is greater than an onion.
	(B) The price of an apple is more than onion.
	(C) The price of an apple is greater than that of an onion.
	(D) Apples are more costlier than onions.
Q.2	The Buddha said, "Holding on to anger is like grasping a hot coal with the intent of throwing it a someone else; you are the one who gets burnt."
	Select the word below which is closest in meaning to the word underlined above.
	(A) burning (B) igniting (C) clutching (D) flinging
Q.3	M has a son Q and a daughter R. He has no other children. E is the mother of P and daughter-in- law of M. How is P related to M?
	(A) P is the son-in-law of M. (B) P is the grandchild of M.
	(C) P is the daughter-in law of M. (D) P is the grandfather of M.
Q.4	The number that least fits this set: (324, 441, 97 and 64) is
	(A) 324 (B) 441 (C) 97 (D) 64
Q.5	It takes 10 s and 15 s, respectively, for two trains travelling at different constant speeds to completely pass a telegraph post. The length of the first train is 120 m and that of the second train is 150 m. The magnitude of the difference in the speeds of the two trains (in m/s) is
	(A) 2.0 (B) 10.0 (C) 12.0 (D) 22.0

Q. 6 - Q. 10 carry two marks each.

Q.6 The velocity V of a vehicle along a straight line is measured in m/s and plotted as shown with respect to time in seconds. At the end of the 7 seconds, how much will the odometer reading increase by (in m)?



(A) 0

(B) 3

C) 4

(D) 4

Q.7 The overwhelming number of people infected with rabies in India has been flagged by the World Health Organization as a source of concern. It is estimated that inoculating 70% of pets and stray dogs against rabies can lead to a significant reduction in the number of people infected with rabies.

Which of the following can be logically inferred from the above sentences?

- (A) The number of people in India infected with rabies is high.
- (B) The number of people in other parts of the world who are infected with rabies is low.
- (C) Rabies can be eradicated in India by vaccinating 70% of stray dogs.
- (D) Stray dogs are the main source of rabies worldwide.
- Q.8 A flat is shared by four first year undergraduate students. They agreed to allow the oldest of them to enjoy some extra space in the flat. Manu is two months older than Sravan, who is three months younger than Trideep. Pavan is one month older than Sravan. Who should occupy the extra space in the flat?

(A) Manu

(B) Sravan

(C) Trideep

(D) Pavan

Q.9 Find the area bounded by the lines 3x+2y=14, 2x-3y=5 in the first quadrant.

(A) 14.95

(B) 15.25

(C) 15.70

(D) 20.35

- Q.10 A straight line is fit to a data set (ln x, y). This line intercepts the abscissa at ln x = 0.1 and has a slope of -0.02. What is the value of y at x = 5 from the fit?
 - (A) -0.030
- (B) -0.014
- (C) 0.014
- (D) 0.030

END OF THE QUESTION PAPER

WWW.FirstRanker.com



Q. 1 - Q. 25 carry one mark each.

Q.1	'Dharahara' refers to			
	(A) Concept of Vastu (B) Elevation feature (C) Heritage tower at (D) Construction methods	of a Hindu Temple	cture	
Q.2	'Mushroom Column'	is a typical feature of		
	(A) Pantheon, Rome (C) Chrysler Building	, New York	(B) Parthenon, Athens (D) Johnson Wax Bui	
Q.3	'AMRUT', the new so	cheme launched by Gov	ernment of India, stands	for
	(B) Atal Mission for F (C) Atal Mission for F	Rejuvenation and Urban Renewal of Urban Trans Redevelopment of Urban Renewal and Urban Tran	portation Transportation	
Q.4	The concept of 'Dry C	Garden' is associated wit	th	
	(A) Japanese Garden	(B) Chinese Garden	(C) Mughal Garden	(D) Egyptian Garden
Q.5	The concept of Transi	t Oriented Development	t (TOD) refers to	
	(B) High density deve (C) Orienting resident			-
Q.6	The components measure	suring Human Developn	nent Index (HDI) of a na	tion are
	(B) Life expectancy, I	Education and Per Capit Economy and Housing ent and Per Capita Inco and Hygiene	1	
Q.7		onuments and Archaeolo and the 'demarcated prot	-	s Act, 2010, the extent of
	(A) 50	(B) 100	(C) 200	(D) 500
Q.8	In CMYK colour mod	lel, 'K' represents the co	lour	
	(A) White	(B) Black	(C) Blue	(D) Green
Q.9	'Segregation at source	' is a concept associated	l with	
	(A) Solid waste mana (C) Traffic management		(B) Disaster managem (D) Water management	
Q.10	In a flat slab, the load	is transferred through		
	(A) Beam action (C) Plate action		(B) Membrane action (D) Vector action	

Q.11	Map is an			
	(A) Isometric projecti (C) Axonometric proj		(B) Orthographic proj (D) Oblique projection	
Q.12	'Indore Slum Network	king Programme' has be	en planned by	
	(A) B. V. Doshi (C) Anil Laul		(B) Dulal Mukherjee (D) Himanshu Parikh	
Q.13	'Volume Zero' is a fil	m based on the architec	tural works of	
	(A) Peter Eisenman (C) Daniel Libeskind		(B) Charles Correa (D) Roger Angers	
Q.14	The unit of Thermal C	Conductivity of a materia	al is	
	(A) W/(m K) (C) m K/W		(B) W/(m ² K) (D) m ² K/W	
Q.15	A semicircular niche	in the wall of a mosque,	towards the direction of	Mecca is known as
	(A) Sahn	(B) Minbar	(C) Qibla	(D) Mihrab
Q.16	As per CPWD Guidel turning radius for a w	_	ls for Barrier Free Built	Environment, the minimum
	(A) 900	(B) 1200	(C) 1500	(D) 1800
Q.17	'Summit Curve' is a t	erm associated with the	design of	
	(A) Roads and flyove (C) Tensile fabric stru		(B) Escalators and ele (D) Geodesic domes	vators
Q.18	As per Census of Indi	a 2011, Nagar Panchaya	t refers to	
	(B) Urban area within (C) Rural area adjacen		nent	
Q.19	Statutory setback of a	building depends on		
	(A) Building height (C) Width of access re	Dag	(B) Property boundary (D) Ground coverage	′
Q.20	Super plasticizer is ad	lded in a concrete mix to	,	
	7 7	-cement ratio for a given r-cement ratio for a given at of coarse aggregate	*	
Q.21	Shodhan House, Ahm	edabad was designed by	7	
	(A) Anant Raje (C) Louis I. Kahn	-	(B) Le Corbusier (D) B. V. Doshi	

	ırsı	tKar nker's c	ıkeı	.co	m			
GATE 20		ikei s c	lioice		ww	w.Firs	tRanke	r.com
	_							

Q.22	Low-emissivity	coating	on	a	glazing	unit
------	----------------	---------	----	---	---------	------

(A) Increases the SHGC

(B) Increases the VLT

(C) Reduces the SHGC

- (D) Increases the VLT and SHGC
- Spatial connectedness in GIS refers to Q.23
 - (A) Tomography
- (B) Topography
- (C) Topiary
- (D) Topology
- Q.24 In a residential neighbourhood, the net area of residential plots is 50 percent of the total area. If the population is 8000, the ratio of net density to gross density of the neighbourhood is
- A hemispherical earth mound of 3 meter diameter is proposed to be constructed in a children's park. If the proportion of soil and sand for the construction is 3:2, the estimated volume of soil in cubic meters is

Q. 26 - Q. 55 carry two marks each.

Q.26 Match the ancient cities in Group -I with their characteristic features in Group-II

	Group-I	Group-II	
P	Mohen-jo-daro	1 Agora	
Q	Babylon	2 Enclosed Court	
R	Kahun	3 Grid Iron Street Pattern	n
S	Athens	4 Forum	
		5 Hanging Garden	
(A) P	-3, Q-4, R-2, S-5	(B) P-4, Q-5, R-1, S-2	
(C) P	-3, Q-5, R-2, S-1	(D) P-4, Q-5, R-2, S-3	

Q.27 Match the water purification stages in Group-I with the corresponding items in Group-II

	Group-I	20,		Group-II
P	Coagulation	11/1	1	Ammonium hydroxide
Q	Filtration	11/2	2	Sodium Zeolite
R	Disinfection	<.,.	3	Alum
S	Softening	1.	4	Sand
	al al		5	Chlorine
(A)	P-3, Q-4, R-1, S-5		(B)	P-1, Q-4, R-3, S-2
(C)	P-2, Q-3, R-5, S-4		(D)	P-3, Q-4, R-5, S-2

Q.28 Match the software tools in Group-I with their field of application in Group-II

	Group-I	Group-II
P	Radiance	 Outdoor thermal environment
Q	Odeon	2 Construction management
R	Rayman	3 Air-flow analysis
S	Primavera	4 Acoustical design
		5 Lighting analysis
(A) P	-3, Q-4, R-5, S-1	(B) P-5, Q-3, R-1, S-2
(C) P	-5, Q-4, R-1, S-2	(D) P-4, Q-1, R-2, S-5



Q.29 Match the street layouts of ancient Indian settlements in Group - I with their corresponding types in Group - II

	Group-I		Group-II
P		1	Nandyavarta
Q		2	Swastika
R		3	Padmaka
S		3	Chaturmukha
		5	Karmukha

(A) P-2, Q-4, R-3, S-5

(C) P-4, Q-3, R-5, S-1

- Q.30 Associate the terms in Group-I with the building hardware in Group-II

		,	
	Group-I		Group-II
P	Parliamentary	1	Bar
Q	Aldrop	2	Lock
R	Panic S	3	Hinge
S	Mortise	4	Bolt
(A) P	2-3, Q-1, R-2, S-4	(B)	P-2, Q-4, R-1, S-3
(C) P	2-3, Q-4, R-1, S-2	(D)	P-2, Q-3, R-4, S-1
Ноор	and meridional forces are associa	ated with	

- Q.31
 - (A) Dome

(B) Truss

(C) Folded Plate

(D) Space Frame



Q.32 Match the Olympic stadia in Group-I with their Architects in Group-II

	Group-I		Group-II
P	Palazzetto dello Sport, Rome	1	Herzog & de Meuron
Q	Olympic Arena, Tokyo	2	Frei Otto
R	Bird's Nest, Beijing	3	Kenzo Tange
S	Olympia Stadion, Munich	4	Roger Taillibert
		5	P. L. Nervi
(A) F	2-5, Q-2, R-1, S-4	(B)	P-5, Q-3, R-1, S-2
	-2, Q-1, R-4, S-5	(D)	P-2, Q-4, R-1, S-3

Q.33 Match the terms in Group-I with the related terms in Group-II

	Group-I	Group-	II
P	Acquisition	1 Owners	hip
Q	Planning permission	2 Constru	ction
R.	Building plan sanction	3 Land co	ver
S	Mutation	4 Land us	ie
		5 Land	
(A) P	-5, Q-4, R-2, S-1	(B) P-5, Q-3, I	R-1, S-2
(C) P	-3, Q-4, R-5, S-1	(D) P-5, Q-3, I	R-2, S-4

Q.34 Associate the structural systems of Group-I with buildings in Group-II

	Group-I	Group-II	
P	Diagrid	1 Millennium Dome, Londo	on
Q	Outrigger truss	2 HSBC, Hong Kong	
R	Suspended floor	3 Taipei 101, Taipei	
S	Cable stayed	4 Hearst Tower, New York	
	.0	5 Sears Tower, Chicago	
(A) P	-1, Q-2, R-3, S-5	(B) P-5, Q-3, R-4, S-1	
(C) P	-4, Q-2, R-3, S-1	(D) P-4, Q-3, R-2, S-1	

Q.35 Associate the systems in Group-I with their applications in Group-II

	Group-I		Group-II
P	Nisargruna	1	Renewable energy generation
Q	Vortex-DEWAT	2	Ground water recharge
R	Swale S	3	Solid waste management
S	BIPV N	4	Desalination
		5	Waste water treatment
(A) P	2-4, Q-1, R-5, S-3	(B)	P-1, Q-2, R-5, S-4
(C) P	-3, Q-5, R-2, S-1	(D)	P-5, Q-4, R-2, S-1

Q.36 Match the Houses in Group-I with their Architects in Group-II

	Group-I		Group-II
P	Villa Müller, Prague	1	Frank Gehry
Q	Farnsworth House, Illinois	2	Frank Lloyd Wright
R	Schröder House, Utrecht	3	Adolf Loos
S	Dancing House, Prague	4	Mies van der Rohe
		5	Gerrit Rietveld
(A) P	-5, Q-2, R-4, S-1	(B)	P-3, Q-4, R-5, S-1
(C) P	-3, Q-2, R-5, S-4	(D)	P-5, Q-4, R-2, S-3





Q.37 Match the Books in Group-I with their Authors in Group-II

	Group-I		Group-II
P	Space, Time and Architecture	1	Bill Hillier
Q	The Social Logic of Space	2	Christopher Alexander
R.	Timeless Way of Building	3	Rob Krier
S	Form, Space and Order	4	Sigfried Gideon
		5	Francis D. K. Ching
(A) P	-3, Q-4, R-1, S-5	(B) P-4, Q-3, R-1, S-2
(C) P	-5, Q-4, R-2, S-3	(D) P-4, Q-1, R-2, S-5

Q.38 Associate the green rating system in Group-I with the respective country in Group-II

	Group-I	Group-II	
P	CASBEE	1 UAE	
Q	Green Mark	2 China	
R	GRIHA	3 Japan	
S	Estidama	4 Singapore	
		5 India	
(A) P	-2, Q-4, R-5, S-1	(B) P-4, Q-1, R-5, S-2	2
	-3, Q-5, R-1, S-2	(D) P-3, Q-4, R-5, S-	

Q.39 Match the instruments in Group-I with the corresponding usage in Group-II

	Group-I	Group-II
P	Pyranometer	1 Shadow analysis
Q	Heliodon	2 Seismic intensity
R	Total Station	3 Wind velocity
S	Anemometer	4 Solar radiation
		5 Land survey
(A) P	-2, Q-1, R-5, S-3	(B) P-4, Q-3, R-1, S-2
(C) P	-4, Q-1, R-5, S-3	(D) P-1, Q-4, R-2, S-3


Q.40 As per URDPFI guidelines, the number of Equivalent Car Space (ECS) required to accommodate ten cars, sixteen scooters and forty bicycles will be ______

Q.41 A steel I-beam section is subjected to a bending moment of 96 kN-m. The moment of inertia of the beam section is 24,000 cm⁴. The bending stress at 100 mm above the neutral axis of the beam in MPa will be

Q.42 A room is mechanically ventilated through four air-conditioning ducts. The opening area of each duct is 0.35 sqm. The air velocity in the duct is 0.5 m/s. The temperature difference between the ambient air and supply air is 10 °C. Volumetric specific heat of air is 1250 J/m³ °C. Assuming one Ton of refrigeration (TR) equals 3.5 kW, the cooling load of the room in TR will be



Q.43 A CPM network of a construction project is given in the figure below. The activity durations are mentioned in weeks. The project completion time in weeks will be



Q.44 For a room with dimensions 4m × 3m × 3m (L×B×H), the details of indoor acoustical treatment are as follows.

Component	Wall		Cei	Floor	
Percentage area	30	70	40	60	100
Absorption coefficient at 1000 Hz	0.4	0.1	0.6	0.1	0.1

The reverberation time in seconds at 1000 Hz is

- Q.45 In 2001, the population and work force participation rate of a town were 30,000 and 30 percent respectively. The work force participation rate in the year 2011 increased to 34 percent. If the decadal population growth rate was 6 percent, the increase in the number of working people in the town in 2011 was
- Q.46 In a 20 storey building with 3m floor to floor height, a passenger lift is hoisted by a steel rope. Weight of the lift car is 750 kg and ultimate load the steel rope can carry is 39,000 kg. Assuming a factor of safety of 20 for the steel rope and an average passenger weight of 75 kg, the passenger capacity of the lift is
- Q.47 One litre of acrylic paint can cover 16 sqm of wall area for the first coat and 24 sqm for the second coat. The walls of a lecture hall measuring 12m × 8m × 4m (L × B × H) need to be painted with two coats of this paint. The hall has total glazed fenestration area of 12 sqm. The number of 4 litre paint containers required will be
- Q.48 A 250 mm × 250 mm RCC column is reinforced with one percent steel. The permissible compressive stress of concrete and steel are 8 N/mm² and 150 N/mm² respectively. The axial load carrying capacity of the column in kN is _______
- Q.49 A solar photo-voltaic system is proposed to be installed at the roof top of a hostel. The cost of installation and the annual maintenance are INR 2,40,000 and INR 6000 respectively. It is expected to generate 600 kWh of electricity per month. Assume unit price of electricity as INR 5. Ignoring the discount rate, the payback period of the investment in years is
- Q.50 A pump is installed in an apartment building to lift water from ground level to the roof top water tank with the capacity of 10,000 litres. Total head of lift is 18 m and pumping time is 30 minutes to fill the tank completely. Assuming acceleration due to gravity (g) as 10 m/sec² and efficiency of the pump as 80 percent, the power requirement of the pump in kW will be



www.FirstRanker.com

www.FirstRanker.comvg

Q.51	In a housing project, the number of LIG, MIG and HIG units are in the ratio of 1:1:2. The ratio of areas of the units is 3:5:8. Assume unit cost of construction is same for all the three types. For a no profit no loss situation, if 10% discount is offered to LIG and MIG units on sale price, extra charge in percentage payable per HIG unit will be
Q.52	The estimated number of bricks (unit size: 250 mm × 125 mm × 75 mm) for laying one course of a 250 mm thick brick wall using rat-trap bond for a running length of 3.9 meter will be
Q.53	The difference in invert levels between two pits separated by a distance of 30 meter is one meter. An intermediate pit is required to be constructed at a distance of 18 meter from the pit at higher level. Maintaining the same slope, the difference in invert levels of the new pit and the pit at lower level in mm will be
Q.54	A four-storey building with equal areas in each floor is required to be designed on a plot with FAR of 2.0. If the FAR is increased to 2.2, the percentage increase in ground coverage utilizing full FAR in both cases will be
Q.55	A lamp source of 3200 candela is mounted on a wall at a height of 2 meter from the work-plane. It subtends an angle of incidence of 60° with the center of the work plane. The illumination at the centre of the work plane in Lux is

END OF THE QUESTION PAPER

