

().	1_		5	carry	one	mark	each.
v.		V.	\cup	carry	UIIC	main	cacii

- The chairman requested the aggrieved shareholders to Q.1
 - (A) bare with
- (B) bore with
- (C) bear with
- (D) bare

- Q.2 Identify the correct spelling out of the given options:
 - (A) Managable
- (B) Manageable
- (C) Mangaeble
- (D) Managible

Pick the odd one out in the following: Q.3

13, 23, 33, 43, 53

- (A) 23
- (C) 43
- (D) 53
- Q.4 R2D2 is a robot. R2D2 can repair aeroplanes. No other robot can repair aeroplanes.


Which of the following can be logically inferred from the above statements?

- (A) R2D2 is a robot which can only repair aeroplanes.
- (B) R2D2 is the only robot which can repair aeroplanes.
- (C) R2D2 is a robot which can repair only aeroplanes. WWW.FirstPanker.
- (D) Only R2D2 is a robot.
- If |9y-6| = 3, then $y^2 4y/3$ is Q.5
 - (A) 0



Q. 6 – Q. 10 carry two marks each.

Q.6 The following graph represents the installed capacity for cement production (in tonnes) and the actual production (in tonnes) of nine cement plants of a cement company. Capacity utilization of a plant is defined as ratio of actual production of cement to installed capacity. A plant with installed capacity of at least 200 tonnes is called a large plant and a plant with lesser capacity is called a small plant. The difference between total production of large plants and small plants, in tonnes is



Q.7 A poll of students appearing for masters in engineering indicated that 60 % of the students believed that mechanical engineering is a profession unsuitable for women. A research study on women with masters or higher degrees in mechanical engineering found that 99 % of such women were successful in their professions.

Which of the following can be logically inferred from the above paragraph?

- (A) Many students have misconceptions regarding various engineering disciplines.
- (B) Men with advanced degrees in mechanical engineering believe women are well suited to be mechanical engineers.
- (C) Mechanical engineering is a profession well suited for women with masters or higher degrees in mechanical engineering.
- (D) The number of women pursuing higher degrees in mechanical engineering is small.

www.FirstRanker.com

www.FirstRanker.com

Q.8 Sourya committee had proposed the establishment of Sourya Institutes of Technology (SITs) in line with Indian Institutes of Technology (IITs) to cater to the technological and industrial needs of a developing country.

Which of the following can be logically inferred from the above sentence?

Based on the proposal,

- (i) In the initial years, SIT students will get degrees from IIT.
- (ii) SITs will have a distinct national objective.
- (iii) SIT like institutions can only be established in consultation with IIT.
- (iv) SITs will serve technological needs of a developing country.
- (A) (iii) and (iv) only.

(B) (i) and (iv) only.

(C) (ii) and (iv) only.

- (D) (ii) and (iii) only.
- Q.9 Shaquille O' Neal is a 60% career free throw shooter, meaning that he successfully makes 60 free throws out of 100 attempts on average. What is the probability that he will successfully make exactly 6 free throws in 10 attempts?
 - (A) 0.2508
- (B) 0.2816
- (C) 0.2934
- (D) 0.6000
- Q.10 The numeral in the units position of $211^{870} + 146^{127} \times 3^{424}$ is _____.

END OF THE QUESTION PAPER



E: THERMODYNAMICS

Notation used:

P - pressure, V - volume, T - temperature, S - entropy, H - enthalpy, U - internal energy, A - Helmholtz free energy, C_p - specific heat capacity at constant pressure. Specific properties are designated by lower case symbols.

Useful data:

Universal gas constant R = 8.314 kJ/(kmol K)

C_p of a Ratio o	ir = 1.005 kJ/(kg.K	heats for air: $\gamma = 1.4$						
Q. 1 -	Q. 9 carry one	mark each.						
Q.1	Which of the following thermodynamic properties is NOT an intensive property of a thermodynamic system:							
	(A) Pressure(C) Density		(B) Temperature(D) Volume					
Q.2	pressure P_1 (both	•	units). If the height diffure will be:	he two columns for a known gaugerence between the two columns				
	(A) $P_1/2$	(B) $2P_1$	as, (C) P ₁	(D) $4P_1$				
Q.3	Water vapour car	n be treated as an ideal g	as,					
	(B) for sufficient(C) for very high	rature and pressure ly low pressure, regardle pressure only ly low temperature, regar	ss of its temperature					
Q.4		ciency of a Carnot engine cure of the hot reservoir i		re of the cold reservoir is 300 K,				
	(A) 600 K	(B) 1200 K	(C) 900 K	(D) 450 K				
Q.5	In a reversible, co	onstant-pressure, non-flo	w process, heat input is	given by				
	(A) change in int(B) change in ent(C) change in ent(D) work output	halpy						
Q.6	Moist air undergo For this process,	oes an adiabatic saturatio	on process such that the	relative humidity of air increases				

(A) Dry bulb temperature increases, specific humidity increases (B) Dry bulb temperature increases, specific humidity decreases (C) Dry bulb temperature decreases, specific humidity increases (D) Dry bulb temperature decreases, specific humidity decreases



Q.7	A steadily	y flowing	ideal	gas undergoe	s adiabatic	throttling,	where

 T_1 : temperature before throttling

 T_2 : temperature after throttling

Assuming no change in kinetic and potential energy due to throttling, which of the following is

(A)
$$T_1 = T_2$$

(B)
$$T_1 > T_2$$

(C)
$$T_1 < T_2$$

(D)
$$T_1 = \gamma T_2$$
, γ : specific heat ratio

Q.8 For irreversible heat transfer from a hot body to a cold body, if Δ denotes the property change of both hot and cold bodies (i.e. difference between its final and initial values), then

(A)
$$\Delta S = 0$$

(B)
$$\Delta U > 0$$

(C)
$$\Delta S < 0$$

(D)
$$\Delta S > 0$$

Q.9 A closed system undergoes a cyclic process. For the net work done by the system on the surroundings, which of the following statements is FALSE:

- (A) Net work is always zero
- (B) Net work is $\oint P \ dV$ if the process is reversible
- (C) Net work can be negative
- (D) Net work can be positive

Q. 10 – Q. 22 carry two marks each.

Q.10 Consider the following statements related to the second law of thermodynamics:

P. A cyclic heat engine cannot produce net work by exchanging heat only with one reservoir.

Q. The efficiency of a reversible heat engine is dependent on the nature and amount of working substance undergoing the cycle.

R. It is impossible to have a cyclic device which will produce no effect other than the transfer of heat from a cold body to a hot body.

S. It is impossible to have heat engines operating between a heat source and sink to have a lower efficiency than that of a reversible heat engine operating between the same source and sink.

For which of the following options, BOTH the statements are inconsistent with the second law of thermodynamics:

- (A) P and R
- (C) R and S
- (D) Q and S

Consider the following statements related to air-standard Otto, Diesel, and Brayton cycles: Q.11

P. Brayton cycle has at least one isentropic and one isobaric process.

- Q. Otto cycle has at least one isentropic and one isochoric process.
- R. Diesel cycle has at least one isentropic and one isothermal process.
- S. At least one of the cycles has an isothermal process.

For which of the following options, BOTH the statements are consistent with the operation of the above cycles:

- (A) P and R
- (B) P and Q
- (C) R and S
- (D) P and S

www.FirstRanker.com

Q.12 Volumetric analysis of a hydrocarbon combustion product shows 8% CO₂, 15% H₂O (vapour), 5.5% O₂ and 71.5% N₂. The combustion product flows steadily through a heat exchanger at 200 kPa pressure. Assume each component in the mixture to be an ideal gas. In order to avoid the condensation of H₂O in the heat exchanger, the minimum allowable temperature (in °C) is _____

Saturated	H_2O	Table:
-----------	--------	--------

P (kPa)	10	20	30	40	50
T (°C)	45.83	60.09	69.12	75.82	81.35

Q.13 An equimolar mixture of two ideal gases (A, B) expands isentropically in a nozzle. The gas mixture enters the nozzle at 300 kPa, 400 K and exits at 100 kPa. Assuming the mixture to be an ideal gas, the exit temperature of the gas mixture (in K) is ______.

	Molar mass (kg/kmol)	$C_{\rm p}$ (kJ/kg-K)
Gas A	28.013	1.04
Gas B	2.016	14.21

- Q.14 A rigid vessel of volume 10 m³ is filled with hydrogen at 25°C and 500 kPa. Due to leakage, some gas has escaped from the vessel until the pressure in the vessel drops down to 200 kPa, and the corresponding temperature of the gas inside the vessel is found to be 15°C. The amount of gas leaked (in kg) from the vessel is _____.
- Q.15 A hot ideal gas ($C_p = 1.2 \text{ kJ/(kg.K)}$) steadily flows through a turbine with inlet and exit temperatures of 1500 K and 500 K respectively. The minimum mass flow rate (in kg/s) of the hot gas to achieve a power output of 12 MW is ______.
- Q.16 Air pressure inside a spherical balloon is proportional to its diameter. The balloon undergoes a reversible, isothermal, non-flow process. During the process, the balloon maintains its spherical shape, and the air inside the balloon consumes 2 kJ of heat. Initial air pressure inside the balloon was 120 kPa, while the initial balloon diameter was 20 cm. Assuming air to be an ideal gas, the final diameter of the balloon (in cm) is _______.
- Q.17 An air-standard diesel engine has a compression ratio of 18 (the ratio of the volume at the beginning of the compression process to that at the end of the compression process), and a cut-off ratio of 2 (the ratio of the volume at the end of the heat addition process to that at the beginning of the heat addition process). The thermal efficiency (in %) of the engine is ______
- Q.18 Compressed air, at 1 MPa pressure, 400 K temperature flows through a large pipe. An evacuated, insulated rigid tank of 0.5 m³ volume is connected to the pipe through a valve. The valve is opened to fill the tank and the valve closes automatically when the tank pressure reaches 1 MPa. Assuming ideal gas behaviour, the final air temperature in the tank (in K) is ______.
- Q.19 A 40 kg metal block ($C_p = 0.5 \text{ kJ/(kg.K)}$) at $T = 450^{\circ}\text{C}$ is quenched in 150 kg oil ($C_p = 2.5 \text{ kJ/(kg. K)}$) at $T = 25^{\circ}\text{C}$. If the combined (metal block and oil) system is fully isolated from its surroundings, then the net change in the entropy (in kJ/K) of the combined system is
- Q.20 For phase change from solid (sol) to liquid (liq) state, if the slope of the solid-liquid coexistence line in the *P-T* diagram is negative, then:
 - (A) $v_{\text{liq}} < v_{\text{sol}}$
- (B) $v_{\text{liq}} > v_{\text{sol}}$
- (C) $s_{\text{liq}} < s_{\text{sol}}$
- (D) $h_{\text{liq}} < h_{\text{sol}}$



- 0.21 A house-hold refrigerator operates under steady state condition between an evaporator temperature of 263 K and a condenser temperature of 323 K. The heat load to the refrigerator is 3 kW. The actual COP of the refrigerator is half of that of a Carnot refrigerator operating between the same condenser and evaporator temperatures. The power required (in kW) to run the refrigerator is
- Q.22 The Maxwell relation that results from the expression for the Helmholtz free energy A = U - TS,

(A)
$$\frac{\partial T}{\partial v}\Big|_{s} = -\frac{\partial P}{\partial s}\Big|_{v}$$

(C) $\frac{\partial P}{\partial T}\Big|_{v} = \frac{\partial s}{\partial v}\Big|_{T}$

(C)
$$\frac{\partial P}{\partial T}\Big|_{v} = \frac{\partial s}{\partial v}\Big|_{T}$$

(B)
$$\left. \frac{\partial T}{\partial P} \right)_S = \left. \frac{\partial v}{\partial s} \right)_P$$

(B)
$$\frac{\partial T}{\partial P}\Big|_{S} = \frac{\partial v}{\partial s}\Big|_{P}$$

(D) $\frac{\partial v}{\partial T}\Big|_{P} = -\frac{\partial s}{\partial P}\Big|_{T}$

END OF THE QUESTION PAPER

www.FirstRanker.com

Space for Rough Work

MMM/FirstRanker.com



Space for Rough Work

MMM/FirstRanker.com