

9/16/2020

## National Testing Agency

|  |  |
|--|--|
| <b>Question Paper Name :</b>                   | Emerging Areas In Hospital Planning Design And Facilities Management 15th Sep 2020 Shift 1 |
| <b>Subject Name :</b>                          | Emerging Areas In Hospital Planning Design And Facilities Management                       |
| <b>Creation Date :</b>                         | 2020-09-15 21:02:51  |
| <b>Duration :</b>                              | 180  |
| <b>Total Marks :</b>                           | 100  |
| <b>Display Marks:</b>                          | Yes  |
| <b>Share Answer Key With Delivery Engine :</b> | Yes  |
| <b>Actual Answer Key :</b>                     | Yes  |

### Emerging Areas In Hospital Planning Design And Facilities Management

|                                      |          |
|--------------------------------------|----------|
| <b>Group Number :</b>                | 1        |
| <b>Group Id :</b>                    | 89951428 |
| <b>Group Maximum Duration :</b>      | 0        |
| <b>Group Minimum Duration :</b>      | 120      |
| <b>Show Attended Group? :</b>        | No       |
| <b>Edit Attended Group? :</b>        | No       |
| <b>Break time :</b>                  | 0        |
| <b>Group Marks :</b>                 | 100      |
| <b>Is this Group for Examiner? :</b> | No       |

### Emerging Areas In Hospital Planning Design And Facilities Management

|                         |          |
|-------------------------|----------|
| <b>Section Id :</b>     | 89951428 |
| <b>Section Number :</b> | 1        |
| <b>Section type :</b>   | Online   |

9/16/2020

|  |           |
|--|-----------|
| <b>Mandatory or Optional :</b>               | Mandatory |
| <b>Number of Questions :</b>                 | 100       |
| <b>Number of Questions to be attempted :</b> | 100       |
| <b>Section Marks :</b>                       | 100       |
| <b>Display Number Panel :</b>                | Yes       |
| <b>Group All Questions :</b>                 | Yes       |
| <b>Mark As Answered Required? :</b>          | Yes       |
| <b>Sub-Section Number :</b>                  | 1         |
| <b>Sub-Section Id :</b>                      | 89951441  |
| <b>Question Shuffling Allowed :</b>          | Yes       |

**Question Number : 1 Question Id : 8995142350 Question Type : MCQ Option Shuffling : No Display Question : Mandatory : No Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0**

What do these refer to: Classic Nightingale Pattern, T Shape type, Cruciform type, Circular Type:

- a. Wards
- b. Corridors
- c. Clinics
- d. Gardens

**Options :**

- 8995149352. 1
- 8995149353. 2
- 8995149354. 3
- 8995149355. 4

**Question Number : 2 Question Id : 8995142351 Question Type : MCQ Option Shuffling : No Display Question : Mandatory : No Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0**

9/16/2020

The duration of Golden Hour in which the patient must be given immediate lifesaving care is

- a) Thirty minutes
- b) Forty minutes
- c) Sixty minutes
- d) Six hours

Options :

8995149356. 1

8995149357. 2

8995149358. 3

8995149359. 4

Question Number : 3 Question Id : 8995142352 Question Type : MCQ Option Shuffling : No Display Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The position of IPD wing in the site should be

- a) Central zone
- b) Peaceful zone
- c) Populous zone
- d) Outwards zone

Options :

8995149360. 1

8995149361. 2

8995149362. 3

8995149363. 4

---

Question Number : 4 Question Id : 8995142353 Question Type : MCQ Option Shuffling : No Display Question

9/16/2020

**Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

The supply lines in a health care building should follow a

- a) Finger plan typology
- b) Grid typology
- c) Star typology
- d) Radial typology

**Options :**

8995149364. 1

8995149365. 2

8995149366. 3

8995149367. 4

**Question Number : 5 Question Id : 8995142354 Question Type : MCQ Option Shuffling : No Display Quest****Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Which of the following statement is incorrect?

- a) Materials for laboratory finishes should be as resistant as possible to the corrosive chemical activity of disinfectants and chemicals used in the laboratory.
- b) Fire exits may not lead to an open space outside.
- c) Selection of materials should be at least 2 hr fire rating as per fire safety norms in the building
- d) Floor surfaces should be easily cleanable and impervious to water.

**Options :**

8995149368. 1

9/16/2020

8995149369. 2

8995149370. 3

8995149371. 4

**Question Number : 6 Question Id : 8995142355 Question Type : MCQ Option Shuffling : No Display Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0**

Which of the following statement is incorrect." The objective of planning and designing Hospital Laboratory Department is:

- a) To plan for a safe, comfortable and controlled environment that assures consistent reliable results
- b) There should be easy and distinct routes for disposal of laboratory wastes from the principal work area
- c) Air lock should be provided at the entrance to the laboratory
- d) To keep Laboratory department adjacent to Mortuary department

**Options :**

8995149372. 1

8995149373. 2

8995149374. 3

8995149375. 4

**Question Number : 7 Question Id : 8995142356 Question Type : MCQ Option Shuffling : No Display Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0**

9/16/2020

FNAC stands for

- a) First Nursing Action Control
- b) Fine Needle Aspiration Cytology
- c) Fine Needle Action Cytology
- d) First Nursing Aspiration Cytology

Options :

8995149376. 1

8995149377. 2

8995149378. 3

8995149379. 4

Question Number : 8 Question Id : 8995142357 Question Type : MCQ Option Shuffling : No Display Question : Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following statements is incorrect. "The function of Hospital Administrative Department are:

- a) To ensure quality assurance through peer reviews and medical record audits
- b) To ensure effective public relation activities
- c) To do facility utilization studies
- d) To manage sterile supply department

Options :

8995149380. 1

8995149381. 2

8995149382. 3

8995149383. 4

9/16/2020

**Question Number : 9 Question Id : 8995142358 Question Type : MCQ Option Shuffling : No Display Question****Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Which of the following is not an equipment of CSSD department

- a) Autoclave
- b) Ultrasonic Washer
- c) Sterilizing Drums
- d) Defibrillator

**Options :**

8995149384. 1

8995149385. 2

8995149386. 3

8995149387. 4

**Question Number : 10 Question Id : 8995142359 Question Type : MCQ Option Shuffling : No Display Question****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Which of the following statement is incorrect. "The objective of establishing a CSSD are to

- a) Supervise and provide facilities for the bulk-sterilization of materials
- b) To keep health information and medical records
- c) To play an effective role in hospital infection control activities
- d) provide facilities for in-service teaching and training of nursing and ancillary personnel in the sterilization practices

**Options :**

8995149388. 1

8995149389. 2



9/16/2020

8995149390. 3

8995149391. 4

**Question Number : 11 Question Id : 8995142360 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Which of the following statement is not correct. The mortuary has following functions:

- a) To hold dead bodies until burial can be arranged or cremation takes place
- b) To treat the seriously ill patient
- c) To provide a place where a pathologist can investigate cause of death and m  
scientific investigations
- d) To allow viewing and identification by relatives and other people

**Options :**

8995149392. 1

8995149393. 2

8995149394. 3

8995149395. 4

**Question Number : 12 Question Id : 8995142361 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**



9/16/2020

The temperature of cold room in Mortuary is to be maintained between

- a) 8-10 deg.C
- b) 10-12 deg.C
- c) 5.5-6.5 deg.C
- d) 20-22 deg.C

Options :

- 8995149396. 1
- 8995149397. 2
- 8995149398. 3
- 8995149399. 4

Question Number : 13 Question Id : 8995142362 Question Type : MCQ Option Shuffling : No Display Que  
Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical  
Correct Marks : 1 Wrong Marks : 0

Which of the following statement is incorrect in respect of planning and designing  
Blood Bank department

- a) Clear/ demarcation of public access and other areas with proper and adequate signage.
- b) Adequate space should be provided for proper storage of blood units in designated rooms/ areas.
- c) The clean areas should not have restricted movement
- d) The walls and ceilings should be of smooth surface to facilitate easy cleaning

Options :

- 8995149400. 1
- 8995149401. 2
- 8995149402. 3
- 8995149403. 4

9/16/2020

**Question Number : 14 Question Id : 8995142363 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Which of the following area is not required in the blood bank department

- a) Bleeding room
- b) Storage area
- c) Laboratory area
- d) Nurse station

Options :

- 8995149404. 1
- 8995149405. 2
- 8995149406. 3
- 8995149407. 4

**Question Number : 15 Question Id : 8995142364 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Which of the following statement is incorrect. "The dietary department has the following functions:

- a) To provide food counselling to the ambulatory patients
- b) To treat seriously ill patient
- c) To cater the food requirements of patients, staff as well as the visitors.
- d) To provide in-service training programs depending on the type and size of the department, and policy of the hospital.

Options :

9/16/2020

- 8995149408. 1
- 8995149409. 2
- 8995149410. 3
- 8995149411. 4

**Question Number : 16 Question Id : 8995142365 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

CRI levels for observing color changes in skin in NICU should be

- a) 65
- b) 75
- c) 85
- d) 95

**Options :**

- 8995149412. 1
- 8995149413. 2
- 8995149414. 3
- 8995149415. 4

**Question Number : 17 Question Id : 8995142366 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

9/16/2020

Which of the following is incorrect regarding the designing of imaging rooms?

- a) Ambient light levels should be low during the treatment of patients
- b) Lighting design should not provide dimming and switching for adjustment of light levels
- c) Non-ferrous material fixtures should be incorporated in MRI rooms
- d) Increased light levels to also b provided for MRI rooms

Options :

8995149416. 1

8995149417. 2

8995149418. 3

8995149419. 4

Question Number : 18 Question Id : 8995142367 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is incorrect for the design parameters of way finding?

- a) Luminance contrast should be 50% between the letters and background
- b) Signage should be in natural line of vision
- c) One symbol should be used with each message
- d) Universally accepted symbols should be used.

Options :

8995149420. 1

8995149421. 2

8995149422. 3

8995149423. 4

Question Number : 19 Question Id : 8995142368 Question Type : MCQ Option Shuffling : No Display Que

9/16/2020

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Illumination level for operating unit should be

- a) 1000-5000 lux
- b) 2000 - 6000 lux
- c) 3000-8000 lux
- d) 2000-10000 lux

Options :

8995149424. 1

8995149425. 2

8995149426. 3

8995149427. 4

**Question Number : 20 Question Id : 8995142369 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Minimum space requirement for an Ayurveda dispensary is

- a) 4.6 mts
- b) 80 sqft
- c) 9.2 mts
- d) 11.14 mts

Options :

8995149428. 1

8995149429. 2

8995149430. 3

8995149431. 4

9/16/2020

**Question Number : 21 Question Id : 8995142370 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

A critical power chain for health care environment should not include?

- a) facility power
- b) conditioned power
- c) backup power
- d) effluent power

Options :

8995149432. 1

8995149433. 2

8995149434. 3

8995149435. 4

**Question Number : 22 Question Id : 8995142371 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Curative treatment of Ahara is related to?

- a) medicine
- b) diet
- c) air
- d) diseases

Options :

8995149436. 1

8995149437. 2

8995149438. 3

8995149439. 4

9/16/2020

**Question Number : 23 Question Id : 8995142372 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Which of the following is not a part of secondary ward accommodation in IPD?

- a) clean utility
- b) doctor's room
- c) bed accommodation
- d) nurses' station

Options :

8995149440. 1  
8995149441. 2  
8995149442. 3  
8995149443. 4

**Question Number : 24 Question Id : 8995142373 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Which of the OPD departments are available in an ayurvedic hospital?

- a) Surgery
- b) Ophthalmology
- c) Emergency
- d) All of the above

Options :

8995149444. 1  
8995149445. 2  
8995149446. 3



9/16/2020

8995149447. 4

**Question Number : 25 Question Id : 8995142374 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0****What is the standard size of a wheelchair?**

- a) 900 x 750 mm
- b) 1050 x 750 mm
- c) 900 x 1050 mm
- d) 750 x 750 mm

**Options :**

8995149448. 1

8995149449. 2

8995149450. 3

8995149451. 4

**Question Number : 26 Question Id : 8995142375 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0****While sitting on a wheelchair, the height of eyes from the finished floor is**

- a) 900 mm
- b) 1000 mm
- c) 1100 mm
- d) 1190 mm

**Options :**

8995149452. 1

8995149453. 2

9/16/2020

8995149454. 3

8995149455. 4

**Question Number : 27 Question Id : 8995142376 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Which of the following is incorrect about the design considerations for persons with hearing impairment?

- a) Illuminated signage
- b) Audible announcements
- c) You are here maps
- d) Information boards

Options :

8995149456. 1

8995149457. 2

8995149458. 3

8995149459. 4

**Question Number : 28 Question Id : 8995142377 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Which of the following is incorrect while designing the parking?

- a) Information stating reserved places for wheelchairs should be clearly visible.
- b) Minimum width of parking bay to be 3 m.
- c) Guiding floor materials should be provided.
- d) None of the above.

Options :

9/16/2020

8995149460. 1

8995149461. 2

8995149462. 3

8995149463. 4

**Question Number : 29 Question Id : 8995142378 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

According to vastu, Rooms for emergency patients should be in

- a) southeast
- b) southwest
- c) northeast
- d) northwest

**Options :**

8995149464. 1

8995149465. 2

8995149466. 3

8995149467. 4

**Question Number : 30 Question Id : 8995142379 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Which colour should not be there on reception as per Vastu?

- a) Crimson
- b) scarlet
- c) violet
- d) yellow

---

**Options :**

9/16/2020

- 8995149468. 1
- 8995149469. 2
- 8995149470. 3
- 8995149471. 4

**Question Number : 31 Question Id : 8995142380 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

According to vastu, which direction is not suitable for a staircase in hospitals?

- a) North
- b) West
- c) South-west
- d) South-east

Options :

- 8995149472. 1
- 8995149473. 2
- 8995149474. 3
- 8995149475. 4

**Question Number : 32 Question Id : 8995142381 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

EPR stands for

- a) Electrical patients records
- b) Electronic patient records
- c) Electrical page records
- d) Electronic page records

9/16/2020

**Options :**

- 8995149476. 1
- 8995149477. 2
- 8995149478. 3
- 8995149479. 4

**Question Number : 33 Question Id : 8995142382 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Vastu fundamental principles named as Vastu-pada-Vinayassa deals with

- a) doctrine of orientation
- b) site planning
- c) aesthetics
- d) vedic architecture

**Options :**

- 8995149480. 1
- 8995149481. 2
- 8995149482. 3
- 8995149483. 4

**Question Number : 34 Question Id : 8995142383 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Which of the following is incorrect regarding the planning of a hospital?

- a) Operation theatres should be at the topmost floor
- b) CSSD department should be in the basement or lower ground floors
- c) CSSD should have no connection to the operation theatre
- d) IPD and ICU should be interconnected.

9/16/2020

**Options :**

- 8995149484. 1
- 8995149485. 2
- 8995149486. 3
- 8995149487. 4

**Question Number : 35 Question Id : 8995142384 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Which of the following is a mandatory place for OPD?

- a) first floor
- b) ground floor
- c) basement
- d) stilt floor

**Options :**

- 8995149488. 1
- 8995149489. 2
- 8995149490. 3
- 8995149491. 4

**Question Number : 36 Question Id : 8995142385 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

9/16/2020

Which of the following is not a component of teaching hospital?

- a) Academic block
- b) Teaching block
- c) Residences for doctors
- d) Police station

Options :

8995149492. 1

8995149493. 2

8995149494. 3

8995149495. 4

Question Number : 37 Question Id : 8995142386 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is not a function of ART center?

- a) providing care and monitoring HIV patients
- b) Identifying people who are suffering from HIV requiring ART center
- c) Counsel and educate people living with HIV
- d) All of the above

Options :

8995149496. 1

8995149497. 2

8995149498. 3

8995149499. 4

Question Number : 38 Question Id : 8995142387 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical



9/16/2020

**Correct Marks : 1 Wrong Marks : 0**

Examination rooms should be designed as

- a) 1 per medical officer
- b) 2 per medical officer
- c) 3 per medical officer
- d) 5 per medical officer

**Options :**

8995149500. 1

8995149501. 2

8995149502. 3

8995149503. 4

Question Number : 39 Question Id : 8995142388 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

**Correct Marks : 1 Wrong Marks : 0**

How many minimum bio safety labs should be there in a DOTS center?

- a) 1
- b) 2
- c) 3
- d) 4

**Options :**

8995149504. 1

8995149505. 2

8995149506. 3

8995149507. 4

Question Number : 40 Question Id : 8995142389 Question Type : MCQ Option Shuffling : No Display Que

9/16/2020

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

UVGI stands for

- a) Ultra violet gamma irrigation
- b) Ultra violet germs irrigation
- c) Ultra violet germicidal irrigation
- d) Ultra Violet Germicidal Irradiation

**Options :**

- 8995149508. 1
- 8995149509. 2
- 8995149510. 3
- 8995149511. 4

**Question Number : 41 Question Id : 8995142390 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Sustainable food practices include

- a) buying food grown without chemicals and pesticides
- b) preferring chemicals for cleaning the kitchen
- c) including imported foods
- d) all of the above

**Options :**

- 8995149512. 1
- 8995149513. 2
- 8995149514. 3
- 8995149515. 4

9/16/2020

**Question Number : 42 Question Id : 8995142391 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

GGHC stands for:

- a) green guide for human care
- b) Green guidance for human consultation
- c) Green guidance for health care
- d) None of the above

Options :

8995149516. 1

8995149517. 2

8995149518. 3

8995149519. 4

**Question Number : 43 Question Id : 8995142392 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Which of the following are accreditation authorities of India for hospitals?

- a) LEED
- b) AQI
- c) NABH
- d) GRIHA

Options :

8995149520. 1

8995149521. 2

8995149522. 3

8995149523. 4

9/16/2020

**Question Number : 44 Question Id : 8995142393 Question Type : MCQ Option Shuffling : No Display Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0**

Occupant comfort includes:

- a) thermal comfort
- b) acoustic comfort
- c) visual comfort
- d) all of the above

**Options :**

8995149524. 1  
8995149525. 2  
8995149526. 3  
8995149527. 4

**Question Number : 45 Question Id : 8995142394 Question Type : MCQ Option Shuffling : No Display Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0**

What are the barriers to green hospitals design in India

- a) less awareness among the people
- b) integrating sustainability is more challenging due to intense health regulations
- c) both a and b
- d) none of the above

**Options :**

8995149528. 1  
8995149529. 2  
8995149530. 3

9/16/2020

8995149531. 4

**Question Number : 46 Question Id : 8995142395 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Which of the following is not a barrier in lean implementation?

- a) Proper maintenance
- b) lack of information and resources
- c) Improper funding
- d) Lack of constructability

**Options :**

8995149532. 1

8995149533. 2

8995149534. 3

8995149535. 4

**Question Number : 47 Question Id : 8995142396 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Which of the following is not a principle of lean construction and management?

- a) transparency
- b) flows
- c) pull and perfection
- d) none of the above
- e) all of the above

**Options :**

8995149536. 1

8995149537. 2

9/16/2020

8995149538. 3

8995149539. 4

8995149540. 5

**Question Number : 48 Question Id : 8995142397 Question Type : MCQ Option Shuffling : No Display Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Lean construction covers which of the following stakeholders?

- a) owner
- b) architect and designer
- c) construction suppliers
- d) all of the above

Options :

8995149541. 1

8995149542. 2

8995149543. 3

8995149544. 4

**Question Number : 49 Question Id : 8995142398 Question Type : MCQ Option Shuffling : No Display Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

MEP stands for

- a) Mechanical, engineering, Plastics
- b) Mechanical, Electricity, Plumbing
- c) Mechanical, Electrical and Plumbing
- d) All of the above

Options :

9/16/2020

8995149545. 1

8995149546. 2

8995149547. 3

8995149548. 4

**Question Number : 50 Question Id : 8995142399 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Which of the following is true regarding the four pipe system?

1. It is cost-effective method
2. The two of the pipes are used for supply and return of hot water
3. There is no provision for return of chilled water

- a) Only 1
- b) 1, 2 and 3
- c) Only 2
- d) only 1 and 2

**Options :**

8995149549. 1

8995149550. 2

8995149551. 3

8995149552. 4

**Question Number : 51 Question Id : 8995142400 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**



9/16/2020

Which of the following is correct regarding the design of medical gas system?

1. Determining the location of supply sources of medical gases.
2. Preparation of schematic piping layout

- a) only 1
- b) only 2
- c) both 1 and 2
- d) neither 1 and 2

Options :

8995149553. 1

8995149554. 2

8995149555. 3

8995149556. 4

Question Number : 52 Question Id : 8995142401 Question Type : MCQ Option Shuffling : No Display Que  
Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is not a building service?

1. Electrical fittings and fixtures
2. Plumbing
3. Building information modelling
4. Escalators

- a) only 1
- b) 1, 2, 3
- c) 1 and 4
- d) none of the above

9/16/2020

**Options :**

- 8995149557. 1
- 8995149558. 2
- 8995149559. 3
- 8995149560. 4

**Question Number : 53 Question Id : 8995142402 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0****BMS stands for**

- a) Building mechanical system
- b) Building maintenance sciences
- c) Building maintenance system
- d) Building Management System

**Options :**

- 8995149561. 1
- 8995149562. 2
- 8995149563. 3
- 8995149564. 4

**Question Number : 54 Question Id : 8995142403 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0****Certain considerations related to communication facilities in a smart hospital are?**

- a) ensure connectivity for mobile usage
  - b) use of digital signage to guide doctor, staff as well as patients
  - c) reduction of noise
  - d) all of the above
-

9/16/2020

**Options :**

- 8995149565. 1
- 8995149566. 2
- 8995149567. 3
- 8995149568. 4

**Question Number : 55 Question Id : 8995142404 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

HVAC services includes?

- a) fire dampers
- b) smoke extraction system
- c) plants and pumps
- d) all of the above

**Options :**

- 8995149569. 1
- 8995149570. 2
- 8995149571. 3
- 8995149572. 4

**Question Number : 56 Question Id : 8995142405 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Why is retrofitting required?

- a) adaptive reuse
- b) medical tourism
- c) development portal
- d) all of the above

**Options :**

9/16/2020

8995149573. 1

8995149574. 2

8995149575. 3

8995149576. 4

**Question Number : 57 Question Id : 8995142406 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Which of the following is true about the facility management importance?

- a) high levels of sterilization and infection control
- b) uninterrupted light and power supply
- c) functional electrical systems and plumbing systems
- d) all of the above

**Options :**

8995149577. 1

8995149578. 2

8995149579. 3

8995149580. 4

**Question Number : 58 Question Id : 8995142407 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

What is not the importance of facility management organizations?

- a) improve the operating cost
- b) increase the capital and operating costs
- c) reduce legal risks
- d) all of the above

**Options :**

8995149581. 1

9/16/2020

8995149582. 2

8995149583. 3

8995149584. 4

**Question Number : 59 Question Id : 8995142408 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Pediatric deals with which of the following:

- a. Children
- b. Women
- c. Old People
- d. Bones

**Options :**

8995149585. 1

8995149586. 2

8995149587. 3

8995149588. 4

**Question Number : 60 Question Id : 8995142409 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

9/16/2020

Which of the following is not a role of Landscape architect?

1. responsible for design of outdoor areas
2. suggestion to the layout of pedestrian designs

- a) only 1
- b) only 2
- c) both 1 and 2
- d) neither 1 and 2

Options :

8995149589. 1

8995149590. 2

8995149591. 3

8995149592. 4

Question Number : 61 Question Id : 8995142410 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Medical Architects contribute to Patient Safety through design of:

- a) Active Conditions
- b) Latent Conditions
- c) Passive Conditions
- d) Both Active and Latent Conditions

Options :

8995149593. 1

8995149594. 2

8995149595. 3

8995149596. 4

9/16/2020

**Question Number : 62 Question Id : 8995142411 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Post Partum Unit is connected to which Department?

- a) Pediatrics
- b) Psychiatry
- c) Obstetrics and Gynecology
- d) Ophthalmology

Options :

8995149597. 1  
8995149598. 2  
8995149599. 3  
8995149600. 4

**Question Number : 63 Question Id : 8995142412 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

Which of the following is true about the facility management importance?

- a) high levels of sterilization and infection control
- b) uninterrupted light and power supply
- c) functional electrical systems and plumbing systems
- d) all of the above

Options :

8995149601. 1  
8995149602. 2  
8995149603. 3  
8995149604. 4



9/16/2020

**Question Number : 64 Question Id : 8995142413 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

What is not the importance of facility management organizations?

- a) improve the operating cost
- b) increase the capital and operating costs
- c) reduce legal risks
- d) all of the above

**Options :**

8995149605. 1  
8995149606. 2  
8995149607. 3  
8995149608. 4

**Question Number : 65 Question Id : 8995142414 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**  
**Correct Marks : 1 Wrong Marks : 0**

What is the full form of WHO?

- a. World Health Organisation
- b. Waste Handling Orifice
- c. Water and Health Objective
- d. World Health Office

**Options :**

8995149609. 1  
8995149610. 2  
8995149611. 3  
8995149612. 4

9/16/2020

**Question Number : 66 Question Id : 8995142415 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

What among the following is an essential feature of Emergency services

- a. Triage
- b. Embalming Unit
- c. Dispensary
- d. Garbha Griha

**Options :**

8995149613. 1

8995149614. 2

8995149615. 3

8995149616. 4

**Question Number : 67 Question Id : 8995142416 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

Which of the following is an important part of surgical suite

- a. Doctor's Changing Room
- b. Observation Area
- c. Preparation Room
- d. All of the above

**Options :**

8995149617. 1

8995149618. 2

8995149619. 3

8995149620. 4

**Question Number : 68 Question Id : 8995142417 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

9/16/2020

Pick the odd one out:

- a. IPD
- b. OPD
- c. Emergency
- d. Swimming Pool

Options :

- 8995149621. 1
- 8995149622. 2
- 8995149623. 3
- 8995149624. 4

Question Number : 69 Question Id : 8995142418 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is not part of an ICU:

- a. Nursing Station
- b. Pharmacy
- c. Isolation Room
- d. Central Monitoring Unit

Options :

- 8995149625. 1
- 8995149626. 2
- 8995149627. 3
- 8995149628. 4

Question Number : 70 Question Id : 8995142419 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

9/16/2020

What is the minimum width of a Ramp in a hospital?

- a. 3.0m
- b. 2.4m
- c. 1.5m
- d. 2.0m

Options :

8995149629. 1

8995149630. 2

8995149631. 3

8995149632. 4

Question Number : 71 Question Id : 8995142420 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Identify the correct statement:

- a. The door of a toilet in a patient's room of hospital should open outwards.
- b. The ideal gradient of the ramp is 1:12 as per NBC
- c. The minimum width of a staircase in a hospital is 2.0m
- d. All of the above.

Options :

8995149633. 1

8995149634. 2

8995149635. 3

8995149636. 4

Question Number : 72 Question Id : 8995142421 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

9/16/2020

Who prepares shop drawings?

- a) Architects
- b) Structural engineer
- c) Vendor
- d) Shop-owner

Options :

8995149637. 1

8995149638. 2

8995149639. 3

8995149640. 4

Question Number : 73 Question Id : 8995142422 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

NABL stands for

- a) National Action Board for Laboratories
- b) National Accreditation Board for Testing and Calibration Laboratories
- c) National Accreditation Board for Laundry
- d) National Action Board for Laundry

Options :

8995149641. 1

8995149642. 2

8995149643. 3

8995149644. 4

Question Number : 74 Question Id : 8995142423 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

9/16/2020

ETP stands for

- a) Effluent Treatment Plant
- b) Effective Treatment Process
- c) Emergency Treatment Process
- d) Equipment Testing Process

Options :

8995149645. 1

8995149646. 2

8995149647. 3

8995149648. 4

Question Number : 75 Question Id : 8995142424 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In a health care building, reducing the load on air conditioning helps as

- a) decreases the dependency on natural systems
- b) decreases the daylight factor
- c) increases the dependency on natural systems
- d) directly proportional to the daylight systems

Options :

8995149649. 1

8995149650. 2

8995149651. 3

8995149652. 4

Question Number : 76 Question Id : 8995142425 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

9/16/2020

Which is the aspect of growth and change?

- a) Expansion of facilities due to increase enrollments
- b) Differential growth of healthcare facilities
- c) Internal flexibility to change use of spaces
- d) All of the above

Options :

8995149653. 1

8995149654. 2

8995149655. 3

8995149656. 4

Question Number : 77 Question Id : 8995142426 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What leads to the deterioration of healthcare facilities in neighborhoods?

- a) Population growth
- b) Growth of cities
- c) Lack of land availability
- d) Lack of funds

Options :

8995149657. 1

8995149658. 2

8995149659. 3

8995149660. 4

Question Number : 78 Question Id : 8995142427 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0



9/16/2020

Match the following

1. Transformation due to campus growth itself
  2. Transformation due to development by private agencies
  3. Transformation as a result of campus
- 
- a) Better business opportunities
  - b) Addition of living accommodation for rental purposes
  - c) Addition of advanced disciplines and increasing enrollment
- 
- a. 1-a, 2-c, 3-b
  - b. 1-c, 2-a, 3-b
  - c. 1-c, 2-b, 3-a
  - d. 1-a, 2-b, 3-c

Options :

8995149661. 1

8995149662. 2

8995149663. 3

8995149664. 4

Question Number : 79 Question Id : 8995142428 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

TFI stands for

- a) Tobacco full initiative
- b) Tobacco free initiative
- c) Tobacco free information
- d) Tobacco full information

Options :

9/16/2020

8995149665. 1

8995149666. 2

8995149667. 3

8995149668. 4

**Question Number : 80 Question Id : 8995142429 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Which drawings are prepared while getting approval of radiotherapy facility?

- a) site plan
- b) layout plan
- c) 3 dimensional graphics
- d) cross sectional drawings

**Options :**

8995149669. 1

8995149670. 2

8995149671. 3

8995149672. 4

**Question Number : 81 Question Id : 8995142430 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Which of the following statements is true?

- 1. Neck cancer are common in both men and women
  - 2. Uterine cervix is a rare cancer condition found in women.
- a) Only 1
  - b) Only 2
  - c) Both 1 and 2
  - d) Neither 1 and 2

9/16/2020

**Options :**

- 8995149673. 1
- 8995149674. 2
- 8995149675. 3
- 8995149676. 4

**Question Number : 82 Question Id : 8995142431 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

IFMA stands for

- a) Indian Facility Management Association
- b) International Facility Management Association
- c) Indian Facility Management Arrangement
- d) International Facility Management Arrangement

**Options :**

- 8995149677. 1
- 8995149678. 2
- 8995149679. 3
- 8995149680. 4

**Question Number : 83 Question Id : 8995142432 Question Type : MCQ Option Shuffling : No Display Que****Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical****Correct Marks : 1 Wrong Marks : 0**

The targeted doctor patient ratio is?

- a) 1:500
- b) 1:1000
- c) 1:5000
- d) all of the above

**Options :**

9/16/2020

8995149681. 1

8995149682. 2

8995149683. 3

8995149684. 4

**Question Number : 84 Question Id : 8995142433 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Which of the following are not the key points master facility plan should incorporate

1. Site access and circulation pattern
2. Transportation systems

- a) only 1
- b) only 2
- c) both 1 and 2
- d) neither 1 and 2

**Options :**

8995149685. 1

8995149686. 2

8995149687. 3

8995149688. 4

**Question Number : 85 Question Id : 8995142434 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

9/16/2020

DOTS center are associated with the patients suffering from

- a) HIV
- b) TB
- c) Bacterial infection
- d) General

Options :

8995149689. 1

8995149690. 2

8995149691. 3

8995149692. 4

Question Number : 86 Question Id : 8995142435 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

NABH standards have how many chapters?

- a) 10
- b) 20
- c) 30
- d) 100

Options :

8995149693. 1

8995149694. 2

8995149695. 3

8995149696. 4

Question Number : 87 Question Id : 8995142436 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

9/16/2020

Urban heat island effect can be mitigated by:

- a) using light coloured surfaces
- b) using surfaces with coarse and dark textures
- c) cutting down the trees so that sun light can be absorbed by the ground
- d) none of the above

Options :

8995149697. 1

8995149698. 2

8995149699. 3

8995149700. 4

Question Number : 88 Question Id : 8995142437 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Some of the enlisted are lean tools. Which of the following is not a lean tool?

- a) Six sigma
- b) Pareto analysis
- c) pull and perfection
- d) Kaizen

Options :

8995149701. 1

8995149702. 2

8995149703. 3

8995149704. 4

Question Number : 89 Question Id : 8995142438 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

9/16/2020

Which of the following is not an equipment of blood bank department?

- a) Microscope
- b) Lactometer
- c) Centrifuge
- d) Haemoglobinometer

Options :

8995149705. 1

8995149706. 2

8995149707. 3

8995149708. 4

Question Number : 90 Question Id : 8995142439 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is a function of 5D BIM?

- a) Project management
- b) cost management
- c) graphical information
- d) all of the above

Options :

8995149709. 1

8995149710. 2

8995149711. 3

8995149712. 4

Question Number : 91 Question Id : 8995142440 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0



9/16/2020

What is the ideal location for cooling towers?

- a) first floor
- b) basement
- c) Terrace
- d) ground floor

Options :

8995149713. 1

8995149714. 2

8995149715. 3

8995149716. 4

Question Number : 92 Question Id : 8995142441 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What is the primary function of incineration?

- a) segregation of non-organic waste
- b) reduce non-organic waste
- c) increase medical waste
- d) manage biomedical waste

Options :

8995149717. 1

8995149718. 2

8995149719. 3

8995149720. 4

Question Number : 93 Question Id : 8995142442 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

9/16/2020

Which of the following is/ are an element of district cancer control programme?

1. early stage detection of cancer
2. health education
3. training of personnel
4. medical education

- a) 1, 2 and 4
- b) 1 and 3
- c) 1, 2 and 3
- d) all of the above

Options :

8995149721. 1

8995149722. 2

8995149723. 3

8995149724. 4

Question Number : 94 Question Id : 8995142443 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Hospital design complexities deals with

- a) different user groups
- b) services
- c) building environment
- d) all of the above

Options :

8995149725. 1

8995149726. 2

8995149727. 3

9/16/2020

8995149728. 4

**Question Number : 95 Question Id : 8995142444 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Criteria for selecting health care sites?

- a) Location, size, cost
- b) accessibility, location, size and cost
- c) Land use, climate, location
- d) None of the above

Options :

8995149729. 1

8995149730. 2

8995149731. 3

8995149732. 4

**Question Number : 96 Question Id : 8995142445 Question Type : MCQ Option Shuffling : No Display Que**  
**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

Support services in a health center could be?

- a) Electricity
- b) water
- c) laboratory
- d) Telephone
- e) Toilets
- f) All of the above

Options :

8995149733. 1

8995149734. 2

9/16/2020

8995149735. 3

8995149736. 4

8995149737. 5

8995149738. 6

**Question Number : 97 Question Id : 8995142446 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

What does healthcare system consist of?

1. Care Institutions
2. Medical colleges& training institutions
3. Program Mananging
4. Healthcare information Management

- a) 1 & 3
- b) 2 & 3
- c) 3 & 4
- d) All of the above

**Options :**

8995149739. 1

8995149740. 2

8995149741. 3

8995149742. 4

**Question Number : 98 Question Id : 8995142447 Question Type : MCQ Option Shuffling : No Display Que**

**Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical**

**Correct Marks : 1 Wrong Marks : 0**

9/16/2020

A Primary Health Centre should provide:

1. Outpatient department
2. An inpatient ward with min 4-6 beds
3. Laboratories
4. All check-up departments

- a) 1&2
- b) 1&3
- c) 1&4
- d) 1,2,3 & 4

Options :

8995149743. 1

8995149744. 2

8995149745. 3

8995149746. 4

Question Number : 99 Question Id : 8995142448 Question Type : MCQ Option Shuffling : No Display Que

Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

9/16/2020

What is site planning?

1. Arranging the structures on the land and shaping the spaces in between
2. Arranging uses of land linked to architecture, engineering, landscape architecture and city planning

- a) Only 1
- b) Only 2
- c) Both 1 & 2
- d) None of the above

Options :

8995149747. 1

8995149748. 2

8995149749. 3

8995149750. 4

Question Number : 100 Question Id : 8995142449 Question Type : MCQ Option Shuffling : No Display Qu  
Question Mandatory : No Single Line Question Option : No Option Orientation : Vertical  
Correct Marks : 1 Wrong Marks : 0

What governs the physical development of campus?

- a) Building By-laws
- b) Social demands
- c) Master-plan
- d) All of the above

Options :

8995149751. 1

8995149752. 2

8995149753. 3

9/16/2020

8995149754. 4