

## GUJARAT TECHNOLOGICAL UNIVERSITY

BE - SEMESTER- I &amp; II (NEW) EXAMINATION – WINTER 2019

Subject Code: 2110015

Date: 01/01/2020

Subject Name: Vector Calculus And Linear Algebra

Time: 10:30 AM TO 01:30 PM

Total Marks: 70

Instructions:

1. Question No. 1 is compulsory. Attempt any four out of remaining Six questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.

## Q-1 (a) Objective Questions

Marks  
07

1. If  $A = \begin{bmatrix} 1 & -5 & 7 \\ 0 & 9 & 7 \\ 11 & 9 & 8 \end{bmatrix}$  then trace of the matrix  $A$  is  
(a) 12 (b) 18 (c) 72 (d) 16
2. If  $\text{div } u = 0$  then  $u$  is said to be  
(a) Rotational (b) Solenoidal (c) Compressible (d) None of these
3. If  $A$  is  $3 \times 3$  invertible matrix then nullity of  $A$  is  
(a) 1 (b) 2 (c) 0 (d) 3
4. If matrix  $A = \begin{bmatrix} 3 & -1 & 1 \\ -1 & 5 & -1 \\ 1 & -1 & 3 \end{bmatrix}$  is having Eigen values 2,3,6 then Eigen values of  $A^{-1}$  are  
(a) 2,3,6 (b)  $\frac{1}{2}, \frac{1}{3}, \frac{1}{6}$  (c)  $1, \frac{2}{3}, \frac{1}{3}$  (d) None of these
5. Which set from  $S_1 = \{(x, y, z) \in R^3 / z > 0\}$  and  $S_2 = \{(x, y, z) \in R^3 / x = z = 0\}$  is subspace of  $R^3$ .  
(a)  $S_1$  (b)  $S_2$  (c)  $S_1$  and  $S_2$  (d) None.
6. If Eigen values of  $3 \times 3$  matrix  $A$  are 5,5,5 then Algebraic multiplicity of matrix  $A$  is  
(a) 3 (b) 1 (c) 5 (d) 0.
7. For what values of  $c$ , the vector  $(2, -1, c)$  has norm 3?  
(a) -3 (b) 3 (c) 0 (d) 2

## (b) Objective Questions

07

1. If  $F(x, y, z) = x\hat{i} + y\hat{j} + z\hat{k}$  then  $\text{Curl } \vec{F}$  is  
(a) 1 (b) 3 (c) 2 (d) 0
2. For what value of  $k$  the vectors  $v_1 = (-1, 2, 4)$ ,  $v_2 = (-3, 6, k)$  are Linearly Dependent?  
(a) 12 (b) 7 (c) 4 (d) 1
3. Which one is the characteristic equation of  $\begin{bmatrix} 1 & 4 \\ 2 & 3 \end{bmatrix}$ ?  
(a)  $\lambda^2 - 5\lambda + 4 = 0$  (b)  $\lambda^2 - 4\lambda - 5 = 0$

4. Which matrix represents one to one transformation
- (a)  $\begin{bmatrix} 1 & 1 \\ 0 & 0 \end{bmatrix}$  (b)  $\begin{bmatrix} 2 & 7 \\ 4 & 14 \end{bmatrix}$  (c)  $\begin{bmatrix} 2 & 7 \\ 1 & 14 \end{bmatrix}$  (d)  $\begin{bmatrix} 2 & 1 \\ 6 & 3 \end{bmatrix}$
5. Matrix  $A = \begin{bmatrix} i & 2+3i \\ 2-3i & 0 \end{bmatrix}$  is
- (a) Symmetric (b) Skew-symmetric (c) Hermitian (d) None of these
6. If  $u$  and  $v$  are vectors in an Inner product space then
- (a)  $|\langle u, v \rangle| = \|u\| \|v\|$  (b)  $|\langle u, v \rangle| \leq \|u\| \|v\|$   
 (c)  $|\langle u, v \rangle| \geq \|u\| \|v\|$  (d) None of these.
7. Each vector in  $R^2$  can be rotated in counter clockwise direction with  $90^\circ$  is followed by the matrix,
- (a)  $\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$  (b)  $\begin{bmatrix} 0 & 1 \\ -1 & 0 \end{bmatrix}$  (c)  $\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$  (d)  $\begin{bmatrix} 1 & 1 \\ 0 & 0 \end{bmatrix}$

- Q-2 (a)** Find the Rank of a Matrix  $A = \begin{bmatrix} 1 & -1 & 2 & -1 \\ 2 & 1 & -2 & -2 \\ -1 & 2 & -4 & 1 \\ 3 & 0 & 0 & -3 \end{bmatrix}$  **03**
- (b)** Determine whether the given vectors  $v_1 = (2, -1, 3)$ ;  $v_2 = (4, 1, 2)$ ;  $v_3 = (8, -1, 8)$  Span  $R^3$ . **04**
- (c)** For which values of 'a' will the following system have no solutions? Exactly one solution? Infinitely many solutions? **07**
- $$\begin{aligned} x + 2y - 3z &= 4 \\ 3x - y + 5z &= 2 \\ 4x + y + (a^2 - 14)z &= a + 2 \end{aligned}$$

- Q-3 (a)** Define Singular Matrix. Find the inverse of the matrix A using Gauss Jordan Method if it is invertible  $A = \begin{bmatrix} 1 & 0 & 1 \\ -1 & 1 & -1 \\ 0 & 1 & 0 \end{bmatrix}$  **03**
- (b)** Express the matrix  $A = \begin{bmatrix} 1 & 5 & 7 \\ -1 & -2 & -4 \\ 8 & 2 & 13 \end{bmatrix}$  as the sum of a symmetric and a skew symmetric matrix **04**
- (c)** Find a basis for the nullspace, row space and column space of the matrix **07**
- $$A = \begin{bmatrix} -1 & 2 & -1 & 5 & 6 \\ 4 & -4 & -4 & -12 & -8 \\ 2 & 0 & -6 & -2 & 4 \\ -3 & 1 & 7 & -2 & 12 \end{bmatrix}$$
- Also determine rank and nullity of the matrix.

- Q-4 (a)** Let  $T_1: R^2 \rightarrow R^2$ ,  $T_2: R^2 \rightarrow R^3$  be transformation given by  $T_1(x, y) = (x + y, y)$  and  $T_2(x, y) = (2x, y, x + y)$ . Show that  $T_1$  is linear transformation and also find formula for  $T_2 \circ T_1$ . **03**

- (b)** Let  $T: R^2 \rightarrow R^2$  be the linear operator defined by **04**

$T(x, y) = (2x - y, -8x + 4y)$ . Find a basis for  $\ker(T)$  and basis for  $\text{Im}(T)$ . www.FirstRanker.com

- (c) Find a matrix  $P$  that diagonalize  $A$ , where  $A = \begin{bmatrix} 1 & -6 & -4 \\ 0 & 4 & 2 \\ 0 & -6 & -3 \end{bmatrix}$  07
- And determine  $P^{-1}AP$ .

- Q-5** (a) Find constants  $a, b, c$  so that 03  
 $v = (x + 2y + az)\hat{i} + (bx - 3y - z)\hat{j} + (4x + cy + 2z)\hat{k}$  is irrotational.
- (b) Let the vector space  $P_2$  have the inner product  $\langle p, q \rangle = \int_{-1}^1 p(x)q(x) dx$  04  
 (i) Find  $\|p\|$  for  $p = x^2$ .  
 (ii) Find  $d(p, q)$  of  $p = 1$  and  $q = x$ .
- (c) Using Gram-Schmidt process orthonormalize the set of linearly independent vectors  $u_1 = (1, 0, 1, 1)$ ,  $u_2 = (-1, 0, -1, 1)$  and  $u_3 = (0, -1, 1, 1)$  of  $R^4$  with standard inner product. 07

- Q-6** (a) The temperature at any point in space is given by  $T = xy + yz + zx$ . 03  
 Determine the derivative of  $T$  in the direction of the vector  $3\hat{i} - 4\hat{k}$  at the point  $(1, 1, 1)$ .
- (b) Find the orthogonal projection of  $u = (2, 1, 3)$  on the subspace of  $R^3$  spanned by the vectors  $v_1 = (1, 1, 0)$ ,  $v_2 = (1, 2, 1)$ . 04
- (c) Verify Green's theorem for the field  $F = (x - y)\hat{i} + x\hat{j}$  and the region  $R$  bounded by the unit circle  $C: r(t) = (\cos t)\hat{i} + (\sin t)\hat{j}$ ;  $0 \leq t \leq 2\pi$  07

- Q-7** (a) Find the co ordinate vector of  $p = 2 - x + x^2$  relative to the basis 03  
 $S = \{p_1, p_2, p_3\}$  where  $p_1 = 1 + x$ ,  $p_2 = 1 + x^2$ ,  $p_3 = x + x^2$
- (b) Let  $T: R^3 \rightarrow R^3$  be multiplication by  $A$  determine whether  $T$  has inverse. If 04  
 so find  $T^{-1}(x_1, x_2, x_3)$ , where  $A = \begin{bmatrix} 1 & 4 & -1 \\ 1 & 2 & 1 \\ -1 & 1 & 0 \end{bmatrix}$
- (c) Determine whether  $R^+$  of all positive real numbers with operators 07  
 $x + y = xy$  and  $kx = x^k$  as a Vector Space.

\*\*\*\*\*