www.FirstRanker.com

www.FirstRanker.com

OP CODE: 1028

Rajiv Gandhi University of Health Sciences, Karnataka

Time: Three Hours

Max. Marks: 100 Marks

PHARMACOLOGY - PAPER I (RS-4) Q.P. CODE: 1028

(QP contains two pages)
Your answers should be specific to the questions asked
Draw neat, labeled diagrams wherever necessary

LONG ESSAYS

2 x 10 = 20 Marks

- Define Bioavailability? Discuss the factors affecting Bioavailability
- A 42 years old farmer was brought to casualty with symptoms of irritation of eyes, lacrimation, excessive salivation, blurring of vision, breathlessness, involuntary defecation and urination. Based on these symptoms physician made a diagnosis of acute organophosphorous compound poisoning.
 - a) Discuss the management of Organophosphorous Poisoning
 - b) Enumerate the uses of reversible anticholinesterases

SHORT ESSAYS

8 x 5 = 40 Marks

- Drug Synergism with examples
- Advantages and Four uses of Cardioselective beta blockers

 Mechanism of action, adverse effects and uses of Phenytoin
- Pharmacological actions and uses of Aspirin
- Mention two groups of drugs used as bronchodilators with examples. Describe their mechanism of action.
- 8. Mention Four atypical antipsychotics. Describe their advantages over conventional antipsychotics.
- 9. A 70 year old patient suffering from Lung carcinoma with metastases is requesting for analgesics. The doctor decided to prescribe Morphine for pain relief.
 - a) Explain the mechanism of analgesic action of morphine in this patient.
 - b) Mention the contraindications for Morphine.

10. A 55 year old patient complained of dyspepsia and epigastric pain since a month. He underwent endoscopy which confirmed H.Pylori positive peptic ulcer. The physician prescribed anti H.Pylori regimen. Write any two anti H Pylori drug regimens.

SHORT ANSWERS

10 x 3 = 30 Marks

- 11. Define Tachyphylaxis. Mention two drugs exhibiting it
- 12. Advantages of Domperidone over Metoclopramide
- Mention three techniques of administering Local Anaesthetic agents with one indication for each technique
- 14. Mention three drugs used for pre-anaesthetic medication
- 15. Rationale of using Dantrolene in Malignant Hyperthermia
- (16) Rationale of using Methotrexate in Rheumatoid arthritis
- 17. Rationale of using Adrenaline in Anaphylactic shock
- 18. Rationale of using Montelukast in Bronchial asthma
- (19) Write three rational Fixed dose combination of drugs
- 20. Mention three uses of d-Penicillamine

Page 1 of 3

www.FirstRanker.com www.FirstRanker.com

OP CODE: 1028

Rajiv Gandhi University of Health Sciences, Karnataka

Multiple Choice Questions

- Low dose of aspirin prolongs bleeding time by selectively inhibiting synthesis of following mediator in the platelets
 - A. Thromboxane
 - B. 5-Hydroxytryptamine
 - C. Platelet activating factor
 - D. Prostacyclin
- 21 ii) Which of the following drug causes Tolerance
 - A. Adrenaline
 - B. Morphine
 - C. Dopamine
 - D. Isoprenaline
- Which of the following is a prodrug of adrenaline used topically in glaucoma
 - A. Brimonidine
 - B. Dipivefrine
 - C. Dorzolamide
 - D. Timolol *
- 21 iv)

Receptor agonist exhibits

- A. Affinity, but no intrinsic activity
- B. Intrinsic activity, but no affinity
- C. Both affinity and intrinsic activity
- D. Neither affinity nor intrinsic activity
- 21 v)

The following mydriatic does not produce cycloplegia

- A. Phenylephrine
- B. Tropicamide
- C. Cyclopentolate
- D. Homatropine
- - Bronchodilator which requires Therapeutic drug monitoring is
 - A. Salbutamol
 - B. Theophylline
 - Formeterol
 - D. Ipratropium Bromide
- 22 ii) Primary mechanism of action of diazepam is
 - A. Dopamine antagonism
 - B. Adenosine antagonism
 - C. GABA facilitatory action
 - D. 5-HT antagonism
- 22 iii) Which of the following is not useful in treating drug induced Parkinsonism
 - A. Levodopa
 - B. Biperiden
 - C. Procyclidine
 - D. Trihexyphenidyl
- 22 iv) Local anaesthetics act by blocking neuronal
 - A. Sodium channel
 - B. Calcium channel
 - C. Chloride channel
 - D. Potassium channel
- Purgative used in the management of hepatic encephalopathy is
 - A. Bisacodyl
 - B. Liquid Paraffin
 - C. Methylcellulose
 - D. Lactulose