

www.FirstRanker.com

www.FirstRanker.com

Date of issue :	Centre
Sup. Sign.	Seat No. :

K-4016-0

Third Year M.B.B.S. (Phase - I) (Part - I) Examination September/October-2012 Community Medicine (PSM): Paper - I

Time: 10 Minutes] [Total Marks: 10

OBJECTIVE QUESTIONS

Instructions:

(1)	
414 sqd qp- Pl,a l.4lcll ⁹ 11 Pt l TRct0.1 uz MAkri.	Seat No.:
Fillup strictly the details of signs on your answer book.	
Name of the Examination :	
^O T. Y. M.B.B.S. (Phase - 1) (Part - 1)	
Name of the Subject :	[[
⁴ I Community Medicine (PSM) : Paper - 1	
-Subject Code No. : 4 6 -Section No. (1, 2, -7) Nil	Student's Signature

- (2) This is question number 1 which has multiple choice options.
- (3) In this subsection each question carries 1 mark and you have to attend all.
- (4) Encircle the most appropriate single answer from the options available.
- (5) This question/ answer sheet shall be collected after 10 minutes.

1 (MCQ)

- All of the following are true for slow sand filters, except -
 - (a) Filters are cleaned by scraping the sand bed
 - (b) The vital component of the filter is Schmutzdecke
 - (c) Removal of bacteria is up to 99.99%
 - (d) The operation is highly skilled
- (2) Secondary attack rate reflects
 - (a) Severity
 - (b) Fatality
 - (c) Communicability
 - (d) Productivity

K-4016-0] 1 [Contd...

www.FirstRanker.com

www.FirstRanker.com

- (3) Prevalence of a disease :
 - (a) Is the best measure of disease frequency in etiological studies.
 - (b) Can only be determined by a cohort study,
 - (c) Is the number of new cases in a defined population.
 - (d) Describes the balance between incidence, mortality and recovery.
- (4) Standard Deviation (SD) is computed to
 - (a) Measure the variability of the distribution
 - (b) Find the relationship between two variables
 - (c) Construct the frequency distribution
 - (d) Find the probability
- (5) In a community one of the indicators of PQLI is life expectancy at
 - (a) Birth
 - (b) 1 Years
 - (c) 5 years
 - (d) 15 Years
- (6) Selective screening refers to screening test applied to a
 - (a) Randomly selected group
 - (b) High risk group
 - (c) Volunteer group
 - (d) Non randomized group
- (7) Biological Oxygen Demand is determined by :
 - (a) Suspended particles
 - (b) Sullage
 - (c) Organic matter in water
 - (d) Algae in water
- (8) The biological transmission in cases of Filariasis is
 - (a) Mechanical
 - (b) Propagative
 - (c) Cyclopropagative
 - (d) Cyclodevelopmental

K-4016-0] 2 [Contd





www.FirstRanker.com

www.FirstRanker.com

- (9) In fresh bleaching powder the chlorine availability is
 - (a) 22%
 - (b) 30%
 - (c) 33%
 - (d) 40%
- (10) Which of the following is characteristic of a single exposure common vehicle outbreak?
 - (a) Frequent secondary cases.
 - (b) Severity increases with increasing age.
 - (c) Explosive.
 - (d) Cases occur continuously beyond the longest incubation period.

K-4016-0] 3 [300]