



Date of issue :

Centre

Sup. Sign.

Seat No. :

K-4017-0

Third Year M.B.B.S. (Phase - I) (Part - I) Examination

September/October— 2012

Community Medicine (PSM) : Paper - II

Time : 10 Minutes]

[Total Marks : 10

OBJECTIVE QUESTIONS

Instructions :

(1)

414 Sqd qp- Pl,a l4lcll ⁰ 11 Ft l TRct0.1 uz MAKti. Fillup strictly the details of signs on your answer book. Name of the Examination : T. Y. M.B.B.S. (Phase - 1) (Part - 1) Name of the Subject : I Community Medicine (PSM) : Paper - 2 -Subject Code No. : 4 O 7 -Section No. (1, 2, ...) : Nil		Seat No. : <table border="1"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table> <div style="border: 1px solid black; border-radius: 15px; height: 80px; margin-top: 10px; display: flex; align-items: center; justify-content: center;"> Student's Signature </div>						

- (2) This is question number 1 which has multiple choice options.
- (3) In this subsection each question carries 1 mark and you have to attend all.
- (4) Encircle the most appropriate single answer from the options available.
- (5) This question sheet shall be collected after 10 minutes.

1 (MCQ)

- (1) Characteristics of an ideal candidate for Copper - T insertion include all of the following, except
 - (a) Has normal menstrual periods
 - (b) Is nullipara
 - (c) Has no history of pelvic disease
 - (d) Is willing to check IUD tail

K-4017-0]

1

[Contd...

- (2) For the diagnosis of AIDS for surveillance purpose presence of which among the following is sufficient
- (a) chronic diarrhoea for more than 1 month
 - (b) oropharyngeal candidiasis
 - (c) generalized Kaposi's sarcoma
 - (d) history of herpes zoster
- (3) Elemental iron and folic acid contents of pediatric iron-folic acid tablets supplied under the RCH Program are:
- (a) 20 mg iron & 50 micrograms folic acid
 - (b) 20 mg iron & 100 micrograms folic acid
 - (c) 40 mg iron & 50 micrograms folic acid
 - (d) 40 mg iron & 100 micrograms folic acid
- (4) Cereals and proteins are considered complementary since
- (a) Cereals are deficient in methionine
 - (b) Cereals are deficient in methionine and pulses are deficient in lysine
 - (c) Cereals are deficient in lysine and pulses are deficient in methionine
 - (d) Both cereals and pulses contain threonine.
- (5) Theme for the World Health Day for 2012 has focused on
- (a) Urbanization and health
 - (b) Climate Change
 - (c) Antimicrobial resistance: no action today no cure tomorrow
 - (d) Ageing and Health
- (6) Flying range of Aedes Aegypti mosquito is approximately
- (a) 100 meters
 - (b) 200 meters
 - (c) 400 meters
 - (d) 600 meters

- (7) PERT is a management technique for
- (a) Input analysis
 - (b) Systems analysis
 - (c) Network analysis
 - (d) Work sampling
- (8) Lice are not the vectors for
- (a) Q fever
 - (b) Trench fever
 - (c) Epidemic typhus
 - (d) Relapsing fever
- (9) The traditional outcome components of **ill** health are all of the following except
- (a) Diagnosis
 - (b) Disease
 - (c) Dissatisfaction
 - (d) Disability
- (10) All the following are true about World Health Organisation (WHO) except
- (a) It has its own budget
 - (b) It has its own constitution
 - (c) It is subordinate to the United Nations
 - (d) It has its own governing bodies
- _____