



Date of issue :

Centre

Sup. Sign.

Seat No. :

**U-4017-0**
**Third Year M.B.B.S. (Phase - I) (Part - I) Examination**
**February/March - 2012**
**Community Medicine (PSM) : Paper - II**

Time : 10 Minutes]

[Total Marks : 10

**OBJECTIVE QUESTIONS**
**Instructions :**

(1)

414 S gta p- 141d1001	12x1,01 102 MARKS
Fillup strictly the details of signs on your answer book.	
Name of the Examination :	
T. Y. M.B.B.S. (Phase - 1) (Part - 1)	
Name of the Subject :	
I Community Medicine (PSM) : Paper - 2	
-Subject Code No. : 4 0 7	-Section No. (1, 2, ...): Nil

Seat No. :

--	--	--	--	--	--

Student's Signature

(2) This is question number 1 which has multiple choice options.

(3) In this subsection each question carries 1 mark and you have to attend all.

(4) Encircle the most appropriate single answer from the options available.

(5) This question/ answer sheet shall be collected after 10 minutes.

**Question - 1 (MCQ)**

1) Elimination of neonatal Tetanus is said to be achieved when the cases per 1000 live births are

- a) <0.01
- b) <0.1
- c) <1
- d) <10

2. Pap Smear is example of

- a) Primary level of prevention
- b) Secondary level of prevention
- c) Tertiary level of prevention
- d) None of the above

**U-4017-0]**
**1**
**[ Contd...**

3. Which of the toxins causes epidemic dropsy?
- BOAA
  - Pyrazolidine
  - Sanguinarine
  - None
4. The chosen method for measurement of obesity is
- Skin fold thickness
  - Body electrolyte count
  - Height-weight sex chart
  - Basal oxygen consumption
5. In plan A for management of no dehydration all the following are applicable except
- Continue feeding
  - Give extra fluids
  - Admit the child
  - Advise the caretaker when to return
6. The proposed guideline values for radioactivity in drinking water are
- Gross alpha activity - 0.01Bq/L
  - Gross alpha activity - 0.113q/L
  - Gross alpha activity - 1 Bq/L
  - Gross alpha activity - 10Bq/L
7. Poisoning with chlorinated hydrocarbons are treated with
- 2 PAM iodine
  - Atropine
  - Barbiturates
  - P2S
8. Small for date (SFD) babies weigh less than
- 3<sup>rd</sup> percentile for the gestational age
  - 10th percentile for the gestational age
  - 25th percentile for the gestational age
  - 50th percentile for the gestational age
9. Non modifiable risk factors for hypertension include all except
- Age
  - Genetic factors
  - Ethnicity
  - Environmental Stress
10. Haemophilus Ducreyi is the pathogen for
- Lymphogranuloma Venereum
  - Chancroid
  - Genital warts
  - Granuloma Inguinale.