

	#	
Date of issue :	Centre	
up. Sign Seat No. :		
SA-1584-0 Third Year M.B.B.S. (Phase - I) (Part - I) Examination February / March - 2011 Community Medicine (PSM) Paper - II Time: 10 Minutes [Total Marks: 10]		
OBJECTIVE QU		
	ESTIONS	
Instructions :		
(1) 414 sqd qp- Pl,alAlcll*11 Pt 1 TRct0.1 uz MAR6. Fillup strictly the details of signs on your answer book Name of the Examination: FIT. Y. M.B.B.S. (Phase - 1) (Part - 1) Name of the Subject: Community Medicine (PSM) Paper - 2 -Subject Code No.: 8 4. Section No. (1)		
(2) This is question No.1 which is mo (3) In this each sub question carries I (4) Encircle the most appropriate single available (5) This question sheet will be collect	mark and you have to attend all ingle answer from the options ted after 10 minutes	
1 (1) Characteristics of Standard N	Normal Curve are all except	

- (1) Characteristics of Standard Normal Curve are all except
 - (a) It skewed to left
 - (b) Standard deviation=1
 - (c) Mean=0
 - (d) Area under curve=1
 - (2) Death status of two populations is best compared by
 - (a) Crude death rate
 - (b) Proportional death rate
 - (c) Standardized mortalized mortality rate
 - (d) Specific death rate
 - (3) Maximum amount of vitamin A is present in
 - (a) Cod liver oil
 - (b) Papaya
 - (c) Halibut liver oil
 - (d) Carrot

SA-1584-0] 1 [Contd...

	(4) Ricket	ttial infection is transmitted by
	(a)	Mite
	(b)	Mosquito
	(c)	Sandfly
	(d)	None of these
	(5) Early	diagnosis and treatment is
	(a)	Primary prevention
	(b)	Primordial prevention
	(c)	Secondary prevention
	(d)	Tertiary prevention
	(6) Minim	num concentration of iodine iodized salt at consumer
	level	should be
	(a)	30 ppm
	(b)	15 ppm
	(c)	60 ppm
	(d)	None of the above
	(7) Con	fidence limit of Mean ± 1.96 Standard deviation is
	(a)	68%
	(b)	95%
	(c)	99%
	(d)	96%
	(8) Sensitivity is	
	(a)	True positive
	(b)	True positive False negative True negative
	(c)	True negative
	(d)	False positive
	(9) Numb	ers of malaria cases reported during last 10 years in a
		are 250, 320, 190, 300, 5000, 1000, 260, 350, 320 and 160.
		appropriate measure of average for this data will be
	(a)	Arithmetic mean
		Mode
		Median
	(d)	Geometric mean
	. ,	er National Health Policy 2002, Infant Mortality Rate
is to be reduced to 30 per 1000 population by		
	(a)	2005
	(b)	2007
	(c)	2010
	(4)	2012

SA-1584-0] 2 [400]