



Date of issue :

Centre

Sup. Sign

Seat No. :

**SA-1583-0****Third Year M.B.B.S. (Phase-I) (Part-I) Examination****February / March - 2011****Community Medicine (PSM) : Paper - I**

Time : 10 Minutes]

[Total Marks : 10

**OBJECTIVE QUESTIONS****Instructions :**

(1)

414 sai2tc-t	CALL41.1141	ic3 vit	SA%41LO.
Fillup strictly the details of O- signs on your answer book.			
Name of the Examination :			
O- <b>T. Y. M.B.B.S. (PHASE-1) (PART-1)</b>			
Name of the Subject :			
O- <b>COMMUNITY MEDICINE (PSM) : PAPER - 1</b>			
-p- Subject Code No. :11		-Section No. (1, 2, 3) <b>NIL</b>	

Seat No. :

**771-10-17**

Student's Signature

- (2) This is question No.1 which is multiple choice question
- (3) In this each sub question carries 1 mark and you have to attend all
- (4) Encircle the most appropriate single answer from the options available
- (5) This question sheet will be collected after 10 minutes

- 1 (1) Which of the following indicator is not included in Human Development Index?
  - (a) Life expectancy at birth
  - (b) Literacy rate
  - (c) School enrolment index
  - (d) Infant mortality rate
- (2) Age group used for calculating literacy rate as per the Census 2001 is
  - (a) 5 years and above
  - (b) 7 years and above
  - (c) 10 years and above
  - (d) Any age person

SA-1583-0]

1

[Contd...



- (3) Death status of two populations is best compared by
  - (a) Crude death rate
  - (b) Proportional death rate
  - (c) Standardized mortality rate
  - (d) Specific death rate
- (4) Maximum amount of vitamin A is present in
  - (a) Cod liver oil
  - (b) Papaya
  - (c) Halibut liver oil
  - (d) Carrot
- (5) Early diagnosis and treatment is
  - (a) Primary prevention
  - (b) Primordial prevention
  - (c) Secondary prevention
  - (d) Tertiary prevention
- (6) Sensitivity mean
  - (a) True positive
  - (b) False negative
  - (c) True negative
  - (d) False positive
- (7) Under National Health Policy 2002, Infant Mortality Rate is to be reduced to 30 per 1000 population by
  - (a) 2005
  - (b) 2007
  - (c) 2010
  - (d) 2015
- (8) Richest source of Vitamin C
  - (a) Lime
  - (b) Orange
  - (c) Tomato
  - (d) Amla
- (9) The numerator is not a component of denominator in
  - (a) Rate
  - (b) Ratio
  - (c) Proportion
  - (d) None of above
- (10) Most useful single measure of mortality is
  - (a) Case fatality rate
  - (b) Crude death rate
  - (c) Age specific death rate
  - (d) Proportional mortality rate.