



Date of issue :

Centre

Sup. Sign

Seat No. :

SA-1583-0

Third Year M.B.B.S. (Phase-I) (Part-I) Examination

February / March - 2011

Community Medicine (PSM) : Paper - I

Time : 10 Minutes]

[Total Marks : 10

OBJECTIVE QUESTIONS

Instructions :

(1)		Seat No. :
414 sai2tc-t CIAL41.1141 iet vit r1A441 LO. Fillup strictly the details of O- signs on your answer book. Name of the Examination : O- T. Y. M.B.B.S. (PHASE-1) (PART-1) Name of the Subject : O- COMMUNITY MEDICINE (PSM) : PAPER - 1		771-10-17 <div style="border: 1px solid black; border-radius: 15px; height: 80px; margin-top: 10px;"></div> Student's Signature
ap- Subject Code No. :11 <div style="border: 1px solid black; border-radius: 50%; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; margin: 0 auto;"> 18 </div>	-Section No. (1, 2,)	Nil

- (2) This is question No.1 which is multiple choice question
- (3) In this each sub question carries 1 mark and you have to attend all
- (4) Encircle the most appropriate single answer from the options available
- (5) This question sheet will be collected after 10 minutes

- 1 (1) Which of the following indicator is not included in Human Development Index?
 - (a) Life expectancy at birth
 - (b) Literacy rate
 - (c) School enrolment index
 - (d) Infant mortality rate
- (2) Age group used for calculating literacy rate as per the Census 2001 is
 - (a) 5 years and above
 - (b) 7 years and above
 - (c) 10 years and above
 - (d) Any age person

- (3) Death status of two populations is best compared by
- (a) Crude death rate
 - (b) Proportional death rate
 - (c) Standardized mortality rate
 - (d) Specific death rate
- (4) Maximum amount of vitamin A is present in
- (a) Cod liver oil
 - (b) Papaya
 - (c) Halibut liver oil
 - (d) Carrot
- (5) Early diagnosis and treatment is
- (a) Primary prevention
 - (b) Primordial prevention
 - (c) Secondary prevention
 - (d) Tertiary prevention
- (6) Sensitivity mean
- (a) True positive
 - (b) False negative
 - (c) True negative
 - (d) False positive
- (7) Under National Health Policy 2002, Infant Mortality Rate is to be reduced to 30 per 1000 population by
- (a) 2005
 - (b) 2007
 - (c) 2010
 - (d) 2015
- (8) Richest source of Vitamin C
- (a) Lime
 - (b) Orange
 - (c) Tomato
 - (d) Amla
- (9) The numerator is not a component of denominator in
- (a) Rate
 - (b) Ratio
 - (c) Proportion
 - (d) None of above
- (10) Most useful single measure of mortality is
- (a) Case fatality rate
 - (b) Crude death rate
 - (c) Age specific death rate
 - (d) Proportional mortality rate.