

2876_2013_1_S222.doc

Rajiv Gandhi University of Health Sciences, Karnataka

V Year Pharma-D Post Baccalaureate Degree Examination - Mar 2013

Time: Three Hours Max. Marks: 70 Marks

CLINICAL PHARMACOKINETICS & THERAPEUTIC DRUG MONITORING

Q.P. CODE: 2876

Your answers should be specific to the questions asked Draw neat labeled diagrams wherever necessary

LONG ESSAYS (Answer any two)

2 x 10 = 20 Marks

- Define TDM. Discuss the indications for TDM. Explain the role of clinical pharmacokinetist in TDM of drugs
- Explain with suitable examples how the dose and elimination half life of a drug influence the duration of activity
- 3 Define nomograms. Explain how they are useful in pharmacokinetic studies. What are their advantages & disadvantages

SHORT ESSAYS (Answer any six)

6 x 5 = 30 Marks

- Explain the principle of drug dosing in elderly
- 5. Why phenytoin is a drug for TDM. Explain
- 6. Explain the role of genetic polymorphism in drug metabolism. Give suitable examples
- 7. Explain the NONMEM method of analysis of population pharmacokinetic data
- 8. Explain briefly Hemodialysis
- Define pharmacokinetic drug interactions with examples. Add a note on effect of enzyme induction on drug interaction
- 10. Explain the different methods of determining glomerular filtration rate
- Define and explain Bayesian theory

SHORT ANSWERS 10 x 2 = 20 Marks

- How do you adjust dose of a drug in renal impairment with constant dosing interval
- 13. Give examples of drug interactions affecting bioavailability of drugs
- 14. Write the principle in converting IV dose to oral dose
- 15. Child dose is not the same as adult dose. Why?
- 16. Give examples of hepatic markers and their importance
- 17. Explain a typical plot of pharmacologic response versus drug dose
- 18. Enumerate four causes of renal dysfunction
- 19. What is meant by dosing with feedback
- 20. Write the factors influencing individualisation of drug dosage regimen
- Calculate creatinine clearance in an 85 year old female weighing 190 lbs, with serum creatinine concentration of 1.5 mg/100ml

