Subject Name: Design and Analysis of Algorithms

Date: 19/09/2019

Course: B. Tech in Information Technology

Subject Code: BTITC502

Sem: V

Duration:- 1

Hr

(Level/C

9

DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

Mid Semester Examination Sept. 2019

Instructions to the Students:

Assume suitable data wherever necessary.

Select any one option from the following questions.

a) Dijkstra's shortest path algorithm b) Prim's algorithm c) Kruskal algorithm

٩

C02

CO2

Huffman Coding e) Bellmen Ford Sbortest path algorithm

2. The 0-1 Knapsack problem can be solved using Greedy algorithm.

1. Which of the following standard algorithms is not a Greedy algorithm?

Max Marks: 20

a) O(log n)

b) O(n log n)

c) O(n)

d) O(n')

empty iii) builds a tree one vertex at a time

a) i, and ii only

b) ii and iii only

c) i and iii only

a) O(m | n)

b) O(m+n)

a) Linear time b) Quadratic time c) Logarithmic time

4. What is the worst-case time for binary search finding a single item in an array?

c) O(m log n) d) O(n log m)

www.FirstRanker.com


a) True

b) False

3. Time required to merge two sorted lists of size m and n, is



COS



CO1

X

CO2

Solve Any Two of the following. Explain quick sort with respect to its: Write an algorithm for knapsack problem using greedy method. What is its time complexity?

0.2 \mathfrak{F}

(A) Best case behavior 3

3 Worst case behavior

© What is the time complexity of it?

Ranker.com

3 Sort the following no. using merge sort: 10, 50, 87, 73, 64, 92, 23, 34, 54, 18, 36 Solve Any One of the following. **CO3**

0.3


€ 34, 56, 78, 91, 34, 91, 62} what is optimal way to merge them? We want to merge some sorted files where the no. of records are: {12, 34, 56, 73, 24, 11,

www.FirstRanker.com

CO3

www.FirstRanker.com

www.FirstRanker.com



B

