



Time : 30 Minutes

Instructions:

- 1) All questions are compulsory
- 2) MCQ question paper should be conducted and completed in first 30 min.
- 3) Fill (dark) the appropriate empty circle against the question number once only.
- 4) Use blue/black ball point pen only.
- 5) Each MCQ carries one / half mark.
- 6) Students will not be allotted mark if he/she overwrites/ strikes or put white ink on the cross once marked on MCQ.

16 X 1/2 = 08

Q. I

Total MCQs : 16

- 1 Which of the following histological types of lung carcinoma has worst prognosis
a. Squamous cell Carcinoma ☒ b. Small Cell Carcinoma ☐ c. Adeno Carcinoma ☐ d. Large Cell Carcinoma ☐
- 2 The most common termination of lobar pneumonia is
☒ a. Consolidation ☐ b. Abscess formation ☐ c. Resolution ☐ d. Empyema ☐
- 3 Alpha-1 anti-trypsin deficiency is associated with
a. Cystic Fibrosis ☐ b. Carcinoma Lung ☐ c. Bronchiectasis ☐ ☒ d. Emphysema ☐
- 4 Most common cause of aortic dissection
a. Marfans Syndrome ☐ ☒ b. Hypertension ☐ c. Smoking ☐ d. Atherosclerosis ☐
- 5 Which of the following are most likely to be found in the heart of child suffering from rheumatic fever
a. β Haemolytic Streptococcus ☐ b. Langhans Giant Cells ☐ c. Haemosiderin Laden Macrophages ☐ ☒ d. Anitschkow Cells ☐
- 6 All the following are true for nephrotic syndrome except:-
a. Heavy Proteinuria ☐ ☒ b. Hypertension ☐ c. Hypoalbuminemia ☐ d. Hyperlipidemia ☐
- 7 "Thyroidisation" is characteristic finding in :-
a. acute pyelonephritis ☐ b. Chronic glomerulonephritis ☐ c. Benign Nephrosclerosis ☐ ☒ d. Chronic pyelonephritis ☐
- 8 What is the histological criteria for diagnosis of acute appendicitis
a. Cytological Atypia ☐ b. Mucosal Atrophy ☐ c. Sub-mucosal fibrosis ☐ ☒ d. Neutrophilic infiltration of muscularis propria ☐
- 9 Skip lesions are characteristic of
☒ a. Crohns disease ☐ b. ulcerative colitis ☐ c. Amoebic colitis ☐ d. None of the above ☐
- 10 Ebstein Barr Virus is associated with all except:-
☒ a. Infectious mononucleosis ☐ b. Burkitts Lymphoma ☐ c. Nasopharyngeal Carcinoma ☐ ☒ d. Gastric Carcinoma ☐
- 11 Lacunar type of Reed Sternberg cell is characteristic of which Hodgkins disease
☒ a. Nodular sclerosis ☐ b. Lymphocytic predominant ☐ c. Mixed cellularity ☐ d. Lymphocytic depletion ☐
- 12 Barrett's oesophagus is a predisposing factor for :-
☒ a. Squamous Cell Carcinoma ☐ b. Basal Cell Carcinoma ☐ ☒ c. Gastric Carcinoma ☐ d. Adeno Carcinoma ☐
- 13 Which of the following typically cause fatty change in liver :-
a. Amebic Infection ☐ ☒ b. Chronic Alcoholism ☐ c. Wilsons disease ☐ d. Hepato Cellular Carcinoma ☐
- 14 Brown Tumor of bone is seen in :-
☒ a. Hyperparathyroidism ☐ b. Hypothyroidism ☐ c. Hyperthyroidism ☐ d. Hypoparathyroidism ☐
- 15 Flea bitten kidney is characteristic of :-
☒ a. Malignant Nephrosclerosis ☐ b. Minimal Change disease ☐ c. Chronic Glomerulonephritis ☐ d. Benign Nephrosclerosis ☐
- 16 Which features are seen with Fallots Tetralogy
a. VSD ☐ b. Overriding Aorta ☐ c. Right Ventricular hypertrophy ☐ ☒ d. All of the above ☐

