

D 27390

(Pages : 2 + 2 + 1 = 5)

Name.....

Reg. No.....

THIRD PROFESSIONAL M.B.B.S. DEGREE EXAMINATION, DECEMBER 2006
Part II
Paper II—OBSTETRICS AND GYNAECOLOGY

(New Scheme)

Time : Two Hours

Maximum : 40 Marks

Answer all the questions.
Draw diagrams wherever necessary.
Answer Sections A and B in separate answer-books.
MCQs should be answered first in the response sheet provided.
Section A

- I. Multiple Choice Questions. Single response type 8 (separate sheet attached). (8 × ½ = 4 marks)
- II. Match the following. Single response type 8 (separate sheet attached). (8 × ½ = 4 marks)
- III. Draw the diagram and label :
 - 1 Diagram of uterus with various type of fibroids.
 - 2 Endometrium in cystic glandular hyperplasia.

(2 × 1 = 2 marks)
- IV. Short answer questions :
 - 1 Episiotomy.
 - 2 Monilial vaginitis.
 - 3 Nonoxynol-9.
 - 4 Haematocolpos.

(4 × 1 = 4 marks)
- V. Write short notes on :
 - 1 Pap test.
 - 2 Natural methods of Family Planning.
 - 3 Pyometra.

(3 × 2 = 6 marks)

Section B

- VI. A 40 year old lady with postcoital bleeding. Discuss :
 - (a) Differential diagnosis.
 - (b) Investigations.
 - (c) Treatment options available in a case of carcinoma cervix stage II A.

(3 + 3 + 4 = 10 marks)

Turn over

2

D 27390

- VII. Short answer questions :
 - 1 Complete perineal tear.
 - 2 Ovarian cystectomy.
 - 3 Hysterotomy.
 - 4 β HCG.

(4 × 1 = 4 marks)
- VIII. Write short notes on :
 - 1 Mirena.
 - 2 Rokitansky Mayer Kuster Hauser syndrome.
 - 3 Vesicovaginal fistula.

(3 × 2 = 6 marks)

D 27390

Paper II—OBSTETRICS AND GYNAECOLOGY

I. MULTIPLE CHOICE QUESTIONS

Note.—(1) Do not write anything on the question paper.

(2) Write your register number in the answer-sheet provided.

(3) Select **one** most appropriate response and encircle the corresponding alphabet against each question number in the answer-sheet provided.

1. Mullerian inhibiting substance is secreted by :

(A) Ovaries.	(B) Testes.
(C) Suprarenals.	(D) Pituitary.
2. The length of the female urethra is about :

(A) 8 cm.	(B) 10 cm.
(C) 4 cm.	(D) 0.5 cm.
3. Exploration of the pouch of Douglas by posterior colpotomy is done :

(A) Only in cases of ruptured ectopic.
(B) Only in cases of pelvic abscess.
(C) In case of secondaries.
(D) For the purpose of diagnosis of any collection of fluid in it.
4. Ovulation takes place :

(A) Exactly in the middle of a menstrual cycle.
(B) On the 14th day of a cycle.
(C) 14 days before the onset of next menses.
(D) During coitus.
5. At puberty the cervix to corpus ratio is :

(A) 1 : 2.	(B) 1 : 3.
(C) 2 : 1.	(D) 4 : 1.
6. Krukenberg's tumour is :

(A) Epithelial ovarian tumour.
(B) Germ cell tumour.
(C) Secondary carcinoma of ovary primary commonly of alimentary tract.
(D) Arising from dysgenetic gonads.

Turn over

7. The following statement about radiotherapy in carcinoma cervix is true :

- | |
|---|
| (A) Effective in all stages of carcinoma cervix. |
| (B) Effective only in late stages. |
| (C) Effective only in recurrent Ca Cx. |
| (D) Effective only in early stages of carcinoma cervix. |

8. Toxic Shock Syndrome (TSS) occurs following :—

- | |
|--|
| (A) Prolonged presence of vaginal tampon, diaphragm or sponge. |
| (B) MTP. |
| (C) Abdominal hysterectomy. |
| (D) Copper IUCD insertion. |

D 27390

Paper II—OBSTETRICS AND GYNAECOLOGY

11. Match the following :—

- | | |
|-----------------------------|----------------------------|
| 1 Extended hysterectomy | (a) Dysgenetic gonads. |
| 2 Choriocarcinoma | (b) Imperforate hymen. |
| 3 Puberty menorrhagia | (c) Leiomyoma. |
| 4 Gonadoblastoma | (d) Grand multi. |
| 5 Myomectomy | (e) Carcinoma endometrium. |
| 6 Haematometra | (f) Germ cell tumour. |
| 7 Weak pelvic floor muscles | (g) Precocious puberty. |
| 8 Gn Rh analogues | (h) Coagulation disorders. |

(8 × ½ = 4 marks)

firstRanker.com

www.FirstRanker.com