# www.FirstRanker.com

www.FirstRanker.com

| D 427     | 72 (Pages: $2 + 2 + 1 = 5$ ) Name  | Name   |  |
|-----------|--|--|--|
|           | Reg.   | No   |  |
| THIRD     | PROFESSIONAL M.B.B.S. DEGREE EXAMINATION   | , FEBRUARY 2008                                  |  |
|           | Part II  |  |  |
|           | Paper II—OBSTETRICS AND GYNAECOLOGY  |  |  |
|           | (New Scheme)   |  |  |
| Time : Tw |  | Maximum : 40 Marks                               |  |
| Time : Iw | Answer all the questions.  | n days the same                                  |  |
|           | Draw diagrams wherever necessary.  Answer Section A and B in separate answer books.  MCQs should be answered first in the response sheet provi | ded.   |  |
|           | Section A  |  |  |
| I. M      | ultiple Choice Questions. Single response type 8 (separate sheet attac   | hed). $(8 \times \frac{1}{2} = 4 \text{ marks})$ |  |
| II. M     | atch the following. Single response type 8 (separate sheet attached).  | $(8 \times \frac{1}{2} = 4 \text{ marks})$       |  |
|           | raw the diagram and label:   |  |  |
|           |  |  |  |
| 1         |  |  |  |
| 2         | Endometrium in secretory phase.  | $(2 \times 1 = 2 \text{ marks})$                 |  |
| IV. Sh    | ort answer questions :   |  |  |
| 1         | Dermoid cyst.  |  |  |
| 2         |  |  |  |
| 3         | Copper-T.  |  |  |
| 4         | Follicular cyst of ovary.  | (1) 1 = ( la)                                    |  |
|           |  | $(4 \times 1 = 4 \text{ marks})$                 |  |
| V. W      | rite short notes on :  |  |  |
| 1         |  |  |  |
| 2         |  |  |  |
| 2         | Pseudomyxoma peritonei.  | $(3 \times 2 = 6 \text{ marks})$                 |  |
|           | Section B  |  |  |
| VI. A     | 52 year old postmenopausal lady with mass per vaginum. Discuss.  |  |  |
|           | Relevant history you would ask.  |  |  |
|           | 2 Differential diagnosis.  |  |  |
| ;         | 3 Investigations.  |  |  |
|           | 4 Describe, briefly the steps of Fothergill's operation.   |  |  |
|           |  | (3 + 3 + 2 + 2 = 10  marks)<br>Turn over         |  |
|           |  | Turn over  |  |
|           |  | D 40' 3  |  |
|           | 2  | D 4213   |  |
| VII. Sh   | ort answer questions :   |  |  |
| 1         | Pearl Index.   |  |  |
| 2         |  |  |  |
| 3         | Pruritus Ani.  |  |  |
| .4        | LAVH.  | $(4 \times 1 = 4 \text{ marks})$                 |  |
| VIII. Wr  | ite short notes on ;   | (4 ^ 1 - 4 marks)                                |  |
|           |  |  |  |
|           | Progestogen only pills.  |  |  |
|           | Senile vaginitis. Androgen Insensitivity syndrome www.FirstRanker.com  |  |  |

# D:42772

## Paper II—OBSTETRICS AND GYNAECOLOGY

### I. MULTIPLE CHOICE QUESTIONS

- Note.—(1) Do not write anything on the question paper.
  - (2) Write your register number in the answer-sheet provided.
  - (3) Select one most appropriate response and encircle the corresponding alphabet against each question number in the answer-sheet provided.
- I. Multiple Choice Questions:
- 1. Life-span of corpusluteum in the absence of pregnancy is about :
  - (A) About 14 days.
- (B) One week.

(C) 10 days.

- (D) 28 days.
- 2. The following statement is true regarding Pap smear:
  - (A) Diagnostic test.
  - (B) Screening test.
  - (C) Diagnostic of carcinoma Endometrium.
  - (D) Detects all cases of carcinoma cervix.
- 3. Characteristic identification features of N.Gonorrhoeae is:
  - (A) Gram negative intracellular diplococci in Leucocytes.
  - (B) By a slide test which detects the presence of reagin antibody in the serum.
  - (C) Presence of refractile long thread like fibres \(\bar{c}\) bamboo shoot like buds.
  - (D) Presence of pear shaped motile flagellate protozoon.
- 4. The following statements about false positive VDRL test are true except:
  - (A) Seen in cases of Rheumatoid arthritis.
  - (B) In cases of Lupus erythematosus.
  - (C) In pregnancy.
  - (D) Treponema immobilization test will be positive.
- 5. Amputation of the cervix is performed in :
  - (A) Cases of Hypertrophy and elongation of the vaginal cervix in prolapse.
  - (B) In carcinoma cervix.
  - (C) Cervical erosion.
  - (D) Fibroid polyp.
- Cryptomenorhoea can result from the following conditions except:
  - (A) Imperforate hymen.
  - (B) Atresia of the lower end of the vagina.
  - (C) Stenosis of the cervix after some surgical procedures on it.
  - (D) Following tuberculous infection of the genital tract.

Turn over

D 42.

- 7. Bromocriptive is used in the following conditions except:

  - (A) Pituitary micro adenomas. (B) Pituitary Macro adenomas.
  - (C) Suppression of breast milk. (D) Sheehan's syndrome.
- 8. The following are the functional ovarian cysts except:
  - (C) Theca Lutein cysts.



#### www.FirstRanker.com

www.FirstRanker.com

# D 42772

#### Paper II-OBSTETRICS AND GYNAECOLOGY

#### II. Match the following :-

- 1 Pomeroy's technique
- 2 Ovarian artery
- 3 Theca Lutein cyst
- 4 Posterior colpoperineorrhaphy (d) Pregnancy.
- 5 Uterine artery
- 6 Red degeneration of fibroid
- 7 . Asherman's syndrome
- 8 Pelvic abscess

- (a) Posterior colpotomy.
- (b) Branch of Internal iliac artery.
- (c) Rectocele.
- (e) Amenorrhoea.
- (f) Branch of aorta.
- (g) Tubal ligation.
- (h) Vesicular mole.

KINSTRAINER COM

 $(8 \times \frac{1}{2} = 4 \text{ marks})$