

www.FirstRanker.com

www.FirstRanker.com

(This paper consists of two pages)

24-12-2022

01211 A3+01211 A4

II-MBBS

Second M.B.B.S. (Main) Examination (New Scheme)

December - 2022

PHARMACOLOGY

Paper-Second

Time: Three Hours

Maximum Marke, 10

Maximum Marks: 100	
Attempt all questions in both sections	
(Use separate answer book for each section)	
Section-A	6 x 1 = 06
1. Fill in the blanks:	0 x 1 - 00
) Ivabradine is indicated in management of	
b) Raloxifene is used in the management of	
c) Bivacizumab is used in the treatment of	
d) Treatment for iron poisoning is	
P) Drug of choice in paroxysmal supraventricular tachycardia is	-
f) Drug of choice for cyclophosphamide toxicity is	
2. Multiple choice questions:	4 x 1 = 04
i) Gastric lavage is contraindicated in	
a) Salicylate poisoning (b) Kerosene poisoning	
c) OP poisoning d) Morphine poisoning	
ii) The drug obtained from plant digitalis is used for the treatment of	
a) Malaria by Heart Failure c) MI d) Iridocyclitis	
iii) A 30 year old female was treated with an antihypertensive drug and present	ted with
hirstuism. The likely drug was	
Fenoldopam b) Methydopa c) Minoxidil d) Enalapril	
iv) The following drugs cause methemoglobinemia	
a) Aniline b) Dapsone c) Nitrates d) All of above	
3. A 65 years old male presented in emergency with severe pain in chest radiation	ng to jaw and
3. A 65 years old male presented in emergency	osis of acute
3. A 65 years old male presented in emergency left arm. ECG showed ST segment elevation and raised cardiac markers. Diagn	
	07
the above condition.	05
a) Write down the management of the patient. b) Discuss the precautions and post MI prophylaxis for this patient.	03
b) Discuss the precautions	
gy Write down the ADR's of Nitrates.	5 x 2 = 10
Write short notes on (Any five):	
4. Wille Silver	asc.1



www.FirstRanker.com

www.FirstRanker.com

		_		
ര് 1	lege	of n	DOFF	hina
<i>y</i> , 0	1262	OI II	HOI P	hine.

- d) Adverse drug reactions of aspirin.
- e) Management of Rheumatoid arthiritis.
- f) Labetalol.

Explain briefly (Any three):

3 x 5 = 15

- a) Propranolol is used in prophylaxis of migraine.
- b) Pyridostigmine is used in myasthenia gravis.
- of Levodopa is combined with carbidopa.
- SSRIs are preferred over tricyclic antidepressants in management of depression.

Section-B

- 6. A 62 years old male visited urology department with complaints of frequent need to urinate, difficulty in initiating stream, and sense of incomplete voiding. On rectal examination increase in prostate size was detected. Benign prostate hypertrophy was confirmed on histopathological examination.
 - a) Mention the preferred drug for this patient 03
 - b) Write down the mechanism of action of this drug 05
 - Write down the most common side effect of this drug

 03
 - d) Name two drugs contraindicated in patients of BPH 05
 - e) What is the role of finasteride in the treatment of BPH 04
 - 7. Write short notes on (Any five):

 a) Management of H.pylori infection.
 - b) Management of organophosphorus poisoning.
 - c) Probiotics.
 - d) Management of acute attack of bronchial asthma.
 - g) Prostaglandin analogues.
 - Ø Pre-anesthetic medication.

8. Explain Why (Any four):

 $4 \times 5 = 20$

 $5 \times 2 = 10$

- a) Sumatriptan is preferred over methylergonovine in migraine.
- b) Ethyl alcohol is used in methyl alcohol poisoning.
- /c) Adrenaline is used in anaphylactic shock.
 - Oximes not used in carbamate poisoning.
 - e) Pilocarpine is not preferred first line agent in simple chronic glaucoma.