

www.FirstRanker.com

www.FirstRanker.com

Roll No. Total No. of Pages : 02

Total No. of Questions: 18

B.Tech. (IT) (2018 Batch) (Sem.-3)

MATHEMATICS-III

Subject Code: BTAM-304-18

M.Code: 76393

Time: 3 Hrs. Max. Marks: 60

## **INSTRUCTIONS TO CANDIDATES:**

- SECTION-A is COMPULSORY consisting of TEN questions carrying TWO marks each.
- SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt any FOUR questions.
- SECTION-C contains THREE questions carrying TEN marks each and students have to attempt any TWO questions.

# SECTION-A

#### Write brief:

1. Express  $\partial w/\partial r$  and  $\partial w/\partial s$  in terms of r and s if

$$w = x + 2y + z^2$$
,  $x = \frac{r}{s}$ ,  $y = r^2 + \ln s$ ,  $z = 2r$ 

Show that the function.

$$f(x,y) = \begin{cases} \frac{2xy}{x^2 + y^2} & (x,y) \neq (0,0) \\ 0 & (x,y) = (0,0) \end{cases}$$

is not continuous at origin.

- 3. Find the local extreme values of the function  $f(x, y) = x^3 + y^3 + 3x^2 3y^2 8$
- Define convergence of a sequence and give an example of a convergent sequence.
- State Leibniz's test for alternating series.
- Determine for what values of a and b, the following differential equation is exact.

$$(y + x^3)dx + (ax + by^3)dy = 0$$

Find the integrating factor for the following differential equation

$$(5x^3 + 12x^2 + 6y^2)dx + 6xydy = 0$$

1 | M-76393 (S2)-540

- 8. Give an example of a fourth order linear differential equation.
- 9. Find the solution of the differential equation y'' 4y' 12y = 0
- If y<sub>1</sub> and y<sub>2</sub> are two linearly independent solutions of a second order linear differential equation, then what can you say about the general solution of this equation. Justify your answer.

### SECTION-B

- Find the volume of the region in the first octant bounded by the coordinate planes and the planes x + z - 1 and y + 2z = 2.
- 12. For what values of x does the following power series converge?

$$\sum_{n=1}^{\infty} (-1)^{n-1} \frac{x^{2n-1}}{2n-1}$$

13. Obtain the general solution and singular solution of the non-linear equation

$$y = xy' - (y')^3.$$

- Solve the differential equation y" + 16y = 32 sec 2x by using method of variation of parameters.
- 15. If  $\sum_{n=1}^{\infty} |a_n|$  converges, then show that  $\sum_{n=1}^{\infty} a_n$  also converges. Is the converse also true? Justify your answer.

#### SECTION-C

- 16. Find the extreme, values of the function  $f(x, y, z) = x^2 + y^2 + z^2$  subject to the constraints  $x^2 + y^2 1 = 0$  and x + y + z = 1.
- 17. Test the convergence of the series (i)  $\sum_{n=1}^{\infty} (-1)^n \frac{\ln n}{n \ln n}$  (ii)  $\sum_{n=1}^{\infty} \frac{8 \tan^{-1} n}{1 + n^2}$
- 18. Find the general solution of the equation  $y'' 4y' + 13y = 18e^{2x} \sin 3x$ .

NOTE: Disclosure of Identity by writing Mobile No. or Making of passing request on any page of Answer Sheet will lead to UMC against the Student.

2 | M-76393 (S2)-540