

# www.FirstRanker.com

www.FirstRanker.com

Roll No.							Total No. of Pages: 03
	_						rotar ito. or ragoo ro

Total No. of Questions: 18

B.Tech.(ECE) (2018 Batch) (Sem.-3)

MATHEMATICS III

Subject Code: BTAM-303-18 M.Code: 76448

Time: 3 Hrs. Max. Marks: 60

## INSTRUCTIONS TO CANDIDATES:

- SECTION-A is COMPULSORY consisting of TEN questions carrying TWO marks each.
- SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt any FOUR questions.
- SECTION-C contains THREE questions carrying TEN marks each and students have to attempt any TWO questions.

## SECTION-A

# Write briefly:

- If a random variable has a Poisson distribution such that P(l) = P(2). Find the mean of the distribution.
- Find the Laplace transform of t<sup>3</sup> e<sup>-3t</sup>.
- 3. Represent  $f(t) = \sin 2t$ ,  $2\pi < t < 4\pi$  and 0 otherwise, in terms of unit step function.
- 4. State convolution theorem of Fourier transform.
- Find the Z-transform of e<sup>t</sup> sin 2t.
- Write the relation between Fourier and Laplace transforms.
- Define discrete and continuous random variables.
- Define Rank correlation.
- State initial and final value theorems of Z-transform.
- Define Binomial and Poisson distribution functions.

1 | M-76448 (S2)-828

www.FirstRanker.com

www.FirstRanker.com

#### SECTION-B

11. Evaluate:

$$L\left\{e^{-t}\int_0^t \frac{\sin t}{t} dt\right\}$$

12. Find the Fourier transform of:

$$e^{-2(x-3)^2}$$

13. Using the Z-transform, solve :

$$u_{n+2} + 4u_{n+1} + 3u_n = 3^n$$

with  $u_0 = 0$ ,  $u_1 = 1$ .

- 14. The two regression equations of the variables x and y are x = 19.13 0.87 y and y = 11.64 0.50 x. Find (i) mean of x and y (ii) the correlation co-efficient between x and y.
- 15. The intelligence quotients (IQ) of 16 students from B. Tech. IInd year showed a mean of 107 and a standard deviation of 10, while the IQs of 14 students from B. Tech. 1st year showed a mean of 112 and a standard deviation of 8. Is there a significant difference between the IQs of the two groups at significance levels of 0.05? Given that critical value at 28 degree of freedom with 5% level of significance is 2.05.

## SECTION-C

16. a) Apply Convolution theorem to evaluate

$$L^{-1}\left[\frac{1}{(s^2+1)(s^2+9)}\right]$$

b) Find the inverse Laplace transform of

$$\frac{se^{-s/2} + \pi e^{-s}}{s^2 + \pi^2}$$

2 | M-76448



www.FirstRanker.com

www.FirstRanker.com

17. If  $f(x) = \sin x$ ,  $0 \le x \le \pi$  and f(x) = 0,  $-\pi \le x \le 0$ , Prove that

$$f(x) = \frac{1}{\pi} + \frac{\sin x}{2} - \frac{2}{\pi} \sum_{n=1}^{\infty} \frac{\cos 2nx}{4n^2 - 1}$$

Hence show that:

$$\frac{1}{1.3} - \frac{1}{3.5} + \frac{1}{5.7} - \dots - \infty = \frac{\pi - 2}{4}$$

18. Find the coefficient of correlation and obtain the lines of regression from the given data

	X	62	64	65	69	70	71	72	74
Γ	Y	126	125	139	145	165	152	180	208

www.FirstRanker.com

NOTE: Disclosure of Identity by writing Mobile No. or Making of passing request on any page of Answer Sheet will lead to UMC against the Student.

3 | M-76448 (S2)-828