
3. Defect : Intolerable [Option ID = 43716] 4. Emotion: Invulnerable [Option ID = 43717]

<u>'</u>
Topic:- MOR S2
<ol> <li>Which of the following alternatives is either a synonym or an antonym of the word LIBERAL?         [Question ID = 10924]</li> <li>Unreliable [Option ID = 43690]</li> <li>Intolerant [Option ID = 43691]</li> <li>Strong [Option ID = 43692]</li> <li>Independent [Option ID = 43693]</li> </ol>
Correct Answer :-  • Intolerant [Option ID = 43691]
<ul> <li>2) Which of the following alternatives is either a synonym or an antonym of the word EXHORT? [Question ID = 10925]</li> <li>1. Condemn [Option ID = 43694]</li> <li>2. Urge [Option ID = 43695]</li> <li>3. Prevent [Option ID = 43696]</li> <li>4. Waste [Option ID = 43697]</li> </ul>
Correct Answer :-  • Urge [Option ID = 43695]
3) The most suitable 'one word' for the phrase 'Present opposing arguments or evidence' is  [Question ID = 10926]  1. Criticise [Option ID = 43698]  2. Rebut [Option ID = 43699]  3. Rebuff [Option ID = 43700]  4. Reprimand [Option ID = 43701]
Correct Answer:- • Rebut [Option ID = 43699]
4) The most suitable 'one word' for the phrase 'To break off proceedings of a meeting for a time' is  [Question ID = 10927]  1. Convene [Option ID = 43702]  2. Terminate [Option ID = 43703]  3. Adjourn [Option ID = 43704]  4. Procrastimate [Option ID = 43705]
Correct Answer :-  • Adjourn [Option ID = 43704]
5) The with which he is able to wield the paint brush is really remarkable  [Question ID = 10928]  1. ease [Option ID = 43706]  2. sweep [Option ID = 43707]  3. skill [Option ID = 43708]  4. majesty [Option ID = 43709]
Correct Answer :- • ease [Option ID = 43706]
6) The purpose of education must be to attitudes as well as to impart knowledge and skills  [Question ID = 10929]  1. manage [Option ID = 43710]  2. rationalise [Option ID = 43711]  3. adjust [Option ID = 43712]  4. internalize [Option ID = 43713]
Correct Answer :- • rationalise [Option ID = 43711]
7) Which of the following lettered pairs has the same relationship as the pair Error: Infallible?  [Question ID = 10930]
1. Cure : Irreversible [Option ID = 43714] 2. Flaw : Impeccable [Option ID = 43715]

www.FirstRanker.com



9) How many such letters are there in the word BACKLASH each of which is as far away from the beginning of the word as it is from the beginning of the English alphabets?

#### [Question ID = 10932]

- 1. One [Option ID = 43722]
- 2. Two [Option ID = 43723]
- 3. Three [Option ID = 43724]
- 4. Six [Option ID = 43725]

#### Correct Answer :-

Two [Option ID = 43723]

10) If 'oranges' are 'apples', 'bananas' are 'apricots', 'apples' are 'chillies', 'apricots' are 'oranges' and 'chillies' are 'bananas', then which of the following are green in colour?

## [Question ID = 10933]

- 1. Apricots [Option ID = 43726]
- 2. Apples [Option ID = 43727]
- 3. Chillies [Option ID = 43728]
- 4. Bananas [Option ID = 43729]

#### Correct Answer :-

• Bananas [Option ID = 43729]

11) 'A \$ B' means 'A is mother of B', 'A # B' means 'A is father of B', 'A @ B' means 'A is husband of B', 'A % B' means 'A is daughter of B'. Then 'P \$ Q # M % T' indicates what relationship of 'P' with 'T'?

#### [Question ID = 10934]

- 1. Paternal grandmother [Option ID = 43730]
- 2. Maternal grandmother [Option ID = 43731]
- 3. Mother-in-law [Option ID = 43732]
- 4. Maternal grandfather [Option ID = 43733]

#### Correct Answer :-

• Mother-in-law [Option ID = 43732]

# 12) In a certain code language, MICROWAVE is written as LJBSNXZWD. How is POPULAR written in that code? [Question ID = 10935]

- 1. QBIKVPAV [Option ID = 43734]
- 2. OPKVPAV [Option ID = 43735]
- 3. OPOVKBQ [Option ID = 43736]
- 4. KBQVOPA [Option ID = 43737]

#### Correct Answer :-

• OPOVKBQ [Option ID = 43736]

13) Statement: "Most of the classical dance theme are based on stories of Gods and avatars" Assumptions: I: Classical arts maintain their heritage by sticking to traditions. II: New themes are not interesting

#### [Question ID = 10936]

- 1. Only assumption I is implicit [Option ID = 43738]
- 2. Assumptions I and II are implicit [Option ID = 43739]
- 3. Only assumption II is implicit [Option ID = 43740]
- 4. none of these [Option ID = 43741]

#### Correct Answer :-

• Only assumption I is implicit [Option ID = 43738]

14) Statement: "In every community where we sell our brands, we must remember we do not business in markets, we do business in societies." - A marketer Assumptions: I. Shops and markets are of no use in selling a brand.

II. The understanding of social behaviour is a must for the marketer

## [Question ID = 10937]

- 1. Assumptions I and II are implicit [Option ID = 43742] **www.FirstRanker.com**
- 2. Only assumption II is implicit [Option ID = 43743]
- 3. Only assumption I is implicit [Option ID = 43744]

Only assumption it is implicit [Option in = 43743] www.FirstRanker.com www.FirstRanker.com
15) A cube is coloured red on all faces. It is cut into 64 smaller cubes of equal size. How many cubes have no face coloured?  [Question ID = 10938]  1. 8 [Option ID = 43746]  2. 10 [Option ID = 43747]  3. 18 [Option ID = 43748]  4. 24 [Option ID = 43749]
Correct Answer :-  • 8 [Option ID = 43746]
<ul> <li>16) If in a certain code DEFENCE is written as 42, how would COMMON be written in that code? [Question ID = 10939]</li> <li>1. 39 [Option ID = 43750]</li> <li>2. 57 [Option ID = 43751]</li> <li>3. 83 [Option ID = 43752]</li> <li>4. 73 [Option ID = 43753]</li> </ul>
Correct Answer :-  • 73 [Option ID = 43753]
17) A, B, C, D, E and F are six members of a family. There are two married couples among them. C is the mother of A and F. E is the father of D. A is the grandson of B. The total number of female members in the family is three. Which of the following pairs is one of the married couples?  [Question ID = 10940]  1. E-F [Option ID = 43754]  2. B-D [Option ID = 43755]  3. E-B [Option ID = 43756]  4. A-F [Option ID = 43757]
Correct Answer :-  • E-B [Option ID = 43756]
18) A, B, C, D, E and F are six members of a family. There are two married couples among them. C is the mother of A and F. E is the father of D. A is the grandson of B. The total number of female members in the family is three. Who is the wife of E?  [Question ID = 10941]  1. B [Option ID = 43758]  2. C [Option ID = 43759]  3. D [Option ID = 43760]  4. F [Option ID = 43761]
Correct Answer :-  ● B [Option ID = 43758]
<ul> <li>19) A, B, C, D, E, F and G are playing cards sitting around a circular table. D is not neighbour of C or E. A is neighbour of B and C. G, who is second to the left of D is the neighbour of E and F. What is the position of C?  [Question ID = 10942]</li> <li>1. To the immediate left of A [Option ID = 43762]</li> <li>2. To the immediate right of E [Option ID = 43763]</li> <li>3. Third to the right of F [Option ID = 43764]</li> <li>4. none of these [Option ID = 43765]</li> </ul>
Correct Answer :-  • none of these [Option ID = 43765]
20) The alternatives given below represent a pair of numbers. Which one is different from the other three alternatives?  [Question ID = 10943]  1. 41: 72 [Option ID = 43766]  2. 12: 30 [Option ID = 43767]  3. 51: 42 [Option ID = 43768]  4. 11: 20 [Option ID = 43769]
Correct Answer :-  • 41 : 72 [Option ID = 43766]

21) Operational Research uses models built by www.firstreasurement of the variables of a given problem and also derives a solution from the model using \_\_\_\_\_\_of the diversified solution techniques [Question ID = 10944]

www.FirstRanker.com

	www.ii ii Straiikei.coiii ww	Wil II Strainchicolli
Correct Answer :- • one or more [Option ID = 43771]		
<ul> <li>22) Operational Research is [Question ID = 10945]</li> <li>1. independent thinking approach [Option ID = 43774]</li> <li>2. group thinking approach [Option ID = 43775]</li> <li>3. inter-disciplinary team approach [Option ID = 43777]</li> <li>4. none of these [Option ID = 43777]</li> </ul>		
Correct Answer:-  • inter-disciplinary team approach [Option ID = 4377]	76]	
<ul> <li>23) An optimal solution of an assignment properties [Question ID = 10946]</li> <li>1. Each row and column has only one zero element [Outline]</li> <li>2. Each row and column has at least one zero element</li> <li>3. The cost data is arranged in a square matrix [Option ID = 43781]</li> </ul>	Option ID = 43778] It [Option ID = 43779]	
Correct Answer :-  • none of these [Option ID = 43781]		
24) In linear programming problem, degeneration ID = 10947]  1. two [Option ID = 43782]  2. one [Option ID = 43783]  3. three [Option ID = 43784]  4. four [Option ID = 43785]	eracy occurs in stages	
Correct Answer :- • two [Option ID = 43782]		
<ul> <li>25) If the dual linear programming problem [Question ID = 10949]</li> <li>1. unbounded [Option ID = 43790]</li> <li>2. infeasible [Option ID = 43791]</li> <li>3. either unbounded or infeasible [Option ID = 43792]</li> <li>4. none of these [Option ID = 43793]</li> </ul>	n has no feasible solution, then the primal proble	m is
Correct Answer:- • either unbounded or infeasible [Option ID = 43792]	]	
26) A balanced transportation problem with [Question ID = 10950]  1. 126 [Option ID = 43794]  2. 120 [Option ID = 43795]  3. 124 [Option ID = 43796]  4. 123 [Option ID = 43797]	h 3 sources and 3 destinations can have at most _	basic feasible solutions.
Correct Answer :-  ■ 126 [Option ID = 43794]		
<ul> <li>27) If an iso-cost line yielding the optimal s [Question ID = 10953]</li> <li>1. the solution is unbounded [Option ID = 43806]</li> <li>2. the solution is infeasible [Option ID = 43807]</li> <li>3. the constraint which coincides is redundant [Optio 4. none of these [Option ID = 43809]</li> </ul>	colution of a linear programming problem coincide on ID = 43808]	es with a constraint line, then
Correct Answer :- • none of these [Option ID = 43809]		
28) An assignment problem [Question ID = 10954]  1. is a special case of the linear programming problem	m [Option ID = 43810]	
2. is a special case of the transportation problem [Op		

3. can be solved by the Hungarian method of assignment www.FirstRanker.com

4. all of these [Option ID = 43813]

these (option to = 408 in Ker. CC	m	
Firstranker's choice	www.FirstRanker.com	www.FirstRanker.com
29) An inventory is	www.riistRaiikei.com	www.FiiStRalikei.com
[Question ID = 10955]		
1. a list of the items held in stock [Option ID = 43814]		
2. a list of the items in demand [Option ID = 43815]		
3. a list of the items held in shortage [Option ID = 438	16]	
4. none of these [Option ID = 43817]		
Correct Answer :-		
• a list of the items held in stock [Option ID = 43814]		
30) Stock turnover increases when		
,		
[Question ID = 10956]		
1. number of units sold in a period increases [Option I		
2. number of units sold in a period decreases [Option	ID = 43819]	
3. average stock increases [Option ID = 43820]		
4. none of these [Option ID = 43821]		
Correct Answer :-		
number of units sold in a period increases [Option I	D = 43818]	
24) The lead time occurs because of		
31) The lead time occurs because of [Question ID = 10957]		
1. time for order preparation [Option ID = 43822]		
2. time to process the delivery [Option ID = 43823]		
<ul><li>3. time at the supplier [Option ID = 43824]</li><li>4. all of these [Option ID = 43825]</li></ul>		
Correct Answer :-		
• all of these [Option ID = 43825]		
[Question ID = 10958] 1. feasible region will become larger [Option ID = 4382 2. feasible region will become smaller [Option ID = 43828] 3. solution will become infeasible [Option ID = 43828] 4. none of these [Option ID = 43829]		
<ul><li>Correct Answer:-</li><li>feasible region will become larger [Option ID = 4382]</li></ul>	77	
- reasible region witt become targer [option ib - 4302	.uj	
33) The ordering cost is Rs.125 per order fo	r a certain type of commodity whose	holding cost per unit is Rs. 6 per year. If
the annual demand is 6,000 units and the re		
is	, , , , , , , , , , , , , , , , , , ,	
[Question ID = 10959]		
1. 500 units [Option ID = 43830]		
2. 800 units [Option ID = 43831]		
<ol> <li>550 units [Option ID = 43832]</li> <li>450 units [Option ID = 43833]</li> </ol>		
• 500 units [Option ID = 43830]		
- 300 ums [option   - 43030]		
34) A bakery shop is operated by one person	n, the owner. The arrival pattern of c	customers on week days appears to follow
Poisson distribution, with a mean arrival rate	· · · · · · · · · · · · · · · · · · ·	
the reputation of the shop they are willing to		
estimated to be exponentially distributed, w	iui ali average service time of 2 min	. The average size of the queue
is		
[Question ID = 10960]		
1. 1/3 customers [Option ID = 43834]		
2. 1/2 customers [Option ID = 43835]		
<ol> <li>2/3 customers [Option ID = 43836]</li> <li>1/6 customers [Option ID = 43837]</li> </ol>		
Correct Answer :-		
• 1/6 customers [Option ID = 43837]		
25) A company has accorded to Caller 1.	ist of amile pater (and a second	
35) A company has recorded the following I 4, 3, 5, 5, 6. Then mean service time for the	,	ror one or its servers as 4, 4, 5, 6, 5, 4, 3
[Question ID = 10961]	www.FirstRanker.com	
1. 0.22 minutes [Option ID = 43838]		
2. 13.3 minutes [Option ID = 43839]		

3. 11111101 [Option ID = 43976]

4. 11111100 [Option ID = 43977]

Correct Answer :-

[Question ID = 10996]  1. Main Address Register [Option ID = 43978]	www.FirstRanker.com	www.FirstRanker.com
<ol> <li>Memory Access Register [Option ID = 43979]</li> <li>Main Accessible Register [Option ID = 43980]</li> <li>Memory Address Register [Option ID = 43981]</li> </ol>		
Correct Answer :-  • Memory Address Register [Option ID = 43981]		
44) The number of bits in Arithmetic and L [Question ID = 10997]  1. 4 [Option ID = 43982]  2. 16 [Option ID = 43983]  3. 8 [Option ID = 43984]  4. 2 [Option ID = 43985]	ogic Unit is	
Correct Answer :- • 16 [Option ID = 43983]		
45) The difference between memory and s [Question ID = 10998]  1. temporary, permanent [Option ID = 43986] 2. permanent, temporary [Option ID = 43987] 3. slow, fast [Option ID = 43988] 4. fast, slow [Option ID = 43989]	torage is that memory is and	storage is
Correct Answer:  • temporary, permanent [Option ID = 43986]		
<ul> <li>46) The most popular first generation comp [Question ID = 10999]</li> <li>1. IBM 1650 [Option ID = 43990]</li> <li>2. IBM 360 [Option ID = 43991]</li> <li>3. IBM 1130 [Option ID = 43992]</li> <li>4. IBM 2700 [Option ID = 43993]</li> </ul>	outer was	
Correct Answer :- • IBM 1650 [Option ID = 43990]		
47) The Boolean algebra property that allow of the operation is  [Question ID = 11000]  1. associative [Option ID = 43994]  2. commutative [Option ID = 43995]  3. distributive [Option ID = 43996]  4. none of these [Option ID = 43997]	ws to group operands in an expression in	any order without affecting the results
Correct Answer :- • commutative [Option ID = 43995]		
48) What does the abbreviation "http" stan  [Question ID = 11001]  1. High Task Termination Procedure [Option ID = 439 2. Hypertext Transfer Procedure [Option ID = 43999] 3. Hypertext Transfer Protocol [Option ID = 44000] 4. none of these [Option ID = 44001]	998]	
Correct Answer :-  • Hypertext Transfer Protocol [Option ID = 44000]		
49) The logic gate that provides high output [Question ID = 11005]  1. NOT [Option ID = 44014]  2. AND [Option ID = 44015]  3. X-NOR [Option ID = 44016]  4. XOR [Option ID = 44017]	it for same inputs is	
Correct Answer :-		
• X-NOR [Option ID = 44016]	www.FirstRanker.com	
50) In a RAM, information can be stored		

57) A specific range of numbers within which a population mean should lie is\_

<ul><li>3. the confidence interval [Option ID = 44052]</li><li>4. the confidence level [Option ID = 44053]</li></ul>	www.FirstRanker.com	www.FirstRanker.com
Correct Answer :-  • the confidence interval [Option ID = 44052]		
58) The coefficient of skewness is always zer [Question ID = 11017]  1. symmetrical [Option ID = 44062]  2. positively skewed [Option ID = 44063]  3. negatively skewed [Option ID = 44064]  4. none of these [Option ID = 44065]	o for distribution.	
Correct Answer :- • symmetrical [Option ID = 44062]		
<ul> <li>59) When testing the difference between two [Question ID = 11018]</li> <li>1. proportion 1 is greater than proportion 2 [Option ID = 2. the population proportions are unequal [Option ID = 440.</li> <li>3. the population proportions are equal [Option ID = 440.</li> <li>4. the pooled proportion equals the pooled variance [Option ID = 440.</li> </ul>	= 44066] 14067] 168]	usually that
Correct Answer:- • the population proportions are equal [Option ID = 440]	068]	
60) Suppose the correlation coefficient betw Then correlation coefficient of height measur ounces = one pound) is  [Question ID = 11019]  1. 0.40 [Option ID = 44070]  2. 0.30 [Option ID = 44071]  3. 0.33 [Option ID = 44072]  4. cannot be determined from the given information [O	ed in inches versus weight measured	
Correct Answer :- • 0.40 [Option ID = 44070]		
<ul> <li>61) Hypothesis tests are designed so that the [Question ID = 11020]</li> <li>1. null [Option ID = 44074]</li> <li>2. alternative [Option ID = 44075]</li> <li>3. incorrect [Option ID = 44076]</li> <li>4. none of these [Option ID = 44077]</li> </ul>	hypothesis will be rejected.	
Correct Answer:- • null [Option ID = 44074]		
62) The correlation coefficient is the  [Question ID = 11021]  1. arithmetic mean [Option ID = 44078]  2. harmonic mean [Option ID = 44079]  3. geometric mean [Option ID = 44080]  4. median [Option ID = 44081]	_of two regression coefficients.	
Correct Answer:- • geometric mean [Option ID = 44080]		
63) The chi-square test can be too sensitive [Question ID = 11022] 1. very small [Option ID = 44082] 2. very large [Option ID = 44083] 3. homogeneous [Option ID = 44084] 4. predictable [Option ID = 44085]	if the sample is	
Correct Answer:- • very large [Option ID = 44083]		
64) The set $S = \{(x_1, x_2): -1 < x_1 < 1\}$	, $-2 < \chi_{\rm s} < 5$ has , www.FirstRanker.com	

[Question ID = 11024]

vFirstranker's choice	www.FirstRanker.com	www.FirstRanker.com
[Option ID = 44091] 3. infinite vertices	www.riistRaiikei.com	www.riistranker.com
[Option ID = 44092] 4. none of these		
[Option ID = 44093]		
Correct Answer :-  no vertex		
[Option ID = 44090]		
<b>65)</b> An assignment problem has $m$ jobs a problem is	and $n$ workers where $m < n$ . Then the numl	per of basic feasible solutions of the
[Question ID = 11025] 1. $\binom{n^2}{2n}$		
[Option ID = 44094] 2. $\binom{mn}{m+n}$		
[Option ID = 44095] 3. $\binom{m+n}{mn}$		
[Option ID = 44096] 4. none of these [Option ID = 44097]		
Correct Answer :-		
• $\binom{n^2}{2n}$		
[Option ID = 44094]		
66) The linear programming problem $_{ m max}$	$ax z = x_1 + x_2 \text{ s.t.} x_1 + x_2 \le 8, 2x_1 + x_2$	$\leq 10, x_1 \geq 0, \ x_2 \geq 0 \text{ has}$
[Question ID = 11026] 1. alternate optimal solution		
[Option ID = 44098] 2. unique optimal solution		
[Option ID = 44099] 3. unbounded solution		
[Option ID = 44100] 4. none of these		
[Option ID = 44101]		
Correct Answer:- • alternate optimal solution		
[Option ID = 44098]		
67) The number of arrivals to a store follows:	lows a Poisson distribution with mean $\chi$ =1	O/hour. Then the mean inter-arrival time
is		
[Question ID = 11027] 1. 6 seconds		
[Option ID = 44102] 2. 6 minutes		
[Option ID = 44103] 3. 10 minutes		
[Option ID = 44104] 4 <del>. 6 hours</del>		
[Option ID = 44105]	www.FirstRanker.com	

Correct Answer :-

68) Let the reliability of a system is defined by  $R(t)=e^{-\lambda t}$  where  $\lambda=0.0004$  failures per hour. Then the Mean time to Failure (MTTF) is

[Question ID = 11028]

1. 2500 hours

[Option ID = 44106]

2. 2400 hours

[Option ID = 44107]

3. 2300 hours

[Option ID = 44108]

4. 4000 hours

[Option ID = 44109]

#### Correct Answer :-

2500 hours

[Option ID = 44106]

69) For a feasible primal (maximization)-dual (minimization) pair of linear programming problems, we have

# [Question ID = 11029]

1. dual objective value = primal objective value

[Option ID = 44110]

2. dual objective value < primal objective value

[Option ID = 44111]

3. primal objective value < dual objective value

[Option ID = 44112]

4. none of these

[Option ID = 44113]

## Correct Answer :-

primal objective value < dual objective value</li>

[Option ID = 44112]

Given that eigen values of a matrix  $S = \begin{bmatrix} 2 & 3 \\ x & y \end{bmatrix}$  are 4 and 8, then

#### [Question ID = 11030]

1. 
$$x = 4, y = 0$$

2. 
$$x = 5, y = 8$$

[Option ID = 44115]

3. 
$$x = -4, y = 10$$

[Option ID = 44116]

4. none of these

[Option ID = 44117]

# Correct Answer :-

• 
$$x = -4, y = 10$$

[Option ID = 44116]

71) Which of the following functions can be used as an integrating factor to turn the non-exact differential equation  $(3y\cos x - xy\sin x) + 2x\cos x\frac{dy}{dx} = 0$  into an exact equation?

[Question ID = 11031] www.FirstRanker.com

www.FirstRanker.com

```
[Option ID = 44119]
3. v^2
```

[Option ID = 44120]

4. none of these

[Option ID = 44121]

#### Correct Answer :-

•  $x^2y$ 

[Option ID = 44119]

72) If f is a linear function and 0 < a < b, then  $\int_a^b f^*(x) dx =$ 

# [Question ID = 11032]

1. 0

[Option ID = 44122]

2. 1

[Option ID = 44123]

3. b - a

[Option ID = 44124]

4. none of these [Option ID = 44125]

#### Correct Answer :-

• 0

[Option ID = 44122]

73) If p is a polynomial of degree n, n > 0, then the degree of the polynomial  $Q(x) = \int_0^x p(t) dt$  is\_\_\_\_\_\_

# [Question ID = 11033]

1. n

[Option ID = 44126]

2. n+1

[Option ID = 44127]

3. n-1

[Option ID = 44128]

4. 0 [Option ID = 44129]

## Correct Answer :-

 $^{\bullet}$  n+1

[Option ID = 44127]

74) 
$$\int_0^\infty x^2 e^{-x^3} dx =$$

1. 
$$\frac{-1}{2}$$

[Option ID = 44130]

- 2. 0 [Option ID = 44131]
- 3. 1 [Option ID = 44132]
- 4.  $\frac{1}{3}$

[Option ID = 44133]

# Correct Answer :-

•  $\frac{1}{3}$ 

[Option ID = 44133]

-----www.FirstRanker.com-----

75) The series  $1^3 + 2^3 + 3^3 + \cdots + n^3 + \cdots$  is\_\_\_\_\_

www.FirstRanker.com

2. convergent [Option ID = 44135]		
3. bounded [Option ID = 44136]		
4. both convergent and bounded		
[Option ID = 44137]		
Correct Answer :-  • divergent		
[Option ID = 44134]		
76) Every monotonic increasing sequence	ce which is, diverges to	<u>.</u>
[Question ID = 11036]  1. not bounded above, $-\infty$		
[Option ID = 44138]		
2. not bounded above, $+\infty$ [Option ID = 44139]		
3. not bounded below,—∞		
[Option ID = 44140] 4. not bounded below, $+\infty$		
[Option ID = 44141]		
Correct Answer :-		
<ul> <li>not bounded above,∞</li> </ul>		
[Option ID = 44138]		
77) If $f(x) = e^x \sin x$ , then the number of	zeroes of $f$ on the closed interval [0, $2\pi$ ] is_	<u>-</u> :
[Question ID = 11037]		
<ol> <li>0 [Option ID = 44142]</li> <li>1 [Option ID = 44143]</li> </ol>		
<ol> <li>3. 2 [Option ID = 44144]</li> <li>4. 3 [Option ID = 44145]</li> </ol>		
Correct Answer :-  • 3 [Option ID = 44145]		
78) Let $f(x) = 3x + 1$ for all real $x$ and $y$	et c > 0. For which of the following choices of	of $S$ is $ f(x) - 7  < c$ whenever
78) Let $f(x) = 3x + 1$ for all real $x$ and let $ x - 2  < \delta$ ?	et $arepsilon > 0$ . For which of the following choices (	of $\delta$ is $ f(x)-7  whenever$
$ x-2  < \delta$ ?	et $arepsilon > 0$ . For which of the following choices (	of $\delta$ is $ f(x)-7  whenever$
$ x - 2  < \delta$ ? [Question ID = 11038]	et $arepsilon > 0$ . For which of the following choices (	of $\delta$ is $ f(x)-7  whenever$
$ x-2  < \delta$ ? [Question ID = 11038] 1. $\frac{\varepsilon}{4}$ [Option ID = 44146]	et $arepsilon > 0$ . For which of the following choices $c$	of $\delta$ is $ f(x)-7  whenever$
$ x-2 <\delta$ ? [Question ID = 11038] 1. $\frac{\varepsilon}{4}$	et $arepsilon > 0$ . For which of the following choices $c$	of $\delta$ is $ f(x)-7 < \varepsilon$ whenever
$ x-2  < \delta$ ?  [Question ID = 11038]  1. $\frac{\varepsilon}{4}$ [Option ID = 44146]  2. $\frac{\varepsilon}{4}$	et $arepsilon > {f 0}$ . For which of the following choices ${f c}$	of $\delta$ is $ f(x)-7 <\varepsilon$ whenever
$ x-2  < \delta$ ?  [Question ID = 11038]  1. $\frac{\varepsilon}{4}$ [Option ID = 44146]  2. $\frac{\varepsilon}{2}$ [Option ID = 44147]  3. $\frac{\varepsilon}{4}$	et $arepsilon > 0$ . For which of the following choices $c$	of $\delta$ is $ f(x)-7 <\varepsilon$ whenever
$ x-2  < \delta?$ [Question ID = 11038]  1. $\frac{\varepsilon}{4}$ [Option ID = 44146]  2. $\frac{\varepsilon}{2}$ [Option ID = 44147]  3. $\frac{\varepsilon}{\varepsilon+1}$ [Option ID = 44148]  4. none of these [Option ID = 44149]  Correct Answer:-	et $arepsilon > 0$ . For which of the following choices $c$	of $\delta$ is $ f(x)-7 <\varepsilon$ whenever
$ x-2  < \delta$ ?  [Question ID = 11038]  1. $\frac{\varepsilon}{4}$ [Option ID = 44146]  2. $\frac{\varepsilon}{2}$ [Option ID = 44147]  3. $\frac{\varepsilon}{\varepsilon+1}$ [Option ID = 44148]  4. none of these [Option ID = 44149]	et $arepsilon > 0$ . For which of the following choices $\epsilon$	of $\delta$ is $ f(x)-7 <\varepsilon$ whenever

79) Let  $< f_n >$  be a convergent sequence and < my a list g and g are then

www.FirstRanker.com

$$\lim_{n\to\infty}\frac{f_n}{g_n}=0$$

[Option ID = 44151]

 $3. < f_n + g_n >$ is convergent

[Option ID = 44152]

4.  $2\pi$ 

[Option ID = 44153]

#### Correct Answer :-

•  $2\pi$ 

[Option ID = 44153]

The function 
$$f(x) = \begin{cases} -1, when - \pi \le x \le 0 \\ 1, when 0 \le x \le \pi \end{cases}$$
 is periodic of period

# [Question ID = 11040]

1.  $-\pi$ 

[Option ID = 44154]

2. π

[Option ID = 44155]

3.  $-2\pi$ 

[Option ID = 44156]

4.  $2\pi$ 

[Option ID = 44157]

## Correct Answer :-

2π

[Option ID = 44157]

81) The number of onto linear transformation from  $R^3$  to  $R^4$  is

# [Question ID = 11041]

- 1. 0 [Option ID = 44158]
- 2. 1 [Option ID = 44159]
- 3. 2 [Option ID = 44160]
- 4. 3 [Option ID = 44161]

### Correct Answer :-

• 0 [Option ID = 44158]

All eigen values of the matrix 
$$\begin{bmatrix} 1 & 2 & 0 \\ 2 & 1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$$
 lie in the disc

# [Question ID = 11042]

1. 
$$|\lambda + 1| \le 1$$

[Option ID = 44162]

2. 
$$|\lambda - 1| \le 1$$

[Option ID = 44163]

$$|\lambda + 1| \leq 0$$

[Option ID = 44164]

4. 
$$|\lambda - 1| \le 2$$

[Option ID = 44165]

## Correct Answer :-

•  $|\lambda - 1| \leq 2$ 

[Option ID = 44165]

www.FirstRanker.com

www.FirstRanker.com

[Question ID = 11043]

1. all eigen values of A are negative

[Option ID = 44166]

2. all eigen values of  $\Delta$  are positive

[Option ID = 44167]

3. exactly one eigen value of  $\underline{A}$  is 0

[Option ID = 44168]

4. none of these

[Option ID = 44169]

#### Correct Answer :-

• all eigen values of  ${\color{black} A}$  are positive

[Option ID = 44167]

84) If A is a  $7 \times 5$  matrix of rank 3 and B is  $5 \times 7$  matrix of rank 5, then the rank of the matrix AB is\_\_\_\_\_

# [Question ID = 11044]

- 1. 3 [Option ID = 44170]
- 2. 5 [Option ID = 44171]
- 3. 7 [Option ID = 44172]
- 4. 2 [Option ID = 44173]

#### Correct Answer :-

- 3 [Option ID = 44170]
- 85) If the order of a set A is 3 and that of a set B is 3, then the number of relations from A to B is\_\_\_\_\_.

## [Question ID = 11045]

- 1. 512 [Option ID = 44174]
- 2. 64 [Option ID = 44175]
- 3. 32 [Option ID = 44176]
- 4. 256 [Option ID = 44177]

#### Correct Answer :-

- 512 [Option ID = 44174]
- 86) The series  $\sum_{n=1}^{\infty} \frac{(x+2)^n}{\sqrt{n}}$  converges for

## [Question ID = 11046]

1. 
$$-3 < x < -1$$

[Option ID = 44178]

$$2 - 3 \le x < -1$$

[Option ID = 44179]

 $3. -3 \le x \le -1$ 

[Option ID = 44180]

4. none of these

[Option ID = 44181]

#### Correct Answer :-

• 
$$-3 \le x < -1$$

[Option ID = 44179]

87) The values of  $\chi$  for which the infinite series  $\sum_{n=1}^{\infty} \frac{(x-1)^n}{n}$  converge are

[Question ID = 11047]

1. 
$$-1 \le x < 1$$

www.FirstRanker.com

[Option ID = 44184]

4.  $0 \le x \le 2$ 

[Option ID = 44185]

Correct Answer :-

•  $0 \le x < 2$ 

[Option ID = 44183]

The set of points of continuity of the function  $f(x) = \begin{cases} 0, & \text{if } x \text{ is } rational \\ \sin|x|, & \text{if } x \text{ is } irrational \end{cases}$  is

[Question ID = 11048]

1. countable

[Option ID = 44186]

2. bounded

[Option ID = 44187]

3. empty

[Option ID = 44188]

4. none of these

[Option ID = 44189]

#### Correct Answer :-

• countable

[Option ID = 44186]

89) The average value of the function  $f(x) = \frac{1}{x}$  on the closed interval [1,3] is\_

[Question ID = 11049]

1.1/2

[Option ID = 44190]

2. 2/3

[Option ID = 44191]

ln 3

[Option ID = 44192]

4. 0

[Option ID = 44193]

Correct Answer :-

ln 3

[Option ID = 44192]

90) Two linearly independent solutions of the differential equation  $\frac{d^2y}{dx^2} + \frac{dy}{dx} - 6y = 0$  are

[Question ID = 11050]

1. 
$$e^{-3x}$$
 and  $e^{2x}$ 

[Option ID = 44194]

2.  $e^{-2x}$  and  $e^{3x}$ 

[Option ID = 44195]

3.  $e^{-x}$  and  $e^{6x}$ 

[Option ID = 44196]

 $4 e^{-6x}$  and  $e^{x}$ [Option ID = 44197]

www.FirstRanker.com

Correct Answer :-

95) If X = 1 in the logic equation  $(X + Z\{\overline{Y} + X\overline{Y}\}) \cdot (\overline{X} + \overline{Z}\{X + Y\}) = 1$ , then

[Question ID = 11055]

[Option ID = 44214]

1. Y = Z

7 = 1

www.FirstRanker.com

[Option	Iυ	=	4421

4. Z = 0

[Option ID = 44217]

Correct Answer :-

• Z = 0

[Option ID = 44217]

96) 
$$(734)_8 = ()_{16}$$

# [Question ID = 11056]

- 1. C 1 D [Option ID = 44218]
- 2. D C 1 [Option ID = 44219]
- 3. 1 C D [Option ID = 44220]
- 4. 1 D C [Option ID = 44221]

#### Correct Answer :-

- 1 D C [Option ID = 44221]
- 97) Consider the following algorithm: \(\chi\) is initialized to 3; \(\chi\) is then replaced by its double, three times in sequence; \(\chi\) is then decremented by 3, four times in sequence. The final value of \(\chi\) is

#### [Question ID = 11057]

- 1. 26 [Option ID = 44222]
- 2. 12 [Option ID = 44223]
- 3. 21 [Option ID = 44224]
- 4. 18 [Option ID = 44225]

## Correct Answer :-

- 12 [Option ID = 44223]
- The probability that a student passes statistics course is  $\frac{2}{3}$  and the probability that he passes both statistics and mathematics course is  $\frac{14}{15}$ . The probability that he passes atleast one course is  $\frac{4}{53}$ . The probability that he passes mathematics course is \_\_\_\_\_.

# [Question ID = 11058]

1.  $\frac{70}{135}$ 

[Option ID = 44226]

2.  $\frac{14}{53}$ 

[Option ID = 44227]

3.  $\frac{4}{153}$ 

[Option ID = 44228]

4. none of these [Option ID = 44229]

#### Correct Answer :-

 $\frac{70}{135}$ 

[Option ID = 44226]

99) If  $f(x) = 30x^4(1-x)$ ,  $0 \le x < 1$  is p.d.f. of a random variable X, then E(X) is \_\_\_\_.

# [Question ID = 11059]

- 1. 3/7 [Option ID = 44230]
- 2. 2/7 [Option ID = 44231]
- 3. 7/5 [Option ID = 44232] 4. 5/7 [Option ID = 44233]

www.FirstRanker.com



MMM.FilestRanker.com