

Printed Pages - 4

RAS-101

(Following Paper ID and Roll No. to be filled in your
Answer Books)

Paper ID : 2014075

Roll No.

--	--	--	--	--	--	--	--	--	--

B.TECH.

Regular Theory Examination (Odd Sem-I), 2016-17

ENGINEERING PHYSICS - I*Time : 3 Hours**Max. Marks : 70*

Note: A, B and C are three sections in this question paper.

Attempt all seven parts from section A, any three
parts from section B and all questions from
section C.**SECTION - A****1. Attempt all parts of this section. (7×2=14)**

- What is proper length of a rod.
- Explain the concept of rest mass of photon.
- What is Wien's Law?
- Explain the factor responsible for changing fringe width in wedge shaped film.

101/12/2016/95660

(1)

[P.T.O.]

RAS-101

- e) What happens to diffraction pattern when slit width of single slit experiment increases?
- f) What are metastable states?
- g) What precautions are needed to minimize material dispersion?

SECTION - B

2. Attempt any three parts (3×7=21)

- a) Describe Michelson - Morley experiment and explain the outcome of the experiment.
- b) Derive time independent Schrodinger wave equation and give physical interpretation of wave function. Also explain eigenvalue and eigen function.
- c) What do you understand by Newton's ring? Explain their experimental arrangement. How can you determine the wavelength of light with this experiment?
- d) What is the concept of four level laser systems? Give the construction and working of He-Ne laser.
- e) What do you understand by modes of an optical fiber? Discuss propagation of light in single mode, multimode and graded index fibers.

101/12/2016/95660 (2)

RAS-101

SECTION - C

3. Attempt any two parts. (2×3½=7)

- a) What do you mean by length contraction? Explain it.
- b) Deduce and discuss Einstein's mass - energy relation, $E = mc^2$
- c) Calculate the percentage contraction of a rod moving with a velocity of $0.8c$ in a direction at 60° to its own length.

4. Attempt any two parts (2×3½=7)

- a) Describe energy distribution in black body radiation.
- b) Explain the modified and unmodified radiations in Compton scattering?
- c) Calculate the wavelength of an electron associated with kinetic energy of 6.95×10^{-25} Joules

5. Attempt any two parts (2×3½=7)

- a) Explain the missing orders in the spectra of a plane transmission grating
- b) Explain Rayleigh criterion of resolution.

101/12/2016/95660 (3) [P.T.O.]

RAS-101

- c) A plane transmission grating has 15000 lines per inch. Find the resolving power of grating and the smallest wavelength difference that can be resolved with a light of wavelength 6000 Å in the second order.

6. Attempt any two parts (2×3½=7)

- a) Show that the plane polarized and circularly polarized light are the special cases of elliptically polarized light
- b) What are Einstein's coefficients? Obtain a relation between them.
- c) A certain length of 5% solution causes the optical rotation of 20°. How much length of 10% solution of the same substance will cause 35° rotation?

7. Attempt any two parts (2×3½=7)

- a) Describe different types of losses in optical fiber.
- b) Explain the construction and reconstruction of image in holography.
- c) Calculate the acceptance angle and numerical aperture of the optical fiber if the refractive index of core and cladding are 1.50 and 1.45 respectively.



101/12/2016/95660

(4)