

Printed Pages: 7

NME-202/NME-102

(Following Paper ID and Roll No. to be filled in your Answer Books)

Paper ID : 199229

Roll No.

B.TECH.

Theory Examination (Semester-II) 2015-16

ENGINEERING MECHANICS

Time : 3 Hours

Max. Marks : 100

Note: This paper having three section attempt question from each section as per instruction.

Section-A

Q1. ATTEPMT ALL PARTS

(2×10=20)

- State the Varignon's theorem. In what conditions it is used?
- A body P is about to slip over body Q. Normal reaction at the contact surface is 120 N and the angle of friction is 14° . Determine the friction force.
- Explain law of transmissibility of forces

(1)

P.T.O.

2505/147/1731/43275

- d) Define the relationship between load, shear force and bending moment.
- e) Write down the assumptions taken during analysis of truss.
- f) Determine the maximum bending moment in a simply supported beam having span of 7m and carrying a point load of 50N at mid of span.
- g) Define polar moment of inertia and radius of gyration.
- h) Define modulus of rigidity and modulus of elasticity.
- i) Define section modulus.
- j) Write down the conservation of energy principle.


Section-B

Q2. Attempt any five questions from this section.

(5×10=50)


- a) Two smooth cylinders of weight P and Q are placed in a smooth channel as shown in figure. Determine the reactions at contact surfaces A, B & C. The fol-

lowing numerical data are given: $P=200\text{N}$, $Q=800\text{N}$, $r_1=100\text{mm}$, $r_2=200\text{mm}$, and $a=400\text{mm}$, $\alpha=45^\circ$.




b)

Two blocks having weights W_1 and W_2 are connected by a string and rest on horizontal planes as shown in figure. If the angle of friction for each block is ϕ , find the magnitude and direction of the least force P applied to the upper block that will induce sliding.



9 The distance covered by a freely falling body in the last 1 second of its motion and that covered in the last but one second are in the ratio of 5:4. Calculate the height from which it strikes the ground.

h) Prove that ratio of depth to width to the strongest beam that can be cut circular log of diameter d is $\sqrt{2}$.



www.FirstRanker.com

Q4. Draw the shear force and bending moment diagram of the beam as shown in fig and also locate the point of contraflexure.

Calculate the minimum diameter of a solid circular shaft which is not allowed to twist more than 2° in a 5m length when subjected to a torque of 12 kN-m. Also calculate the maximum shear stress developed. Take modulus of rigidity $G = 83 \text{ GPa}$.

www.FirstRanker.com

Q5. What are the assumptions taken during derivation of torsion equation. Derive torsion equation

$$T/J = \tau/r = G\theta/L$$

Section-C
Attempt any two question from this section. (2×15=30)

Q5. Calculate the moment of inertia of composite section as shown in figure about its centroidal axis.

