

www.FirstRanker.com



Note: Attempt any five Questions from this section:

Q.2 Find the Fourier transform of  $F(x) = \begin{cases} 1, & |x| < a \\ 0, & |x| > a \end{cases}$ 

Q.3 Examine the nature of the function

In the region including the origin.

NAS-301

48500

(h) State Cauchy's integral theorem.

Prove that:  $\Delta \log f(x) = \log 1 + \frac{\Delta f(x)}{f(x)}$ Define regression lines.

Section-B

(10×5-50)

Q.7 Solve the following differential equation using Runge-

Kutta method:

P.T.O.

Q.6 A survey of 240 families with 4 children shows the following distribution:

No. of boys No. of families: 2 1 105 58

Test the hypothesis that male and female births are equal

respectively) (Given  $\chi^2 0.05 = 9.49$  and 11.1 for 4 d.f. and 5 d.f.

www.FirstRanke.

Given that  $\frac{dy}{dx} = \frac{1}{x+y}$  with y(0) = 1, find y(2).

1.1.

1.0 43.1

1.1 47.7

1.2 52.1

1.3 56.4

60.8

Section-C



Q10 a) Attempt any two questions from this section:  $(15\times2=30)$ **5** .:

Using Lagrange's interpolation formula, find y(10) from the following table.

6 =

Q.12 a)

ঙ The first four moments about the working mean 454.98. Calculate the moments about the mean. 28.5 of a distribution are 0.294, 7.144, 42.409 and

skewness and kurtosis of the distribution. Also evalute  $\beta_1$  and  $\beta_2$  and comment upon the NAS-301

48500

(5)

P.T.O.

O Solve x'-5x+3=0 by using Keguia - raisi

difference equations: Using the Z-transform solve the following

0

$$y_{k+2} + 4y_{k+1} + 3y_k = 3^k$$

given  $y_{(0)} = 0$ ,  $y_{(1)} = 1$ 

From the data given below, find the number of items n: x and y are deviations from the arithmetic mean.  $r_{xy} = 0.5 \sum XY = 120, \sum X^2 = 90, \sigma_y = 8 \text{ where}$ 

If f(z)=u+iv is analytic function and  $u-v=e^{x}(\cos y-\sin y)$ , find f(z) in terms of z

9



www.FirstRan

c) Find  $\int_0^6 \frac{e}{1+e}$ 

3/8 rule on

www.FirstRanker