

Printed Pages: 6	16			N	B	Г-3	01
(Following Paper I	D and Roll No. to b Answer Book)	oe fi	lled	in	yo	our	
Paper ID :154301	Roll No.	П		L			_
	D. D. I.						

B.Tech.

## (SEM. III) THEORY EXAMINATION, 2015-16 ELEMENTARY MATHEMATICS-III

[Time:3 hours]

[Total Marks:100]

## Section-A

- Q.1 Attempt all parts. All parts carry equal marks. Write answer of each question in short.  $(2\times10=20)$ 
  - (a) Draw bar diagram to represent the following data:

Years	1959	1960	1961	1962	1963
Wheat in Quantity	200	350	450	550	600

- (b) Define Binomial distribution.
- (c) Find out the arithmetic mean of the following data: 25, 30, 21, 55, 47, 10, 15, 17, 45, 35
- (d) Define statistical quality control.
- (e) Define skewness and Kurtosis.
- (f) What is the probability that a leap year selected at random will have 53 Sunday?

(1) NBT-301

MM File Ranke.



- **®** Explain parametric & non-parametric test.
- E In a binomial distribution, the mean and S.D. are 12 and 2 respectively, find n and p.
- What do you mean by internal and external data?

 $\Xi$ 

Write down the Empirical relation and find out the mean, if mode=64.2 and median=66.33.

## Section-B

Attempt any five questions from this section.  $(10 \times 5 = 50)$ 

Q.2 In a partially destroyed laboratory record of an analysis Variance of x=9 of a correlation data, the following results only are legible:

To find out

Regression equation: 8x-10y+66=0, 40x-18y=214

the mean values of x and y

(ii) the standard deviations of y.

- Q3. (i) Define Sign test
- $\Xi$ Find the regression equations and coefficient of correlation from the given data:

$$\sum x = 60, \sum x^2 = 4160, \sum y = 40, \sum y^2 = 1720, \sum xy = 1150, N = 10$$

**NBT-301** 

Q4. Obtain regression plane by using multiple linear

regression of the following data:

Q5. The height of 6 randomly chosen sailors in inches is 0 

soldiers are 61,62,65,66,69,70,71,72,73. Test whether the 63,65,68,69,71 and 72. Those of 9 randomly chosen sailors are on the average taler than soldiers. (Given

$$t_{13, 0.05} = 1.77$$
)

Draw the Ogives and hence estimate the median of the following data:

Frequency 8 32 142 216	Class 0-9 10-19 20-29 30-39	
216	30-39	
240	40-49	
143	50-60	

The following table gives the classification of 100 workers according to sex and nature of work. Test whether nature of work is independent of the sex of worker.

Give that  $X^{2}_{0.05}(1) = 3.841$ 

	Skilled	Unskilled	Total
Male	40	20	60
Female	10	30	40
Total	50	50	100

<u>ω</u>

P.T.O.

NWNFIISH



- Q8. What is Latin square Design? Under what conditions can disadvantages of Latin square Design. this Design be used? Discuss briefly the advantages and
- Q . What do you understand by two way analysis of variants? State by suitable example the methodology carrying out analysis of variants.

## Section-C

**Note:** Attempt any two questions from this section.  $(15 \times 2 = 30)$ 

Q10. (i) A company wants to test whether its three salesman of sales (in Rs. '000) during various weeks of the A,B and C have the same selling ability. Their records last month are given in the following table:

		2	1	+
Salesman	1 <sup>st</sup> Week	2 <sup>nd</sup> Week	3 <sup>rd</sup> Week	4 <sup>th</sup> Week
A	16	21	18	25
В	22	20	15	26
С	25	24	16	20

salesmen are equal.( $F_{0.05}(2,9)=4.25$ ) hypothesis that the mean sales per week of all Prepare an analysis of variance table and test the

 $\Xi$ Fit a Poisson distribution to the following set of observations, and calculate the theoretical frequencies.

NBT-301

4

	Frequency	Deaths
	122	0
	60	1
,	15	2
	2	3

Q11. (i) The lifetme of electric bulbs for a random sample of 10 from a large consignment gave the following

	i ≡ 1
Life (hr)	Item
=	
4.2	1
4.6	2
3.9	3
4.1	4
5.2	5
3.8	6
3.9	7
4.3	8
4.4	9
5.6	15

significance value of t-statistic for 9 degree of Can we accept the hypothesis that the average lifetime of bulb is 4 hours? (At 5% level of freedom is 2.26)

- (ii) Two line of regression equations are given by x+2y-(i) the mean of x and y (ii) variance of y (iii) the 5=0 & 2x+3y-8=0 and variance of x=12. Calculate correlation coefficient
- Q12. (i) Define rank correlation coefficients. Obtain the rank correlation coefficient for the following data:

×	
89	
<b>4</b> 3	
75	
05	
2	
8	
75	
40	
55	
2	
	68 64 75 50 64 80 75 40 55

(5)

**NBT-301** 

MANIFIEST



(ii) The data of defective of 10 sample of size 50 each are given below:

Sample no.	1	2	3	4	5	6	7	8	9	10
No. of defectives	4	2	3	3	4	4	4	2	3	1

Construct p-chart and give your comment.

\_\_×\_

(6) NBT-301/1400

www.FirstRanke