

Printed Pages : 4	932	EEC-302	
(Following Paper ID and Roll No. to be filled in your Answer Book)			
Paper ID : 131322	Roll No.		

B. Tech.

(SEM. III) THEORY EXAMINATION, 2015-16 DIGITAL ELECTRONICS

[Time: 3 hours] [Total Marks: 100]

SECTION-A

- 1. Attempt all sections . All sections carry equal marks. Write answer of each section in short. $(2\times10=20)$
 - (a) Explain Self-Complementing codes with an example.
 - (b) What is the basic difference between Latch and Flip Flop?
 - (c) Perform subtraction using 2s complement: 80-65
 - (d) What are don't care conditions? Explain with example.
 - (e) Construct 4 to 16 line decoder with five 2 to 4 line decoders with enable.

1600 (1) [P.T.O.]



	9
chart and ASM chart?	What is the difference between conventional flow-

- (g) What is the difference between Combinational and Sequential circuits?
- (h) Convert the following SOP Boolean expression into POS from: ABC+A'B'C
- Implement a two-bit Magnitude Comparator.

Ξ

(j) Design a Full adder using two Half adders.

<u></u>

SECTION-B

Attempt any five questions from this section. $(10 \times 5 = 50)$

- Explain J-K flip flop. What is Race-Around condition in J-K flip flop and what is its remedy?
- Define an encoder. Also describe an 8×3 Priority encoder.
- Explain Carry-Look Ahead Generator. Also draw the logic diagram of a BCD Adder.

4.

- 5. What are Shift Register Counters? Explain in detail.
- With the help of neat diagram, explain the operations of a Universal Shift Register.

What is a multiplexer? Implement the given function with:

.7

- (a) 8:1 MUX
- (b) 4:1 MUX
- (c) 2:1 MUX

$$F(A,B,C,D) = \sum (0,1,2,3,4,7,8,9,11,14,15)$$

- Find the minimal sum of products for a 5-variable function using Quine Mc-Cluskey (or, Tabulation) method. $F = \sum m(0, 1, 2, 9, 11, 12, 13, 27, 28, 29)$
- A sequential circuit has two JK flip-flops A and B, two inputs, x and y and one output, z. The flip-flop input equations are:

9

$$J_A = Bx + B'y'$$

$$K_B = A + xy$$

 $J_B = A'x$

Obtain the logic diagram, state table, state diagram and state equations.

WWW.FirstPanke

ω

1600



SECTION-C

Attempt any two questions form this section. $(15\times2=30)$

- What is the difference betwaeen Synchronous and Asynchronous Counters? Explain in detail Design a 4bit Synchronous UP/DOWN Counter.
- 11 (a) An asynchoronous sequential circuit has two internal states and one output. The two excitation functions and one output function describing the circuit are respectively given by:

$$Y_1 = x_1x_2 + x_1y_2' + x_2'y_1$$

 $Y_2 = x_2 + x_1y_1'y_2 + x_1'y_1$
 $z = x_2 + y_1$

- (i) Draw the logic diagram of the circuit.
- (ii) Derive the transition table and output map.
- (iii) Obtain a flow table.
- (b) What are Static and Dynamic Hazards?
- 12. Give the classification of Semiconductor Memories. Implement the following functions with PLA and PAL:

$$F_1 = AB' + AC + A'BC'$$

 $F_2 = (AC + BC)'$

1600

(4)

EEC-302