## **DU MSc Zoology**

### Topic:- DU J18 MSC ZOO

1) Which of the following is NOT a characteristic of lakes suffering from organic pollution?

### [Question ID = 582]

- 1. High microbial concentration [Option ID = 2325]
- 2. High biochemical oxygen demand [Option ID = 2327]
- 3. Low phosphate levels [Option ID = 2328]
- 4. Frequent algal blooms [Option ID = 2326]

### **Correct Answer:-**

- Low phosphate levels [Option ID = 2328]
- 2) Which of the following was probably absent at the time of origin of life?

### [Question ID = 546]

- 1. Oxygen [Option ID = 2182]
- 2. Hydrogen [Option ID = 2181]
- 3. Methane [Option ID = 2183]
- 4. Carbon dioxide [Option ID = 2184]

### **Correct Answer:-**

- Oxygen [Option ID = 2182]
- 3) Which of the following genotypes causes Klinefelter syndrome?

### [Question ID = 530]

- 1. XYY [Option ID = 2120]
- 2. XO [Option ID = 2117]
- 3. XXY [Option ID = 2118]
- 4. XX [Option ID = 2119]

### **Correct Answer:-**

- XXY [Option ID = 2118]
- 4) Which of the following is wrong match for enzyme classification?

### [Question ID = 601]

- 1. EC 2 Trasnferases [Option ID = 2402]
- 2. EC 3- Hydrolases [Option ID = 2403]
- 3. EC 1 Oxidoreductases [Option ID = 2401]
- 4. EC 4- Ligases [Option ID = 2404]

### **Correct Answer :-**

- EC 4- Ligases [Option ID = 2404]
- 5) Which of the following is not a possible explanation for the rapid rate of evolution of beak shape in Darwin's finches?

### [Question ID = 614]

- 1. Strong selection pressure [Option ID = 2455]
- 2. Small population size [Option ID = 2456]
- 3. High mutation rate [Option ID = 2453]
- 4. High emigrations and immigration rate [Option ID = 2454]

### **Correct Answer:-**

• High mutation rate [Option ID = 2453]

### www.FirstRanker.com

6) Which of the following animals is primarily an ectotherm?

#### [Question ID = 542]

- 1. Hawk [Option ID = 2165]
- 2. Lizard [Option ID = 2166]
- 3. Elephant [Option ID = 2168
- 4. Shrew [Option ID = 2167]

### **Correct Answer:-**

• Lizard [Option ID = 2166]

7) Which of the following technique was used by Messelon and Stahl to separate DNA labeled with 15<sup>N</sup> from 14<sup>N</sup>?

### [Question ID = 609]

- 1. Ion-exchange chromatography [Option ID = 2436]
- 2. Molecular-sieve filtration chromatography [Option ID = 2435]
- 3. Agarose Gel electrophoresis [Option ID = 2434]
- 4. CsCl density gradient centrifugation [Option ID = 2433]

### Correct Answer :-

• CsCl density gradient centrifugation [Option ID = 2433]

8) Which of the following molecule is most abundant in living system?

### [Question ID = 608]

- 1. Water [Option ID = 2432]
- 2. Cellulose [Option ID = 2430]
- 3. Protein [Option ID = 2429]
- 4. Starch [Option ID = 2431]

### **Correct Answer:-**

• Water [Option ID = 2432]

### 9) Which system is active under stress?

### [Question ID = 536]

- 1. Sympathetic nervous system [Option ID = 2142]
- 2. Somatic nervous system [Option ID = 2143]
- 3. Parasympathetic nervous system [Option ID = 2141]
- 4. Complete autonomic nervous system [Option ID = 2144]

### Correct Answer :-

• Sympathetic nervous system [Option ID = 2142]

### 10) Which is the first National park established in India:

### [Question ID = 583]

- 1. Jim Corbet National Park [Option ID = 2329]
- 2. Periyar National Park [Option ID = 2332]
- 3. Kanziranga National Park [Option ID = 2330]
- 4. Kanha National Park [Option ID = 2331]

### Correct Answer :-

• Jim Corbet National Park [Option ID = 2329]

# 11) Doubling time for E. coli is 20 min. If the initial number of bacterium in a culture is 100, what would be number of bacterium after 60 min. [Question ID = 606]

- 1. 300 [Option ID = 2422]
- 2. 400 [Option ID = 2423]
- 3. 100 [Option ID = 2421]
- 4. 800 [Option ID = 2424]

### www.FirstRanker.com

#### **Correct Answer:-**

• 800 [Option ID = 2424]

#### 12) X-chromosome inactivation

### [Question ID = 527]

- 1. Is the cause of the y chromosome being genetically inactive [Option ID = 2106]
- 2. Takes place in humans so that the same X chromosome is inactive in all the cells of a female [Option ID = 2107]
- 3. Normally takes place in males but not in females [Option ID = 2105]
- 4. Results in genetically turning off one of the two X chromosome in female mammals [Option ID = 2108]

#### Correct Answer :-

• Results in genetically turning off one of the two X chromosome in female mammals [Option ID = 2108]

### 13) In ecological succession from pioneer to climax community, the biomass shall:

### [Question ID = 584]

- 1. Increase and then decrease [Option ID = 2334]
- 2. Increase continuously [Option ID = 2336]
- 3. Decrease [Option ID = 2333]
- 4. No relation [Option ID = 2335]

#### **Correct Answer:-**

• Increase continuously [Option ID = 2336]

### 14) Import of glucose by the liver cell:

### [Question ID = 569]

- 1. Is dependent on hydrolysis of ATP [Option ID = 2273]
- 2. Is facilitated by GLUT2 [Option ID = 2276]
- 3. Occurs throughout the phospholipid bilayer [Option ID = 2275]
- 4. Requires expression of GLUT1 on the plasma membrane [Option ID = 2274]

### **Correct Answer:**

• Is facilitated by GLUT2 [Option ID = 2276]

### 15) The origin of the jaw in the gnathostomes is the

### [Question ID = 524]

- 1. hyoid [Option ID = 2096]
- 2. gill arch [Option ID = 2093]
- 3. notochord [Option ID = 2095]
- 4. bones supporting the cranium [Option ID = 2094]

### **Correct Answer:-**

• gill arch [Option ID = 2093]

## 16) The dynamics of which cytoskeletal element changes in a moving amoeba?

### [Question ID = 568]

- 1. Intermediate filaments [Option ID = 2271]
- 2. MreB [Option ID = 2272]
- 3. Microtubules [Option ID = 2269]
- 4. Microfilaments [Option ID = 2270]

### **Correct Answer:-**

• Microfilaments [Option ID = 2270]

## 17) Repeat core sequences consisting of 2, 3, or 4 base pairs are known as what?

[Question ID = 531]

### www.FirstRanker.com

- 1. Single nucleotide polymorphisms (SNPs) [Option ID = 2121
- 2. Minisatellites [Option ID = 2123]
- 3. Telomeres [Option ID = 2124]
- 4. Microsatellites [Option ID = 2122]

#### **Correct Answer:-**

• Microsatellites [Option ID = 2122]

### 18) A haltere is a

### [Question ID = 551]

- 1. Device used by a male insect to attract female for mating [Option ID = 2204]
- 2. balancing organ of housefly [Option ID = 2203]
- 3. sense organ of butterfly [Option ID = 2201]
- 4. modified forewing of beetle [Option ID = 2202]

#### Correct Answer :-

• balancing organ of housefly [Option ID = 2203]

### 19) Linolenic (C18: 9,12,15) is an essential fatty acid for human because:

### [Question ID = 555]

- 1. Lenolenic acid is available in fruits [Option ID = 2217]
- 2. Lenolenic acid gives much energy that palmitic acid [Option ID = 2219]
- 3. It is unsaturated fatty acid [Option ID = 2220]
- 4. Human cannot introduce double bond beyond 9-10 carbon of fatty acids [Option ID = 2218]

#### **Correct Answer:-**

• Human cannot introduce double bond beyond 9-10 carbon of fatty acids [Option ID = 2218]

### 20) Passive immunity is obtained by:

### [Question ID = 589]

- 1. Injecting the serum of another animal/individual containing antitoxin [Option ID = 2354]
- 2. Our own body cells preparing antibodies [Option ID = 2353]
- 3. Blood transfusion and blood clotting [Option ID = 2356]
- 4. Drinking medicinal concoctions [Option ID = 2355]

### **Correct Answer:-**

• Injecting the serum of another animal/individual containing antitoxin [Option ID = 2354]

### 21) 2-amino-3 hydroxy propionic acid is the chemical name for which of the following amino acid:

### [Question ID = 580]

- 1. serine [Option ID = 2320]
- 2. valine [Option ID = 2319]
- 3. glycine [Option ID = 2317]
- 4. alanine [Option ID = 2318]

### **Correct Answer:-**

• serine [Option ID = 2320]

### 22) Low pH of the lysosomal compartment is maintained by

### [Question ID = 613]

- 1. Glycolysis [Option ID = 2452]
- 2. Electron transport chain [Option ID = 2449]
- 3. Proton ATPase at the membrane [Option ID = 2450]
- 4. Luminal acid production [Option ID = 2451]

### **Correct Answer:-**

• Proton ATPase at the membrane | Option ID = 2450|

### www.FirstRanker.com

### 23) Kidney of the vertebrate embryo develops from:

#### [Question ID = **591**]

- 1. Mesoderm [Option ID = 2363]
- 2. Archenteron [Option ID = 2364]
- 3. Endoderm [Option ID = 2362]
- 4. Ectoderm [Option ID = 2361]

### **Correct Answer:-**

• Mesoderm [Option ID = 2363]

### 24) DNA is genetic material in

#### [Question ID = 563]

- 1. Only eukaryotes [Option ID = 2251]
- 2. Only Prokaryotes and eukaryotes [Option ID = 2250]
- 3. All viruses, prokaryotes, eukaryotes [Option ID = 2249]
- 4. Some viruses, all prokaryotes and eukaryotes [Option ID = 2252]

### **Correct Answer:-**

• Some viruses, all prokaryotes and eukaryotes [Option ID = 2252]

### 25) Which of the following statement is NOT TRUE for a competitive inhibitor in an enzyme catalysed reaction?

### [Question ID = 600]

- 1. Their inhibition can be reversed by increasing the substrate concentration [Option ID = 2400]
- 2. They compete with substrate for binding to the active site. [Option ID = 2398]
- 3. They are structural analogues of the substrate. [Option ID = 2397]
- 4. They increase the Km, and decrease the Vmax. [Option ID = 2399]

### **Correct Answer :-**

• They increase the Km, and decrease the Vmax. [Option ID = 2399]

### 26) Knee joint is a

### [Question ID = 548]

- 1. fibrous joint [Option ID = 2192]
- 2. cartilaginous joint [Option ID = 2191]
- 3. collagenous joint [Option ID = 2189]
- 4. synovial joint [Option ID = 2190]

### **Correct Answer :-**

• synovial joint [Option ID = 2190]

### 27) The heaviest organelle in cell is:

### [Question ID = 556]

- 1. Lysosomes [Option ID = 2223]
- 2. Ribosomes [Option ID = 2224]
- 3. Nucleus [Option ID = 2222]
- 4. Mitochondria [Option ID = 2221]

### **Correct Answer:-**

• Nucleus [Option ID = 2222]

### 28) Wallace's line is present in between

### [Question ID = 544]

- 1. Oriental and Australian regions [Option ID = 2173]
- 2. Palaearctic and Ethiopian regions [Option ID = 2176]
- 3. Neotropical and Nearctic regions [Option ID = 2175]
- 4. Ethiopian and Oriental regions [Option ID = 2174]

[Question ID = 586]

### www.FirstRanker.com

### www.FirstRanker.com

## **Correct Answer:-** $\bullet$ Oriental and Australian regions [Option ID = 2173] 29) In bivalves, which structure secretes pearl? [Question ID = 598] 1. Nacreous gland. [Option ID = 2392] 2. Nacreous layer [Option ID = 2391] 3. Prismatic layer [Option ID = 2390] 4. Periostracum layer [Option ID = 2389] Correct Answer :-• Nacreous layer [Option ID = 2391] 30) Ampicillin inhibits: [Question ID = 559] 1. Cell wall synthesis in bacterial cells [Option ID = 2236] 2. RNA synthesis in Bacterial cells [Option ID = 2234] 3. DNA synthesis in bacterial cells [Option ID = 2233] 4. Protein synthesis in mammalian cell [Option ID = 2235] **Correct Answer:-**• Cell wall synthesis in bacterial cells [Option ID = 2236] 31) Hiccups can be best described as [Question ID = 534] 1. sign of somebody remembering you [Option ID = 2136] 2. vibration of the soft palate during breathing while sleeping [Option ID = 2135] 3. jerky incomplete inspiration [Option ID = 2134] 4. forceful sudden expiration [Option ID = 2133] **Correct Answer:-**• jerky incomplete inspiration [Option ID = 2134] 32) At Isoelectric pH the charge on protein is: [Question ID = **553**] 1. Positive charge on protein [Option ID = 2210] 2. Negative charge on protein [Option ID = 2211] 3. No charge on protein [Option ID = 2209] 4. Net charge on protein is zero [Option ID = 2212] **Correct Answer:-**• Net charge on protein is zero [Option ID = 2212] 33) Lac is a material which is [Question ID = 552] 1. hardened fecal matter of lac insect [Option ID = 2205] 2. protective secretion deposited by female lac insect [Option ID = 2206] 3. protective covering secreted by larva [Option ID = 2207] 4. resin secreted by the plant [Option ID = 2208] • protective secretion deposited by female lac insect [Option ID = 2206] 34) Hardy-Weinberg's law gives the concept of

### www.FirstRanker.com

- 1. natural selection. [Option ID = 2344]
- 2. genetic drift [Option ID = 2341]
- 3. genetic equilibrium [Option ID = 2343]
- 4. mutation [Option ID = 2342]

#### **Correct Answer:-**

• genetic equilibrium [Option ID = 2343]

### 35) The vertical migration of plankton is an instance of

### [Question ID = **579**]

- 1. Circadian rythmes [Option ID = 2313]
- 2. Circannual rythmes [Option ID = 2314]
- 3. photopriodism [Option ID = 2315]
- 4. photokinesis. [Option ID = 2316]

### **Correct Answer:-**

• Circadian rythmes [Option ID = 2313]

### 36) Treadmilling of actin filaments in the steady state occurs at G-actin concentration

### [Question ID = 565]

- 1. Below the Cc of the (-) end [Option ID = 2257]
- 2. Above the Cc of the (-) end but below the Cc of the (+) end [Option ID = 2259]
- 3. Above the Cc of the (+) end but below the Cc of the (-) end [Option ID = 2260]
- 4. Above the Cc of the (+) end [Option ID = 2258]

#### **Correct Answer:-**

• Above the Cc of the (+) end but below the Cc of the (-) end [Option ID = 2260]

### 37) Exon skipping is associated with:

### [Question ID = 528]

- 1. regulatory mutations [Option ID = 2110]
- 2. RNA processing mutations [Option ID = 2111]
- 3. nonsense mutations [Option ID = 2109]
- 4. silent mutations [Option ID = 2112]

### **Correct Answer:-**

• RNA processing mutations [Option ID = 2111]

### 38) Bile is produced in our body which

### [Question ID = 557]

- 1. Act as a surfactant to emulsify lipids in intestine. [Option ID = 2226]
- 2. It has no role associated with our body [Option ID = 2228]
- 3. Helps in digestion of starch in intestinbe [Option ID = 2227]
- 4. Helps in controlling blood pressure [Option ID = 2225]

### **Correct Answer :-**

• Act as a surfactant to emulsify lipids in intestine. [Option ID = 2226]

### 39) The inner cell mass of mammalian blastocyst develops into,

### [Question ID = **578**]

- 1. all embryonic structures [Option ID = 2311]
- 2. embryonic endoderm [Option ID = 2309]
- 3. chorio-allantoic placenta [Option ID = 2312]
- 4. yolk-sac placenta [Option ID = 2310]

### **Correct Answer:-**

• all embryonic structures [Option ID = 2311]

### www.FirstRanker.com

#### 40) The isoform/s of actin present in muscle cells

#### [Question ID = 566]

- 1. beta-actin [Option ID = 2263]
- 2. beta-and gamma-actin [Option ID = 2264]
- 3. alpha-actin [Option ID = 2261]
- 4. alpha and beta-actin [Option ID = 2262]

### **Correct Answer:-**

• alpha-actin [Option ID = 2261]

### 41) The four postulates of the Chemiosmotic hypothesis accounted for:

### [Question ID = 574]

- 1. ETC, F1-F0 ATPase, cardiolipin and pmf generators [Option ID = 2295]
- 2. ETC, F1-F0 ATPase, cardiolipin and anion exchangers [Option ID = 2296]
- 3. Cardiolipin [Option ID = 2294]
- 4. The four complexes of the electron transport chain (ETC). [Option ID = 2293]

### **Correct Answer:-**

• ETC, F1-F0 ATPase, cardiolipin and anion exchangers [Option ID = 2296]

#### 42) Cilia and flagella contains a contractile protein called:

#### [Question ID = 575]

- 1. Myosin [Option ID = 2300]
- 2. Tubulin [Option ID = 2298]
- 3. Actin [Option ID = 2299]
- 4. Dyenin [Option ID = 2297]

### **Correct Answer :-**

• Dyenin [Option ID = 2297]

## 43) Insects such as Drosophila undergo three molts before undergoing metamorphosis. Molting is controlled by which of the following hormone?

### [Question ID = 532]

- 1. juvenile hormone [Option ID = 2126]
- 2. growth hormone [Option ID = 2128]
- 3. auxin [Option ID = 2127]
- 4. ecdysone [Option ID = 2125]

### **Correct Answer:-**

• ecdysone [Option ID = 2125]

### 44) Injection of anti-venom to a patient for snake bite is an example of

### [Question ID = 562]

- 1. Artificially acquired active immunity [Option ID = 2246]
- 2. Artificially acquired passive immunity [Option ID = 2248]
- 3. Naturally acquired active immunity [Option ID = 2245]
- 4. Naturally acquired passive immunity [Option ID = 2247]

### **Correct Answer:-**

• Artificially acquired passive immunity [Option ID = 2248]

### 45) Steroid hormones are synthesized from

### [Question ID = 558]

- 1. Glycogen [Option ID = 2232]
- 2. Tryptophan [Option ID = 2229]
- 3. Stearic acid [Option ID = 2231]
- 4. Cholesterol [Option ID = 2230]

### www.FirstRanker.com

#### **Correct Answer:-**

• Cholesterol [Option ID = 2230]

46) When a heterozygous offspring is crossed to homozygous recessive parent, it is called as

### [Question ID = 533]

- 1. Test cross [Option ID = 2129]
- 2. Reciprocal cross [Option ID = 2130]
- 3. Dihybrid cross [Option ID = 2132]
- 4. Monohybrid cross [Option ID = 2131]

#### Correct Answer :-

• Test cross [Option ID = 2129]

#### 47) Identify the statement that is NOT TRUE for Iron-sulphur clusters

### [Question ID = 573]

- 1. These are prosthetic groups of succinate-coenzyme Q reductase complex. [Option ID = 2289]
- 2. These accept and release electrons one at a time [Option ID = 2291]
- 3. They contain Fe bonded to inorganic S atoms and S atoms on cysteine residues of proteins [Option ID = 2290]
- 4. They are always associated with cytochromes. [Option ID = 2292]

#### Correct Answer :-

• They are always associated with cytochromes. [Option ID = 2292]

### 48) Of the early fish, which led to the extant fish of today?

### [Question ID = 525]

- 1. cephalochordates [Option ID = 2099]
- 2. acanthodians [Option ID = 2100]
- 3. placoderms [Option ID = 2098]
- 4. heterostracans [Option ID = 2097]

### **Correct Answer:**

• acanthodians [Option ID = 2100]

### 49) Water is a good solvent for inorganic salts because

### [Question ID = 615]

- 1. hydrogen bond [Option ID = 2459]
- 2. dielectric constant [Option ID = 2457]
- 3. polarity [Option ID = 2458]
- 4. conductivity [Option ID =  $\frac{1}{2}$ 460]

### **Correct Answer:-**

# 50) If the sequence of coding strand in a transcription unit is as follows: 5'-GAATTGCCAATTGCAGTC-3', the sequence of mRNA transcribed from the transcription unit would be, [Question ID = 604]

- 1. 3'-GAAUUGCCAAUUGCAGUC-5' [Option ID = 2416
- 2. 5'-CUUAACGGUUAACGUCAG-3' [Option ID = 2414]
- 3. 5'-GAAUUGCCAAUUGCAGUC-3' [Option ID = 2413]
- 4. 5'-GACUGCAAUUGGCAAUUC-3' [Option ID = 2415]

### **Correct Answer:**

• 5'-GAAUUGCCAAUUGCAGUC-3' [Option ID = 2413]

### 51) In a Robertsonian translocation fusion occurs at the:

### [Question ID = 529]

- 1. centromeres [Option ID = 2114]
- 2. histones [Option ID = 2115]
- 3. telomeres [Option ID = 2113]

### www.FirstRanker.com

4. ends of the long arms [Option ID = 2116]

#### Correct Answer :-

• centromeres [Option ID = 2114]

### 52) Symporters are cotransporters that transport:

### [Question ID = 570]

- 1. Cations and anions in the opposite direction. [Option ID = 2278]
- 2. Glucose against its concentration gradient. [Option ID = 2280]
- 3. Small molecules and gases in the same direction. [Option ID = 2277]
- 4. Na+ ions and glucose against the concentration gradient. [Option ID = 2279]

#### **Correct Answer:-**

• Glucose against its concentration gradient. [Option ID = 2280]

### 53) Bidirectional movement of vesicles requires

### [Question ID = 567]

- 1. Kinesin I [Option ID = 2265]
- 2. Association of (+) and (-) end-directed motors [Option ID = 2268]
- 3. A flexible neck region on the motor protein [Option ID = 2267]
- 4. Microtubules and microfilaments [Option ID = 2266]

#### Correct Answer :-

• Association of (+) and (-) end-directed motors [Option ID = 2268]

### 54) Pharyngeal gill slits

### [Question ID = 521]

- 1. are not found in protochordates, but are present in vertebrates, at least during the embryonic life [Option ID = 2084]
- 2. are found in higher inverterates and vertebrates [Option ID = 2083]
- 3. are found in fishes, crabs, snails, aquatic insects [Option ID = 2082]
- 4. are unique chordate characteristic [Option ID = 2081]

### **Correct Answer:-**

• are unique chordate characteristic [Option ID = 2081]

55) Three pg of a hypothetical protein-X is present in a cell. How many molecules of protein-X would be present in a cell, if the molecular weight of the protein is 30000? (Given, Avogaro's number is 6 x 10<sup>23</sup>)

### [Question ID = 610]

- 1.  $6 \times 10^{15}$  [Option ID = 2439]
- 2.  $6 \times 10^7$  [Option ID = 2438]
- 3.  $6 \times 10^{23}$  [Option ID = 2440]
- 4.  $6 \times 10^6$  [Option ID = 2437]

### **Correct Answer:-**

•  $6 \times 10^7$  [Option ID = 2438]

### 56) Ciliated pseudostratified columnar epithelia are found in

### [Question ID = 537]

- 1. membranous part of male vas deferens [Option ID = 2147]
- 2. linings of the trachea & upper respiratory tract [Option ID = 2146]
- 3. lining of the trachea [Option ID = 2145]
- 4. Vagina [Option ID = 2148]

### **Correct Answer:-**

• linings of the trachea & upper respiratory tract [Option ID = 2146]

### www.FirstRanker.com

- 1. Pygostyle [Option ID = 2365]
- 2. Analstyle [Option ID = 2367]
- 3. Endostyle [Option ID = 2368]
- 4. Urostyle [Option ID = 2366]

#### **Correct Answer:-**

• Endostyle [Option ID = 2368]

#### 58) DNA double helix is stabilized by: [Question ID = 602]

- 1. Hydrophobic interactions only [Option ID = 2408]
- 2. H-bonds only [Option ID = 2405]
- 3. H-bonds and base stacking interactions [Option ID = 2406]
- 4. Electrostatic interactions [Option ID = 2407]

#### Correct Answer :-

• H-bonds and base stacking interactions [Option ID = 2406]

### 59) Three forms of Daphnia are found in varying seasons. This phenomenon is called: [Question ID = 593]

- 1. Poly morphism [Option ID = 2369]
- 2. Seasonal peroidicity [Option ID = 2371]
- 3. Adaptation [Option ID = 2372]
- 4. Cyclomorphism [Option ID = 2370]

### **Correct Answer:-**

• Cyclomorphism [Option ID = 2370]

### 60) A gene showing co-dominance

#### [Question ID = 526]

- 1. Has alleles tightly linked on the same chromosome [Option ID = 2103]
- 2. Has alleles expressed at the same time in development [Option ID = 2104]
- 3. Has one allele dominant to the other [Option ID = 2101]
- 4. Has both alleles independently expressed in heterozygote [Option ID = 2102]

### **Correct Answer:**

• Has both alleles independently expressed in heterozygote [Option ID = 2102]

# 61) If the atrioventricular node could be surgically removed from the heart without disrupting signal transmission to bundle of His, then...

### [Question ID = 587]

- 1. atria & ventricle would contract almost simultaneously [Option ID = 2348]
- 2. the heart rate would be decreased. [Option ID = 2345]
- 3. only artia would contract. [Option ID = 2346]
- 4. only ventricle would contract. [Option ID = 2347]

### **Correct Answer :-**

• atria & ventricle would contract almost simultaneously [Option ID = 2348]

### 62) A double stranded DNA has 30 mole percent of cytosine. What would be the mole percent of adenine in it?

### [Question ID = 605]

- 1. 40 [Option ID = 2419]
- 2. 20 [Option ID = 2417]
- 3. 60 [Option ID = 2420]
- 4. 30 [Option ID = 2418]

### **Correct Answer:-**

• 20 [Option ID = 2417]

### 63) A protein having both structural and enzymatic properties is



### www.FirstRanker.com

- Histone [Option ID = 2140]
   Trypsin [Option ID = 2138]
   Myosin [Option ID = 2137]
   Collagen [Option ID = 2137]
   Myosin [Option ID = 2139]
   Myosin [Option ID = 2139]
   Bilateral symmetry in certain group of Phylum Mollusca is lost due to

  [Question ID = 595]
   reversion and rotation [Option ID = 2379]
  - 2. expansion and torsion [Option ID = 2380]
  - 3. torsion [Option ID = 2378]
  - 4. rotation [Option ID = 2377]

#### **Correct Answer:-**

• torsion [Option ID = 2378]

### 65) Bilaterally symmetrical, acoelomate organisms are:

### [Question ID = 577]

- 1. platyhelminthes [Option ID = 2306]
- 2. sponges [Option ID = 2305]
- 3. acinadia [Option ID = 2308]
- 4. nemathelminthes [Option ID = 2307]

#### **Correct Answer:-**

• platyhelminthes [Option ID = 2306]

### 66) Honey bee society is [Question ID = 549]

- 1. Eusocial [Option ID = 2196]
- 2. Subsocial [Option ID = 2195]
- 3. Communal [Option ID = 2193]
- 4. Parasocial [Option ID = 2194]

### Correct Answer :-

• Eusocial [Option ID = 2196]

### 67) DNA finger-printing employs

### [Question ID = 588]

- 1. pseudo-genes as probes. [Option ID = 2352]
- 2. unique and house-keeping genes as probes [Option ID = 2349]
- 3. variable number tandem repeats as probes [Option ID = 2351]
- 4. specific metabolic genes as probes [Option ID = 2350]

### **Correct Answer:-**

• variable number tandem repeats as probes [Option ID = 2351]

### 68) BLAST program is used in

### [Question ID = 564]

- 1. DNA sequencing [Option ID = 2253]
- 2. DNA bar coding [Option ID = 2255]
- 3. Amino Acid sequencing [Option ID = 2254]
- 4. Bioinformatics [Option ID = 2256]

### **Correct Answer :-**

• Bioinformatics [Option ID = 2256]

69) Hemophilia is an example of a trait that is carried as a

### www.FirstRanker.com

### [Question ID = 543]

- 1. Autosomal dominant [Option ID = 2169]
- 2. Autosomal recessive [Option ID = 2170]
- 3. Sex-linked dominant [Option ID = 2171]
- 4. Sex linked recessive [Option ID = 2172]

#### **Correct Answer:-**

• Sex linked recessive [Option ID = 2172]

#### 70) Schizocoelic phyla are

### [Question ID = 520]

- 1. Annelida, Arthropoda, and Mollusca [Option ID = 2079]
- 2. Arthropoda, Mollusca and Echinodermata [Option ID = 2080]
- 3. Platyhelminthes, Aschelminthes and Annelida [Option ID = 2078]
- 4. Protozoa, Porifera, Cnidarians, and Platyhelminthes [Option ID = 2077]

### Correct Answer :-

• Annelida, Arthropoda, and Mollusca [Option ID = 2079]

### 71) In terrestrial vertebrates, which of the following structures did not arise from the pharyngeal pouches?

### [Question ID = 522]

- 1. intervertebral discs [Option ID = 2087]
- 2. Eustachian tube [Option ID = 2085]
- 3. parathyroid gland [Option ID = 2088]
- 4. middle ear [Option ID = 2086]

#### **Correct Answer:-**

• intervertebral discs [Option ID = 2087]

### 72) Species inhabiting in different geographical regions are known as

### [Question ID = 545]

- 1. allopatric [Option ID = 2177]
- 2. biospecies [Option ID = 2180]
- 3. sibling species [Option ID = 2178]
- 4. sympatric [Option ID = 2179]

### **Correct Answer :-**

• allopatric [Option ID = 2177]

### 73) Frog oocytes do not swell in hypotonic solutions. The most plausible explanation for this is the absence of:

### [Question ID = **571**]

- 1. Aquaporins [Option ID = 2282]
- 2. K+ channels [Option ID = 2284]
- 3. Na+ channels [Option ID = 2283]
- 4. Na+ K+ ATPase [Option ID = 2281]

### **Correct Answer:-**

• Aquaporins [Option ID = 2282]

### 74) Nucleosome core is a structural unit of chromomatin

### [Question ID = 616]

- 1. consisting of 8 histones molecules and a specific length of DNA [Option ID = 2463]
- 2. consisting of 8 histones molecules and a specific sequence of DNA [Option ID = 2462]
- 3. consisting of 4 histones molecules and a specific length of DNA [Option ID = 2461]
- 4. consisting of 4 histones molecules and a specific sequence of DNA [Option ID = 2464]

Correct Answer :-



## www.FirstRanker.com www.FirstRanker.com

consisting	g of 8 histon	nes moleci	ules and a specific lengt	h of DNA [Option ID = 2463]		
75) Meltin	g tempera	ture (Tm	) of double stranded	DNA increases with		
[Question ]			,			
<ol> <li>Increases</li> <li>Increase</li> <li>Increase</li> </ol>	by modified in number o number of g	f adenine/ uanine/cy	ption ID = 2216] thymine bases [Option In tosine bases [Option ID DNA [Option ID = 2215]	= 2213]		
Correct An • Increase		guanine/c	ytosine bases [Option II	) = 2213]		
76) Unfold	led or misf	olded pro	oteins are degraded i	1:		
[Question ]	ID = 560]					
1. Golgi [Op 2. Endoplasi 3. Mitochono 4. Proteasor	mic reticulun dria [Option	n [Option ID = 223]	7]			
Correct An • Proteason		ID = 223	8]			
77) Which	of the foll	owing co	mmunicable diseases	is NOT transmitted by Aedes?	[Question ID = 539]	
Dengue     Yellow fee     Chikungu     Sleeping	ver [Option ] nia [Option ]	ID = 2156 ID = 2155	]			
Correct An • Sleeping		ption ID =	: 2154]			
78) Which  1. Golgi co 2. Mitochono 3. Nucleus [ 4. Ribosome	omplex [Opt dria [Option Option ID =	ion ID = 2 ID = 2162 2161]	163]	anelle? [Question ID = 541]		
Correct An • Mitochon		ID = 216	52]			
A B. C. D.	Phylum Class Order Family	: D	cot the correct answer  1. Anura  2. Ranidae  3. Chordata  4. Amphibia  [Option ID = 2448]	using the codes given below:		
A	в с	D	[Option ID = 2446]			
3.	4 1	2	[Option ID = 2445]			



```
D
          В
                  C
                         3 [Option ID = 2447]
Correct Answer:-
           В
                  C
                         D
                              [Option ID = 2445]
80)
      Match the list I with list II and select the correct answer using codes given below;
                             List II
           List I
         A. Taenia
                           1. Hexacanth
         B. Obelia
                           2. Glochidium
         C. Unio
                           3. Planula
         D. Balanoglossus 4. Tornaria
                           5. Miracidium
         Codes:
[Question ID = 599]
          В
                 C
                        D
          5
                 3
   2
                        4
                             [Option ID = 2396]
                 C
         B
                        D
   A
  3
         2
                 1
                        5
                             [Option ID = 2394]
          В
                  C
                        D
    A
           2
                  3
                        5
   1
                             [Option ID = 2393]
          В
                 C
                        D
          3
                 2
Correct Answer :-
                 C
          В
                        D
   A
                 2
                        4
                            [Option ID = 2395]
       Match the following stains used for staining given subcellular
       architecture/molecule/organelles:
       A. Ganus Green
                                   1. Cytoplasm
      B. Methyl blue
                                   2. Centriole
       C. Feulgen
                                   3. Mitochondria
      D. Iron Haematoxylin
                                   4. DNA
       Which of the following is correct match:
[Question ID = 576]
                        D
          В
                  C
   3
                  4
                        2
                             [Option ID = 2304]
                 C
          В
                        D
   A
   1
          2
                 3
                        4
                 C
          В
                        D
   A
   2
          3
                 4
                        1
                             [Option ID = 2302]
                C
   A
         В
                       D
  4
         3
                2
                       1
```



### www.FirstRanker.com

Correct Answer :-B C 2 The pH of a 10-8 M hydrochloric acid solution would be [Question ID = 597] 1. 8.25 [Option ID = 2385] 2. 6.98 [Option ID = 2388] 4. 6.58 [Option ID = 2387] Correct Answer :-• 6.98 [Option ID = 2388] 83) If a colour blind female marries a normal male, their children will be [Question ID = 547] normal sons and normal daughters [Option ID = 2188] normal sons and carrier daughters [Option ID = 2187] colour blind sons and colour blind daughters [Option ID = 2185] colour blind sons and carrier daughters [Option ID = 2186] Correct Answer :-• colour blind sons and carrier daughters [Option ID = 2186] 84) Y-shaped chaveron bone is present in [Question ID = 550] 1. thoracic vertebrae of mammal [Option ID = 2197] 2. caudal vertebrae of reptile [Option ID = 2199] 3. cervical vertebrae of bird [Option ID = 2198] 4. lumbar vertebrae of amphibian [Option ID = 2200] **Correct Answer:-**• caudal vertebrae of reptile [Option ID = 2199] \_\_\_\_\_ 85) The heart is not ventral in position in [Question ID = 519] 1. Fish [Option ID = 2074] 2. Frog [Option ID = 2073] 3. Lamprey [Option ID = 2075] 4. Crabs [Option ID = 2076] Correct Answer :-• Crabs [Option ID = 2076] 86) What would be the phenotype of E. coli for lac-operon, if the genotype is i+ o- z+ y+ a+? [Question ID = 603] 1. It would be repressed but inducible by IPTG. [Option ID = 2409] 2. It would be repressed and not induced by IPTG. [Option ID = 2411] 3. It would show constitutive expression of structural genes. [Option ID = 2410] 4. It would show constitutive expression of structural genes whose expression would further be enhanced by IPTG. [Option ID = 2412] Correct Answer :-• It would show constitutive expression of structural genes. [Option ID = 2410]

### 87) Non-disjunction means:

[Question ID = **594**]

- 1. one chromosome being lost [Option ID = 2376]
- 3. duplication of a segment of a chromosome [Option ID = 2374]
- 4. failure of chromosome pairs to separate during anaphatic WWW.FirstRanker.com

### www.FirstRanker.com

#### **Correct Answer:-**

- failure of chromosome pairs to separate during anaphase [Option ID = 2375]

#### 88) Marsupial mammals moved from South America to Australia via [Question ID = 540]

- 1. Antarctica [Option ID = 2157]
- 2. Madagascar [Option ID = 2160]
- 3. the Galapagos Archipelago [Option ID = 2159]
- 4. Africa [Option ID = 2158]

### **Correct Answer:-**

• Antarctica [Option ID = 2157]

### 89) Gap junctions are not essential for:

### [Question ID = 572]

- 1. Skeletal muscle contraction [Option ID = 2288]
- 2. Metabolic coupling [Option ID = 2286]
- 3. Peristalsis [Option ID = 2287]
- 4. Transfer of second messengers [Option ID = 2285]

#### **Correct Answer:-**

• Skeletal muscle contraction [Option ID = 2288]

### 90) Bilateral symmetry is seen in the body organization of [Question ID = 517]

- 1. annelids, arthropods and vertebrates [Option ID = 2068]
- 2. Vertebrates only [Option ID = 2066]
- 3. Vertebrates, annelids, arthropods, and cnidarians [Option ID = 2067]
- 4. Only chordates [Option ID = 2065]

### Correct Answer :-

• annelids, arthropods and vertebrates [Option ID = 2068]

### 91) The absorbance of UV light (280nm) by a protein is largely due to the presence of amino acids with

### [Question ID = 596]

- 1. Acidic R group [Option ID = 2382]
- 2. Aromatic R group [Option ID = 2383]
- 3. Basic R group [Option ID = 2384]
- 4. Aliphatic R group [Option ID = 2381]

### **Correct Answer:-**

• Aromatic R group [Option ID = 2383]

### 92) The name of the process by which oil glands in mammalian skins secrete oils is:

### [Question ID = 538]

- 1. holocrine secretion [Option ID = 2151]
- 2. osmosis [Option ID = 2152]
- 3. apocrine secretion [Option ID = 2150]
- 4. active transport [Option ID = 2149]

### Correct Answer :-

• holocrine secretion [Option ID = 2151]

### 93) The transition from water to land in the evolution of land vertebrates occurred during:

### [Question ID = 585]

- 1. Cambrian [Option ID = 2337
- 2. Devonian [Option ID = 2340]
- 3. Jurassic [Option ID = 2338]
- 4. Carboniferous (Option ID = 2339)

### www.FirstRanker.com

## **Correct Answer:-**• Devonian [Option ID = 2340] 94) The alarming rate of depletion of biodiversity in recent years is mostly due to [Question ID = 581] 1. ozone depletion. [Option ID = 2324] 2. pollution by pesticides and heavy metals [Option ID = 2323] 3. global warming [Option ID = 2321] 4. habitat destruction [Option ID = 2322] Correct Answer :-95) The scales in shark belong to the type [Question ID = 607] 1. Cycloid [Option ID = 2426] 2. Ctenoid [Option ID = 2427] 3. Ganoid [Option ID = 2428] 4. Placoid [Option ID = 2425] **Correct Answer:-**• Placoid [Option ID = 2425] 96) The term tunicate makes reference to the urochordate test, or tunic, which is composed of [Question ID = 523] 1. cellulose [Option ID = 2090] 2. calcium carbonate [Option ID = 2092] 3. silicon dioxide [Option ID = 2089] 4. chitin [Option ID = 2091] Correct Answer :-• cellulose [Option ID = 2090] 97) The notochord does not persist throughout life in [Question ID = 518] 1. Tunicates [Option ID = 2070] 2. Amphioxus [Option ID = 2069] 3. Petromyzon [Option ID = 2071] 4. Myxine [Option ID = 2072] **Correct Answer:-**• Tunicates [Option ID = 2070] 98) At what stage of eukaryotic cell cycle you would expect the DNA to be least compact? [Question ID = 611] 1. G I-Phase [Option ID = 2441] 2. Leptotene [Option ID = 2444] 3. S-Phase [Option ID = 2443] 4. Mitosis [Option ID = 2442] **Correct Answer:-**

• S-Phase [Option ID = 2443]

### 99) Nicotinamide adenine dinucleotide phosphate is generated in [Question ID = 561]

- 1. Fatty acid degradation pathway [Option ID = 2244]
- 2. Glycolysis [Option ID = 2242]
- 3. Pentose Phosphate pathway [Option ID = 2241]
- 4. Tricarboxylic acid pathway [Option ID = 2243]



www.FirstRanker.com

### Correct Answer :-

• Pentose Phosphate pathway [Option ID = 2241]

100) Haemophilia or bleeder's disease is due to a defective gene which does not produce:

[Question ID = 590]

- 1. Thromboplastin [Option ID = 2359]
- 2. Prothrombin [Option ID = 2360]
- 3. Fibrinogen [Option ID = 2357]
- 4. Calcium salts [Option ID = 2358]

**Correct Answer:-**

www.FirstRanker.com