

www.FirstRanker.com

www.FirstRanker.com



FINAL EXAM JUNE 2014 NATIONAL BOARD OF EXAMINATIONS

ANAESTHESIOLOGY

PAPER - II

ANS/J/14/01/II

Time : 3 hours Max. Marks : 100

IMPORTANT INSTRUCTIONS

- This question paper consists of 10 questions divided into Part 'A' and Part 'B', each part containing 5 questions.
- Answers to questions of Part 'A' and Part 'B' are to be strictly attempted in separate answer sheet(s) and the main + supplementary answer sheet(s) used for each part must be tagged separately.
- Answers to questions of Part 'A' attempted in answer sheet(s) of Part 'B' or vice versa shall not be evaluated.
- Answer sheet(s) of Part 'A' and Part 'B' are not to be tagged together.
- Part 'A' and Part 'B' should be mentioned only on the covering page of the respective answer sheet(s).
- Attempt all questions in order.
- Each question carries 10 marks.
- Read the question carefully and answer to the point neatly and legibly.
- Do not leave any blank pages between two answers.
- Indicate the question number correctly for the answer in the margin space.
- Answer all the parts of a single question together.
- Start the answer to a question on a fresh page or leave adequate space between two answers.
- Draw table/diagrams/flowcharts wherever appropriate.

PART A

1.	Outline the perioperative considerations in an obstetric patient for non-obstetric surgical intervention.	10
2.	What is awareness during surgery? Describe methods of monitoring awareness. What are the complications associated with awareness during surgery?	2+5+3
3.	What are the anaesthetic concerns in a patient with uncontrolled hypertension posted for elective surgery? Discuss the complications and drug interactions of antihypertensive drugs during perioperative period.	4+6
4.	What are the anaesthetic risks in a premature neonate? Describe the prognostic indicators in a neonate scheduled for repair of congenital diaphragmatic hernia.	3+7
5.	What are the indications for postoperative ventilation? Describe the various causes of delayed postoperative recovery in an elderly patient.	4+6