



Sl. No. of Q.P: 1549

Unique Paper Code : 2341401

Name of the Paper : Design and Analysis of Algorithms

Name of course : B.Tech (Computer Science)

Semester : IV

Duration of Examination: Three Hours

Maximum Marks : 75 marks

**Instructions:**


Question No 1 of 35 marks is compulsory

Attempt any four questions from Q No 2 to Q. no 7


Number of Printed Sheets in Question Paper:

F-8

- 1.(a) Argue the runtime of the naïve string matching algorithm. (2)
- (b) A sequence of  $n$  operations is performed on a data structure. The  $i^{\text{th}}$  operation costs  $i$  if  $i$  is a power of 3, otherwise it costs 1. Use aggregate analysis to determine the amortised cost per operation. (3)
- (c) Show that there are at most  $\left\lceil \frac{n}{2^{h+1}} \right\rceil$  nodes of height  $h$  in a heap with  $n$  elements. (3)
- (d) Which properties of a red-black tree can be violated on deleting a node? (take two cases depending on whether the deleted node is red or black) (4)
- (e) When does quick sort show its worst case behaviour? What is the runtime in this case? (4)
- (f) Run the BFS and DFS algorithms on the following graph and show the corresponding trees. (4)




- (g) Give an efficient algorithm to find both the minimum and maximum of a given array of  $n$  elements. (5)
  - (h) Name and briefly explain (i) greedy choice property, (ii) optimal substructure property. (5)
  - (i) Illustrate the operation of counting sort on the array  $\langle 6, 0, 2, 0, 1, 3, 4, 6, 1, 3, 2 \rangle$  (5)
- 2.(a) Find the largest common subsequence in the following sequences:  
 $X = \langle \text{PQRMPQR} \rangle$ ,  $Y = \langle \text{RPQN} \rangle$  (6)
  - (b) Give the adjacency list and adjacency matrix representation of the following graph: (4)



- 3.(a) Sort the following character array using heapsort: HEAPSORT (5)
- (b) Show that the height of an  $n$ -node RBT is  $O(\lg n)$ . (5)

- 4.(a) Derive an expression for the runtime of insertion sort in the worst case. (4)
- (b) Find the length of the shortest path between a and g using Dijkstra's algorithm: (6)




- 5.(a) Consider a stack  $S$  on which the following operations can be performed: (5)
- Push ( $S, x$ ): push object  $x$  onto the stack  $S$
  - Pop ( $S$ ): pop the top element from stack  $S$  and return the popped object
  - Multipop ( $S, k$ ): remove  $k$  top objects from  $S$

Using the accounting method of analysis, determine the amortised cost per operation when a sequence of  $n$  operations is performed on the stack  $S$ .

- (b) Name the design technique on which Kruskal's and Prim's algorithm are based. (5)  
What are the two algorithms meant for? Mention the fundamental difference in the way these algorithms work.

- 6.(a) Are the following algorithms (i) stable (ii) in-place: Merge sort, Quick sort. (4)  
Briefly explain.

- (b) Show the ordering of vertices produced by topological sort when run on the following DAG. (6)



- 7.(a) A man rides a bike between 2 cities located  $m$  kilometres apart. His tank needs to be refilled after every  $n$  kilometres. There are  $p$  fuel stations  $s_1, s_2, \dots, s_p$  along the way. The distance between a station  $s_i$  and its previous station  $s_{i-1}$  is given by  $d(s_i)$ . The distance between the starting point and the first station is  $d(s_1)$  and  $0 < d(s_i) \leq n$  for all  $i$ . If the man starts with a full tank, suggest how he can minimize (5)

the number of stops during his trip.

- (b) A burglar has to decide which items to take from a loot. The maximum weight (5) that his bag can carry is  $W$ . There are  $n$  items to choose from. The weight and value of the  $i^{\text{th}}$  item is given by  $w_i$  and  $v_i$  respectively. Suggest how he can determine the most valuable combination of items to fit into his bag.